


# morethansafety

**Mobilisation Guide** 



## **Content:**

Standard Uniform	3-36
Engineers Uniform	37-46
Arc Uniform	47-52
Soft Services	53-57
Outerwear & Rainwear	59-65
Hi Visibility Wear	66-72
Footwear	73-79
PPE	80-95
Test Equipment	96-105
1010	106-114
Workplace	115-130
Safety Signs	131-139
Tools	140-164



## Standard Uniform



## Poly/Cotton Piqué Polo Shirt



#### 2212296

#### **Features & Benefits:**

- · Classic fit
- Taped neck and shoulders
- Half back yoke
- Three self colour button placket
- Cuffed sleeves
- Side vents
- Twin needle stitching
- Superwash® 60°C
- 65% polyester/35% cotton

Size: XS-6XL

Various Available Colours



## Ladies Klassic Poly/Cotton Piqué Polo Shirt

2212282

#### Features & Benefits:

- Classic fit
- Taped neck and shoulders
- Half back yoke
- Three self colour button placket
- Cuffed sleeves
- Side vents
- · Twin needle stitching
- Superwash 60°C
- 65% polyester/35% cotton

Size: 6-24

### Slim Fit Poly/Cotton Piqué Polo Shirt

## 2219733

#### Features & Benefits:

- Classic fit
- Taped neck and shoulders
- Half back yoke
- Three self colour button placket
- Cuffed sleeves
- Side vents
- Twin needle stitching
- Superwash® 60°C
- 65% polyester/35% cotton

Size: XS-6XL

Various Available Colours







### Regular Fit Cooltex Plus Piqué Polo Shirt

#### 2213278

#### Features & Benefits:

- Cooltex Plus wicking finish
- 1x1 ribbed knit collar
- Taped neck and shoulders
- Two button slanted placket
- Side vents
- Twin needle stitching
- 100% polyester

Size: XS-5XL

### Columbia Performance Polo



#### 2219788

#### Features & Benefits:

- Tailored fit, short sleeve
- 3 button placket, 2 side splits
- Suitable for all types of printing, heat transfer and embroidery
- Machine Washable
- 100% Polyester

Size: XS-XXXL

Various Available Colours



## Ultimate Poly/Cotton Pique Polo Shirt

#### 2219785

#### Features & Benefits:

- Stand up collar
- Two self colour 'raised' stripes on collar and cuffs
- Three horn effect button placket
- Reinforced shoulder seams
- Cuffed sleeves
- Taped side vents

Size: S-XXL

## Coolweave Piqué Polo Shirt

## empro \* morethansafety

#### 2219786

#### Features & Benefits:

- Quick dry wicking performance fabric
- Ribbed collar and cuffs
- Taped neck
- Locker patch
- Three self colour button placket
- Panel detail
- Twin needle hem
- Cut out label
- 100% polyester

Size: XS-3XL

Various Available Colours



## Hampton Premium Cotton Polo Shirt

#### 2219787

#### Features & Benefits:

- Easy care, breathable fabric
- Tailored fit
- Ribbed collar and cuffs
- Three button placket
- Side vents
- Ribbed collar and cuffs
- Twin needle hem
- Suitable for embroidery

Size: S-XXL

## Long Sleeve Poly/Cotton Piqué Polo Shirt

## empro \* morethansafety

#### 2212281

#### Features & Benefits:

- 1x1 ribbed flat knit collar
- Narrow three button placket
- Reinforced shoulder seams
- Ribbed cuffs
- Side vents
- Twin needle stitched shoulders, armholes and cuffs
- 65% polyester/35% cotton

Size: XS-XXL

Various Available Colours



## Frederick Premium Cotton Polo

2219789

#### Features & Benefits:

- Tailored fit
- · Long sleeve, 3 button placket
- Ribbed cuff, 2 side splits
- 95% Cotton, 5% Elastane
- Machine Washable

Size: XS-XXXL



## **Superior T-Shirt**

**2216086**- Black **2216087**- White

#### **Features & Benefits:**

- 1x1 ribbed collar
- Taped neck
- Reinforced shoulder seams
- Twin needle front neck, sleeves and hem
- 100% combed cotton

Size: S-6XL

Various Available Colours



## empro \* morethansafety



### Ladies Superwash 60°C T-Shirt

**2217375**- Black **2217376**- White

#### Features & Benefits:

- Fashion fit
- Ribbed neckline
- Self fabric taped neck and shoulders
- Twin needle sleeves and hem
- Tear out label
- Superwash 60°C
- 65% polyester/35% ringspun combed cotton

Size: 8-18



## Fashion Fit Cotton T-Shirt 2219735

#### Features & Benefits:

- Slim fit
- 1x1 ribbed collar
- · Self fabric taped neck and shoulders
- Top-stitched front neck
- Twin needle sleeves and hem
- Tear out label

Size: XS-3XL



### Short Sleeve Classic Fit Workwear Oxford Shirt

#### 2211649

#### Features & Benefits:

- Easy iron fabric
- Fused, stand up button down collar
- Left chest pocket
- Self colour buttons
- Back yoke with two pleats
- Double stitched side and sleeve seams
   Curved hem
- 50°C wash
- 70% cotton/30% polyester

Size: XS-XXXL

Various Available Colours





## Short Sleeve Classic Fit Workwear Oxford Shirt

#### 2210094

#### Features & Benefits:

- Easy iron fabric
- Fused, stand up button down collar
- Left chest pocket
- Self colour buttons
- Back yoke with two pleats
- Double stitched side and sleeve seams Curved hem
- 50°C wash
- 70% cotton/30% polyester

Size: XS-XXXL





## Ladies Short Sleeve Tailored Workwear Oxford Shirt

## empro \* morethansafety

#### 2212294

#### **Features & Benefits:**

- Easy iron fabric
- Fused stand up collar
- Self colour buttons
- Front and back darts
- Back yoke
- Curved hem
- 50°C wash
- 70% cotton/30% polyester

Size: XS-3XL

Various Available Colours



## Ladies Short Sleeve Tailored Workwear Oxford Shirt

#### 2210096

#### Features & Benefits:

- Easy iron fabric
- Fused stand up collar
- Self colour buttons
- Front and back darts
- Back yoke
- Curved hem
- 50°C wash
- 70% cotton/30% polyester

Size: XS-3XL



### Long Sleeve Classic Fit Workwear Oxford Shirt

#### 2210095

#### **Features & Benefits:**

- Easy iron fabric
- Button down collar
- Left chest pocket
- Self colour buttons
- Back yoke with two pleats
- Double stitched side and sleeve seams
- Adjustable cuffs with button on cuff gauntlet
- Curved hem
- 50°C wash
- 70% cotton/30% polyester

Size: 13.5 - 23 WHITE Available in 14 COLLAR

Various Available Colours



empro \* morethansafety

## Short Sleeve Classic Fit Workwear Oxford Shirt

#### 2211648

#### Features & Benefits:

- Easy iron fabric
- Button down collar
- Left chest pocket
- Self colour buttons
- Back yoke with two pleats
- Double stitched side and sleeve seams
- Adjustable cuffs with button on cuff gauntlet
- Curved hem, 50°C wash.

Size: 13.5 - 23



## Ladies Long Sleeve Tailored Workwear Oxford Shirt

## empro \* morethansafety

#### 2210097

#### Features & Benefits:

- Easy iron fabric
- Fused stand up collar
- Self colour buttons
- Front and back darts
- Back yoke
- Double folded seams
- Adjustable cuffs
- Curved hem
- 50°C wash
- 70% cotton/30% polyester

Size- 6-28

Various Available Colours





## Ladies Long Sleeve Tailored Workwear Oxford Shirt

#### 2212278

#### Features & Benefits:

- Easy iron fabric
- Fused stand up collar
- Self colour buttons
- Front and back darts
- Back yoke
- Double folded seams
- Adjustable cuffs
- Curved hem, 50°C wash
- 70% cotton/30% polyester

Size- 6-28

## Short Sleeve Classic Fit Oxford Shirt

#### 2210104

#### Features & Benefits:

- Easy iron fabric
- Fused, stand up button down collar
- Left chest pocket
- Back yoke with centre pleat and hanging loop
- Curved hem
- 85% cotton/15% polyester

Size: 13.5 - 23

Various Available Colours



empro \* morethansafety



## Short Sleeve Classic Fit Workwear Oxford Shirt

#### 2211651

#### Features & Benefits:

- Easy iron fabric
- Fused, stand up button down collar
- Left chest pocket
- Back yoke with centre pleat and hanging loop
- Curved hem
- 85% cotton/15% polyester

Size: 13.5 - 23

## Ladies Short Sleeve Classic Fit Workwear Oxford Shirt

## empro \* morethansafety

#### 2212122

#### Features & Benefits:

- Easy iron fabric
- Button down collar
- Back yoke
- Front and back darts
- Twin needle stitching
- Curved hem
- 85% cotton/15% polyester

Size- 6-28

Various Available Colours





## Ladies Short Sleeve Classic Fit Workwear Oxford Shirt

#### 2212293

#### Features & Benefits:

- Easy iron fabric
- Button down collar
- Back yoke
- Front and back darts
- Twin needle stitching
- Curved hem
- 85% cotton/15% polyester

Size- 6-28

### Premium Long Sleeve Classic Fit Oxford Shirt

**2210103**- White **2211650**-Black

#### **Features & Benefits:**

- Easy iron fabric
- Fused, stand up button down collar
- Back yoke with centre pleat and hanging loop
- Double folded seams
- Adjustable cuffs with button on cuff gauntlet
- Curved hem
- 85% cotton/15% polyester

Size: 13.5 - 23

Various Available Colours





## Ladies Long Sleeve Classic Fit Workwear Oxford Shirt

**2212276**- White **2212277**- Black

#### Features & Benefits:

- Easy iron fabric
- Fused stand up collar
- Back yoke
- Double folded seams
- Princess seams
- Three button cuffs
- 85% cotton/15% polyester

Size- 6-28



## Toronto Long Sleeve Oxford Shirt

2219790

#### Features & Benefits:

- Tailored fit
- Button down collar, French Placket
- Contrast detailing
- 60% Cotton, 40% Polyester

Size- 14-20"

\*Size 21" and 22" available in White and Sky

Blue only





## Calgary Royal Oxford Shirt



#### 2219791

#### Features & Benefits:

- Tailored fit
- Short sleeve
- Button down collar
- French placket, contrast detailing
- 60% Cotton / 40% Polyester easy iron

Size: 14-22"

Size 21" and 22" available in White and

Sky Blue only



## Arundel Cotton Acrylic V Neck Sweater

2210089

#### Features & Benefits:

- 12 gauge
- Set in sleeves
- Tubular linked mitred V neck
- 1x1 ribbed cuffs and hem
- 50% cotton/50% acrylic

Size: XS-3XL

3 Available Colours







## Ladies Arundel Cotton Acrylic V Neck Sweater

2210090

#### Features & Benefits:

- 12 gauge
- Set in sleeves
- Tubular linked mitred V neck
- 1x1 ribbed cuffs and hem
- 50% cotton/50% acrylic

Size: 6-20

## **Boston V-neck Jumper**

## empro \* morethansafety

#### 2219794

#### Features & Benefits:

- V-neck, long sleeve
- Ribbed neck
- Cuff and hem
- Contrast inner neck strip
- 60% Cotton, 40% Acrylic
- 12 gauge knit

Size- XS-3XL





### **Sweatshirt**

#### 2214193

#### Features & Benefits:

- Drop shoulder style
- Self fabric collar
- Taped neck and shoulders
- Double layer self fabric cuffs and hem
- Twin needle stitched shoulders and armholes
- Tear out label
- Superwash® 60°C
- 65% polyester/35% cotton

Size: XS-4XL

3 Available Colours







## Ecologie Unisex Crater Recycled Sweatshirt

#### 2219792

#### Features & Benefits:

- Peached finish
- Brushed back fleece
- Relaxed fit
- Drop shoulder style
- Ribbed collar, cuffs and hem
- Unbranded size label
- Recycled cotton is made from 100% pre-consumer waste
- 70% recycled cotton/30% recycled polyester

Size: XS-XXL



## **Jackson Crew Neck Jumper** 2219793

#### Features & Benefits:

- Crew neck, long sleeve Ribbed neck, cuff and hem
- Contrast inner neck strip
- 60% Cotton, 40% Acrylic
- 12 gauge knit
- Machine Washable

Size: XS-3XL



## 1/4 Zip Sweatshirt

#### 2219795

#### Features & Benefits:

- Drop shoulder style
- Double layer cadet collar
- Covered zip neck
- Taped neck and shoulders
- Ribbed cuffs and hem
- Tear out label
- 80% cotton/20% polyester

Size: XS-3XL

3 Available Colours





## Unisex Sustainable 1/4 Zip Sweatshirt

#### 2219796

#### **Features & Benefits:**

- Brushed back fleece
- Forward shoulder seams
- Regular fit
- Zip neck with metal zip
- Two inseam front zip pockets
- Side panels
- Ribbed cuffs and hem
- Cut out label
- 60% regenerated cotton/40% recycled polyester

Size: XS-4XL



## Dallas 1/4 Zip Jumper

## **empro** \* **morethansafety**


#### 2219797

#### Features & Benefits:

- 1/4 zip jumper
- Faux leather zip pull
- Ribbed neck, cuff and hem, contrast
- 60% Cotton, 40% Acrylic
- 12 gauge knit

Size- XS-3XL





## Honestly Made Recycled Soft Shell Jacket

#### 2219798

#### Features & Benefits:

- Warm backed woven recycled polyester outer
- Showerproof and wind resistant
- Quick drying
- Full length low profile zip with chin guard and inner zip guard
- Right chest zip pocket
- Two front zip pockets
- Open cuffs and hem
- Cut out label
- Two layer soft shell

Size: S-3XL

Various Available Colours





## **Basecamp Soft Shell Jacket**

#### 2219799

#### Features & Benefits:

- 96% recycled polyester/4% elastane outer
- Micro fleece backed
- EcoShield DWR finish
- Showerproof and wind resistant
- Full length zip with chin guard and inner zip guard
- Right chest pocket & two front zip pockets
- Bound elasticated cuffs
- Drawcord hem
- Branding on zip pulls and lower side seams

Size: S-3XL



### Gannet EarthPro Soft Shell Jacket

## empro \* morethansafety

#### 2219800

#### **Features & Benefits:**

- Premium quality softshell made from post-consumer recycled polyester
- High performance technical fabric suitable for all seasons
- Lined for increased comfort using recycled material & a Spacious, detachable hood
- Three zipped external pockets, internal mobile pocket and twin pen pocket
- High quality zips made from recycled material
- 92% GRS post-consumer recycled polyester 8% elastane
- Twin needle stitched seams for durability

Size- XS-5XL

2 Available Colours





### Active Hooded Soft Shell Jacket

#### 2219801

#### Features & Benefits:

- 94% recycled polyester/6% elastane outer
- AquaDry membrane with EcoShield DWR finish
- Honeycomb micro fleece inner layer
- Showerproof and wind resistant
- Grown on adjustable hood
- Full length zip chin guard and inner zip quard
- Contrast body and underarm panels
- Two front zip pockets
- Tear release adjustable cuffs

Size- XS-3XL

#### **Thor 300 Fleece Jacket**

#### 2219802

#### Features & Benefits:

- Warm backed woven recycled polyester outer
- Showerproof and wind resistant
- Quick drying
- Full length low profile zip with chin guard and inner zip guard
- Right chest zip pocket
- Two front zip pockets
- Open cuffs and hem
- Two layer soft shell
- 100% polyester 300 series anti-pill Symmetry fleece

Size: S-3XL

Various Available Colours





## Honestly Made Recycled Fleece Jacket

#### 2219803

#### Features & Benefits:

- Easy care and quick drying
- Lightweight
- Unlined
- Taped neck
- Full length zip
- Right chest zip pocket
- Two front zip pockets
- Open cuffs and hem
- 100% recycled anti-pill Symmetry fleece

Size: S-3XL



### **Corey 200 Micro** Fleece Jacket

## empro \* morethansafety

2219804

#### Features & Benefits:

- 100% polyester
- Approximately 40 bottles were recycled to make this product
- A lightweight construction
- Insulating layer offers outstanding warmth and is suitable for a range of activities



### **Kiwi Tailored Trousers**

#### 2204058

#### Features & Benefits:

- Complete with 9 pockets and belted, part-elasticated waist
- The peached polyester cotton fabric is sun-protective and insect biteproof with reinforced seat and knee for extra durability

Size- 30-42 S/R/L

Various Available Colours



## empro \* morethansafety



### **Womens Kiwi Trousers**

#### 2204065

#### Features & Benefits:

- Protective all-seasons trousers with impressive workwear credentials
- The sun-protective polyester cotton construction is insect bite-proof
- EcoShield PFC-free splashproof finish and incorporating 6 useful pockets

Size: 8-20 S/R/L

### **Mannheim Trouser**

## **empro** \* morethansafety

#### 2011420

#### Features & Benefits:

- Ergonomic fit to suit the shape of your legs with reinforced gusset on the inside of the legs and crotch
- Durable triple stitched seams on leg and crotch extend product life
- Integrated phone pocket in the right pocket
- Top loading durable CORDURA® reinforced adjustable kneepad pockets, with flap so they don't collect dirt
- Extra visibility with the help of reflectors
- Co-certified for use with MASCOT kneepad type SHORT or LONG, as the kneepad pocket is height-adjustable
- 65% polyester/35% cotton

Size- 27-58 S/R/L









## Unique Diamond Fit Trouser

## **empro** \* **morethansafety**

#### 2012005

#### Features & Benefits:

- Diamond fit is especially designed for women with a difference of more than 20 centimetres between their waist and hip measurements
- Durable triple stitched seams on leg and crotch extend product life
- Low waist with form-cut waistband ensures comfort and freedom of movement
- Reinforced back pockets and ruler pocket
- Extra visibility with the help of reflectors
- Light material suited to warm surroundings

Size- UK 6- UK 28

2 Available Colours





### **Ripstop Stretch Service Trouser**

#### 2204004

#### **Features & Benefits:**

- Stretch panels in crotch, calf and knee pocket
- 60% cotton, 40% polyester, ripstop 250 g/m<sup>2</sup>
- Leg pocket with bellow, pen pocket and inside phone pocket in mesh
- Kneepad pockets top loaded with flap and velcro closure
- Stretch material both inside and out for a better ergonomic fit
- Ruler pocket with knife holder and pen pocket
- Adjustable leg bottom with buttons
- EN 14404:2004+Al:2010 together with knee protection 4027 and 4057

Size: 8-20 S/R/L



### Women's Ripstop Stretch Service Trouser

#### 2204005

#### Features & Benefits:

- The elasticated waist and stretch panels on the calves and inner thighs provide superb mobility
- Scratch free, Stretch panels in crotch, calf and knee pocket
- 60% cotton, 40% polyester, ripstop 250 g/m²
- Cordura®-stretch reinforced kneepockets
- Reflective details
- Side hammer loop, Hidden buttons & Elastic at waistline
- EN 14404:2004+A1:2010 together with knee protection 4027 and 4057

Size: XS-4XL

Various Available Colours



## empro \* morethansafety



## Accelerate Ultimate Stretch Trouser

#### 2203975

#### **Features & Benefits:**

- Ultimate stretch material
- The water-repellent multi functional stretch material combines a low weight with a very high durability
- The product tolerates industrial washing
- Excellent ventilation at the knee area via a zipper on the side of the leg
- The kneepad pockets of durable CORDURA are adjustable
- OEKO-TEX® STANDARD 100
- 88% polyester/12% elastolefin

Size: UK 27- UK 58

### **Accelerate Ultimate Stretch Diamond Fit Trouser**

## empro \* morethansafety

2203976

#### Features & Benefits:

- Diamond fit is especially designed for women with a difference of more than 20 centimetres between their waist and hip measurements
- Ultimate stretch material provides unique freedom of movement and high comfort
- The kneepad pockets of durable CORDU-RA® are adjustable
- The product is covered by OEKO-TEX STANDARD 100
- Has a water-repellent finish
- Double stitched seams on leg and crotch & Low waist

Size- UK 6- UK 28

Various Available Colours





### **Base Layer Bottom**

#### 2650168

#### Features & Benefits:

- 92% recycled polyester/8% elastane
- Finished with added stretch for comfort
- Quick drying and wicking performance fabric
- Designed to be worn next to the skin
- Elasticated waistband
- Feature stitching

Size: S-3XL

Colour: Black



### Short Sleeve Base Layer Top



#### 2650166

#### Features & Benefits:

- 92% recycled polyester/8% elastane
- Finished with added stretch for comfort
- Quick drying and wicking performance fabric
- Designed to be worn next to the skin
- Self fabric collar
- Featured stitching
- Twin needle sleeves and hem

Size: XS-3XL

Colour: Black



## Long Sleeve Base Layer Top 2650167

#### Features & Benefits:

- 92% recycled polyester/8% elastane
- Finished with added stretch for comfort
- Quick drying and wicking performance fabric
- Designed to be worn next to the skin
- Self fabric collar
- Featured stitching
- Twin needle sleeves and hem

Size: XS-3XL

Colour: Black



# **Engineers Uniform**



### **B&C MY POLO 180**

### empro \* morethansafety

#### 2219973

#### Features & Benefits:

- Classic modern style easy to wear
- High-density fine piqué delivers a soft hand feel and outstanding printability
- Crafted in high-quality fabric
- Shoulder seam with reinforcement tape and comfortable neck tape
- Certified OEKO-TEX® and Petaapproved Vegan

Size: S-5XL

Various Available Colours





### My Polo 180 Cotton Womens

#### 2219974

#### Features & Benefits:

- Classic modern style easy to wear
- Contemporary two-button reinforced placket
- Certified OEKO-TEX® and Petaapproved Vegan
- Ringspun fabric ensures a long-lasting garment with extra-soft hand feel

Size: XS-3XL





## Long Sleeve Cotton Pique Polo Shirt

### **empro** × **morethansafety**

#### 2219282

#### Features & Benefits:

- 100% cotton
- Stand up collar
- Three button placket with horn effect buttons
- 1x1 ribbed narrow cuffs
- Side vents
- Twin needle stitching

Size: S-XXL

Various Available Colours



### Crossover Long Sleeve T-Shirt

#### 2217926

#### Features & Benefits:

- Modern, close fit with great freedom of movement
- Combed cotton absorbs moisture and is extra comfortable against the skin
- Ribbed collar and sleeves
- Extra padding over the seam at the neck so the seam does not cause irritation
- OEKO-TEX® STANDARD 100

Size: XS-4XL





### Multisafe Long Sleeve T-Shirt @mpro \* morethansafety

#### 2217927

#### Features & Benefits:

- Great protection with anti-static and flame-retardant properties
- Modern, close fit with great freedom of movement
- Ribbed neck
- Extra padding over the seam at the neck so the seam does not cause irritation
- 60% modacrylic/39% cotton/1% carbon fibres
- Long life, with flame retardant thread used in seams

Size: S-4XL

Various Available Colours



### 100% Cotton Sweatshirt

#### 2218278

#### **Features & Benefits:**

- · High quality, premium weight sweatshirt
- Elasticated cuffs, neckline and waistband
- Brushed fleece inner
- Padded, taped neckline for comfort
- Half moon yoke at neck
- · Set in sleeve styling
- Ideal for corporate logos
- Very comfortable to wear
- Triple stitched on all main seams for ultimate strength
- 100% Cotton

Size: XS-5XL



### My Polo 180 Cotton Long Sleeve

#### 2219975

#### Features & Benefits:

- Timeless, classic modern style
- Shoulder seam with reinforcement tapeand comfortable neck tape
- Crafted in high-quality fabric
- Authentic polo feature: superior lxl rib cuff, with dimensionally-stable elastane
- Ring-spun fabric ensures a longlasting garment

Size: S-5XL

Various Available Colours







### 100% Cotton Industry Jacket

#### 2219272

#### Features & Benefits:

- 100% cotton, twill, 320 g/m²
- Chest pockets with bellow and flap, one with two-compartment pen pocket
- Shoulder sections in contrasting colour
- Bellow on back
- Removable ID pocket
- Hidden one-way plastic zipper
- Adjustable sleeve end

Size: XS-5XL

2 Available Colours



### 100% Cotton Industry Trouser @Mpro \* morethansafety

#### 2204002

The 1404 two-tone industry trousers are comfortable, sturdy and hard wearing. Durable material, good fit and modern design make this trouser the ultimate first choice for those working in industry.

#### Features & Benefits:

- 100% cotton, twill, 320 g/m²
- Plastic zipper fly
- Wide loops at back and sides
- Removable ID pocket
- Back pockets with flap
- Leg pocket with telephone pocket, ID pocket and pen pockets
- Retains its shape for additional comfort

Size: 30-47 Different Lengths available.

2 Available Colours









### **CAT Charge Hiker Boot**

#### 8011932

The Charge S3 is a non-metallic safety hiker with a composite toe and an SRC rated slip resistant rubber outsole.

#### **Features & Benefits:**

- Fully Non-Metal Water Resistant ESD Safety Trainer
- Energy Absorbent Heel
- Fuel & Oil Resistant Outsole
- Antistatic
- Heat Resistant outsole to 300 Degrees
- Resistance to high heat
- Toe Protection
- Midsole~Antistatic~Water Resistant
- Heel energy absorption~Electro Static Dissipative~Composite cap~Composite midsole~Slip resistant

Size: 3-13

2 Available Colours





### **CAT Charge Trainer Shoe**

#### 8011933

The Charge S3 is a non-metallic safety trainer with a composite toe and an SRC rated slip resistant rubber outsole.

#### Features & Benefits:

- Fully Non-Metal Water Resistant ESD Safety Trainer
- Energy Absorbent Heel
- Fuel & Oil Resistant Outsole
- Antistatic
- Heat Resistant outsole to 300 Degrees
- Resistance to high heat
- Toe Protection
- Midsole~Antistatic~Water Resistant
- Heel energy absorption~Electro Static Dissipative~Composite cap~Composite midsole~Slip resistant

Size: 3-13



### **Energy Boot S1P**



#### 8011836

Ultra-slip resistant sole. Excellent traction with ultra-slip resistant soles. Approved by both SRA (tested with soap on ceramics) and SRB (tested with glycerol on steel), which automatically achieves the best standard for slip-resistant soles SRC.

#### Features & Benefits:

- The weight of the footwear is among the lowest on the market
- Elastic uppers of durable textile almost feel like an extra sock they fit close and flexibly to the foot and deliver high comfort
- Removable insole with optimal arch support that can counteract the tendency to flat foot
- The front part of the shoe bends flexibly with the foot
- The composite toecap is completely free of metal. The composite material does not conduct heat or cold, so the composite toecap provides extra comfort in both hot and cold surroundings
- ETPU insert in the entire sole absorbs shock effectively, so the back and legs are protected with every step
- Shock-absorbing, soft and flexible two-component sole of PU/PU
- ESD Approved to DIN EN 61340-4-3: 2002 + DIN EN 61340-5-1: 2008
- Category: SIP SRC Standard: EN ISO 20345 2011

ESD Approved to DIN EN 61340-4-3: 2002 + DIN EN 61340-5-1: 2008. Footwear with an ESD label avoid electrostatic charging and are able to conduct away controlled static electricity from the body. This will avoid damages to, for example, sensitive electronic components.

Size: 6-13













### empro \* morethansafety

### **Energy Shoe S1P**

#### 8011838

Ultra-slip resistant sole. Excellent traction with ultra-slip resistant soles. Approved by both SRA (tested with soap on ceramics) and SRB (tested with glycerol on steel), which automatically achieves the best standard for slip-resistant soles SRC.

#### Features & Benefits:

- The weight of the footwear is among the lowest on the market
- Elastic uppers of durable textile almost feel like an extra sock they fit close and flexibly to the foot and deliver high comfort
- · Removable insole with optimal arch support that can counteract the tendency to flat foot
- The front part of the shoe bends flexibly with the foot
- The composite toecap is completely free of metal. The composite material does not conduct heat or cold, so the composite toecap provides extra comfort in both hot and cold surroundings
- ETPU insert in the entire sole absorbs shock effectively, so the back and legs are protected with every step
- Shock-absorbing, soft and flexible two-component sole of PU/PU
- ESD Approved to DIN EN 61340-4-3: 2002 + DIN EN 61340-5-1: 2008
- Category: SIP SRC Standard: EN ISO 20345 2011

ESD Approved to DIN EN 61340-4-3: 2002 + DIN EN 61340-5-1: 2008. Footwear with an ESD label avoid electrostatic charging and are able to conduct away controlled static electricity from the body. This will avoid damages to, for example, sensitive electronic components.

Size: 3-13















	MTS CODE	DESCRIPTION	Basic Cotton / FR	Level 1 Arc	Level 2 Arc	Level 3 Arc	Optional	
	UNDER GARMENTS	√* You do not need to buy these underwear items specifically, it's a suggestion, however the minimum standard of 100% cotton or FR underwear is a mandatory requirement.						
ı	2801089	ProGARM FR Mens Boxer Briefs	<b>/*</b>	<b>√*</b>	<b>√*</b>	<b>√*</b>		
I	2801103	ProGARM FR Womens Boxer Briefs	<b>/*</b>	<b>√*</b>	<b>√*</b>	<b>√*</b>		
I	2601320	ProGARM FR Bra	<b>/*</b>	<b>√*</b>	<b>√*</b>	<b>√*</b>		
	2801090	ProGARM FR Socks	<b>/*</b>	<b>/*</b>	<b>√*</b>	<b>/*</b>		
	2801087	ProGARM Baselayer Top					<b>√</b>	
	2801088	ProGARM Baselayer Leggings					<b>✓</b>	

PPE	√** Multiple options available	e, only one iten	n of each prod	uct type nee	eded.	
1301136	Clear Lens Safety Spectacles	<b>√</b>	<b>✓</b>	<b>√</b>	<b>√</b>	
1201300	TPR Disposable Ear Plugs	✓	<b>✓</b>	<b>√</b>	<b>√</b>	
1010621	ProGARM 2700 Arc Gloves	<b>√</b>	<b>√</b>	<b>√</b>		
1010624	ProGARM 2678 Arc Gloves				✓	✓
2800108	Hi-Vis Anti-Static Flame Retardant Waistcoat	<b>√</b>	✓	<b>√</b>	✓	
1751941	ProGARM Balaclava	<b>√</b>	✓	<b>√</b>	✓	
1751943	ProGARM Snood					<b>√</b>
8011842	Ultar Safety Shoe	<b>√**</b>	<b>/**</b>			
8011761	Trivor Safety Boot	<b>√**</b>	<b>/**</b>			
8011838	Energy Safety Shoe	<b>√**</b>	<b>/**</b>			
8011836	Energy Safety Boot	<b>√**</b>	<b>/**</b>			
1751237	Electrical Arc Boot			<b>√</b>	✓	
1103335	ProGARM 2696 36 CAL Arc Flash Safety Helmet			<b>√</b>	<b>/**</b>	
1751942	ProGARM 9700 Arc 4 Hood, 47cal				<b>/**</b>	
1700160	ProGARM FR Kneepads					<b>√</b>
2601319	ProGARM Belt					<b>√</b>

CLOTHING	√** Multiple options availabl	e, only one item	of each proc	luct type nee	ded.	
2801079	ProGARM 5280 Polo Shirt	<b>√**</b>	<b>/</b>			
2801082	ProGARM 5200 Polo Shirt			<b>√</b>	<b>✓</b>	
2203912	MASCOT® CROSSOVER Long Sleeved T-shirt	<b>/**</b>				
2203198	MASCOT® MULTISAFE Long-sleeved T-shirt	<b>/**</b>				
2200286	100% Cotton Longsleeve Polo Shirt	<b>/**</b>				
2203718	100% Cotton Longsleeve Polo Shirt	<b>/**</b>				
2900109	100% Cotton Sweatshirt	✓				
2801086	ProGARM 5630 Sweatshirt					✓
2204003	Industry Jacket	<b>✓</b>				
2204002	Industry Trousers	<b>✓</b>				
2801080	ProGARM 7638 Trouser		<b>/**</b>	<b>/**</b>	<b>✓</b>	
2801081	ProGARM 7720 Combat Trouser		<b>/**</b>	<b>/**</b>		
2801083	ProGARM 5850 Jacket			<b>√</b>		
2801084	ProGARM 6458 Coverall			✓	<b>✓</b>	
2801085	ProGARM 9931 Softshell				✓	
2601318	ProGARM Detachable Holster Pocket					<b>√</b>

### **Arc Polo Shirt**

#### 2801091

#### **Features & Benefits:**

- Enclosed stud placket ~ Allows quick fastening
- VXS+ Flame Resistant blend ~ Natural feel, Comfortable & Soft
- Breathable with moisture management
- ThermSAFE plastic FR poppers, CE Certified
- Knitted collar with tipping
- Rib knit cuffs ~ Close fit
- SafetylCON™ on arm ~ Visual EN Standards icon system

EN Standard: EN 1149 // IEC 61482 Colour: Navy Size S-4XL

Suitable for: Standard Uniform Arc





### empro \* morethansafety



#### **Arc Polo Shirt**

#### 2801092

#### Features & Benefits:

- Arc Flash protection and Flame Resistant fabric
- Enclosed stud placket ~ Allows quick fastening
- VXS + blend a natural feel, comfortable & soft
- Breathable with moisture management
- ThermSAFE plastic FR poppers, CE Certified
- Knitted collar with tipping
- Rib knit cuffs ~ Close fit

EN 1149-5:2008: Pt. 5:2008 // Pt. 3:2004 // Charge Decay EN ISO 11612:2015: A1 // B1 // C1 // F1 Colour: Navy Size S-4XL

Suitable for: Level 2 Level 3 Arc







#### **Workwear Trouser**

#### 2801080

#### Features & Benefits:

- Arc Flash protection and Flame Resistant fabric
- Kneepad pockets, Wear with kneepads for extra comfort
- Mobile phone pocket ~ Keep your phone safe
- Extra wide belt loop at rear ~ Prevents belt riding up
- ThermSAFE plastic Flame Resistant zipper CE Certified
- Triple stitched side seams ~ Lifetime quality assurance
- Reinforced crotch improved longevity
- ThermSAFE Jeans button Jeans style fastening

EN Standard: EN 1149 // IEC 61482

Colour: Navy Size: 30-52 R/L/S

Suitable for: Level 1 Arc Arc Arc Arc









### empro \* morethansafety



### **Combat Trouser**

#### 2801081

#### Features & Benefits:

- External kneepad pockets
- Extra wide belt loop at rear
- ThermSAFEplastic FR Zipper CE Certified
- SafetylCON on leg pocket ~ Visual EN Norm icon system
- Reinforced crotch, Improved longevity
- Reinforced long hem ~ Stronger leg hem ~ ability to extend / shorten leg
- ThermSAFE™ Jeans button

EN Standard: EN 1149 // IEC 61482

Colour: Navy 30-52 R/L/S

Suitable for: Level 1 Level 2 Arc Arc





#### **Arc Jacket**

#### 2801095

#### **Features & Benefits:**

- Mandarin collar ~ Maximum neck protection
- Gas monitor loop ~ Secure fixing point
- SafetyICON on arm ~ Visual EN Standards icon
- 5cm Flame Resistant Anti Static Reflective Tape ~Double stitched for longer life
- Cuff tabs with velcro Brand fasteners
- ThermSAFE plastic flame resistant zipper
- Extended back ~ Protection when bending over
- Triple stitched side seams
- Easy-Stretch side panels
- Adjustable waist straps

EN Standard: EN 1149 // IEC 61482

Colour: Navy Size S-4XL

Suitable for: Level 2





### **empro** \* morethansafety



### Softshell Jacket

#### 2801094

#### Features & Benefits:

- Mandarin collar ~ Maximum neck protection
- Velcro brand fasteners on cuffs and back
- Radio loop attaching point on left breast
- Microfleece lining for warmth and comfort
- Easy Stretch side panels ~ Wear comfort
- Extended back ~ Protection when bending over
- ThermSAFE plastic FR Zipper ~ CE Certified
- ThermSAFE<sup>TM</sup> two-way plastic FR Zipper

EN Standard: EN 1149 // IEC 61482

Colour: Navy Size S-4XL

Suitable for: Level 3



### **Hi Vis Coverall**

### empro \* morethansafety

#### 2801096

#### **Features & Benefits:**

- Flame Resistant fabric and Arc Flash protection
- Mandarin collar ~ Maximum neck protection
- Kneepad pockets
- Vertical zip chest pockets ~ Accessible when wearing a harness
- Expandable ankle opening with zippers
- SafetyICON on arm ~ Visual EN Standards icon system
- 5cm Heat Applied Reflective Tape
- Combat pocket on leg plus sleeve pocket Cuff tabs with VELCRO brand fasteners
- ThermSAFE plastic FR zippers ~ CE Certified
- Internal elastic two-point adjustable waistband ensures close fit
- Triple stitched side seams
- Easy-Stretch side panels

EN Standard: EN 1149 // IEC 61482

Colour: Navy/Hi VIs Yellow Size S-4XL

Suitable for: Level 2







#### **Arc Coverall**

#### 2219200

#### Features & Benefits:

- Mandarin collar, Maximum neck protection
- Kneepad pockets
- Gas monitor loop
- SafetyICON™ on arm ~ Visual EN Norm icon system
- 5cm FR AS Reflective Tape ~ Double stitched for longer life
- Cuff tabs with VELCRO
- Side access pockets ~ With entry inside coverall
- ThermSAFE plastic FR Zippers ~ CE Certified
- Internal elastic 2 Point adjustable waistband

EN Standard: EN 1149 // IEC 61482

Colour: Navy Size S-4XL

Suitable for: Level 2 Level 3 Arc Arc



+44 01489 780255

### **Electrical Safety Boot**

### empro \* morethansafety

1751237



#### Features & Benefits:

- External Lining: breathable
- Upper: water repellent full-grain leather
- Internal lining: Sany-dry 100% polyester fabric, three-dimensional ~ breathable ~ antibacterial ~ it absorbs and releases the moisture ~ abrasion-resistant
- Footbed: Heat barrier, made of soft and scented polyurethane, anatomic, insulating against high temperatures ~ covered with cloth
- Sole: Heat defender PU/nitrile rubber resistant to +300 °C (1 minute contact)
- Toe cap: non metallic TOP RETURN resistant to 200 J
- Midsole: non metallic APT PLATE Zero Perforation with high electrical resistance
- Width: 10 Mondopoint (size 39/6) 11 Mondopoint
- Performances & technical features: 100% Metal Free, Anti-torsion Support, Cold Protection (CI), Heat Resistant (HI), HRO

Size: 40-48/6,5-13



# **Soft Services**



### Piqué Polo Shirt

## empro \* morethansafety

#### 2218072

#### Features & Benefits:

- Ribbed collar
- Taped neck
- Three self colour button placket
- · Twin needle stitching
- 60°C wash
- 50% polyester/50% cotton

Size XS-8XL





### **Polyester Polo Shirt**

#### 2218043

#### **Features & Benefits:**

- Spun polyester piqué knit
- Soft cotton feel fabric
- Modern fit
- Ribbed collar & Taped neck
- Three self colour button placket
- Spare button
- · Twin needle stitching

Size S-3XL

### **Ultra Cotton T-Shirt**

#### 2218044

#### **Features & Benefits:**

- Classic fit
- Ribbed collar
- Taped neck and shoulders
- Twin needle sleeves and hem
- Tubular body
- Tear out label (some colours in transition)
- Material: 100% cotton

Size: S-5XL

Various Available Colours



### empro \* morethansafety



### **Crew Neck Sweatshirt**

#### 2216895

#### Features & Benefits:

- Drop shoulder style
- Modern and comfortable fit
- Ribbed collar, cuffs and hem
- Taped neck
- Twin needle stitching
- 55% polyester/45% cotton

Size: S-7XL

### **Acrylic V Neck Sweater**

## **empro** \* **morethansafety**

#### 2218071

#### Features & Benefits:

- 12 gauge
- Fine knit
- Easy care
- Set in sleeves
- · Soft feel and contemporary styling
- Ribbed knit neck, cuffs and hem

Size S-5XL

2 Available Colours



### **Cargo Trouser**

### **empro** \* morethansafety

#### 2202348

#### **Features & Benefits:**

- 65% Polyester 35% Cotton
- Flat front with sewn-in front crease
- 2 side & 2 rear pockets with velcro flaps
- 2 thigh pockets with velcro flaps
- Metal rivet button fastening at waist
- Twin belt loops reinforced for extra strength
- Washable at 60 Degrees

Size 28-52 (S/R/L)

2 Available Colours



### **Ladies Cargo Trousers**

#### 2202347

#### Features & Benefits:

- 65% Polyester 35% Cotton
- Fabric: 245 GSM/7 oz
- Single belt loops reinforced for extra strength
- Metal Button at waist
- 2 side & 2 rear pockets with velcro flaps
- 2 thigh pockets with velcro flaps
- Flat front
- Wide belt loops

Size 8-20 (R)

2 Available Colours





## Outerwear & Rainwear



### Diamond Quilted Bodywarmer @mpro \* morethansafety

#### 2214969

#### Features & Benefits:

- Polyester taffeta lining
- Thermo-Guard insulation
- Shower proof and wind resistant
- Collar high full length zip with studded storm flap
- Back vents with stud closure
- · Quilted micro poplin polyester
- Access for decoration

Size S-3XL

2 Available Colours



### Women's Diamond Quilted Bodywarmer

#### 2214968

#### **Features & Benefits:**

- Polyester taffeta lining
- Thermo-Guard insulation
- Shower proof and wind resistant
- Collar high full length zip with studded storm flap
- Back vents with stud closure
- Quilted micro poplin polyester
- Access for decoration

Size 8-20

2 Available Colours



### **Wave Bodywarmer**

#### 2214970

#### Features & Benefits:

- Polyester padding
- Contrast nylon lining
- Shower proof
- Polyamide 380T outer
- Collar high full length contrast zip
- Two contrast front zip pockets
- Self fabric binding on hem

Size: S-3XL



### **empro** \* **morethansafety**



### **Ladies Wave Bodywarmer**

#### 2214971

#### Features & Benefits:

- Polyester padding
- Contrast nylon lining
- Shower proof
- Polyamide 380T outer
- Collar high full length contrast zip
- Two contrast front zip pockets
- · Self fabric binding on hem

Size: S-3XL

### **Thinsulate Wooly Hat**

### empro \* morethansafety

#### 2217487

#### Features & Benefits:

- 3M<sup>™</sup> Thinsulate<sup>™</sup> insulation
- 3M™ label sewn on turn up
- Scotchguard™ rainproof coated yarns
- Double thickness
- 100% soft touch acrylic

One Size



### **Original Cuffed Beanie**

2211763

#### Features & Benefits:

- Double layer knit
- Cuffed design
- 100% soft touch acrylic

One Size

### Beauford Waterproof Insulated Jacket

#### 2218578

#### Features & Benefits:

- Polyester lining/Hydrafort 5000 peached polyester outer
- Thermo-Guard® insulation
- Waterproof with taped seams
- Windproof
- · Unlined, concealed adjustable hood
- Collar high full length zip with tear release storm flap
- Two front zip pockets with storm flaps
- Adjustable draw cord hem

Size S-3XL







### Packaway Waterproof Breathable Jacket

#### 2219081

#### Features & Benefits:

- Waterproof with taped seams
- Windproof and breathable
- Integral adjustable hood
- Full length low profile zip with chin guard and inner zip guard
- Elasticated cuffs
- Packs away into stuff sack

Size XS-3XL

### Ladies Beauford Waterproof Insulated Jacket

### empro \* morethansafety

#### 2218959

#### Features & Benefits:

- Polyester lining, Hydrafort 5000 peached polyester outer
- Thermo-Guard insulation
- Waterproof with taped seams
- Windproof, Shaped fit
- · Unlined, concealed adjustable hood
- Collar high full length zip with tear release storm flap
- Two front zip pockets with storm flaps
- Adjustable draw cord hem
- Zip access for decoration

Size 10-20



### **Thermic Insulated Jacket**

#### 2219805

#### Features & Benefits:

- Recycled polyester lux lining
- Recycled polyester hollowfibre padding
- Aqua Dry membrane with EcoShield DWR finish
- Waterproof 10000mm with taped seams
- Breathable 10000g
- Full length waterproof zip with chin guard
- Tear release adjustable cuffs
- Draw cord hem

Size XS-3XL



### Dover Waterproof Insulated Jacket

### empro \* morethansafety

2218930

#### **Features & Benefits:**

- 210 series anti-pill Symmetry fleece lining
- Polyamide sleeve lining
- Thermo-Guard insulation
- Waterproof with taped seams & Windproof
- Fleece lined collar
- Concealed adjustable lined hood
- Collar high full length zip with tear release storm flap
- Hydrafort 5000 polyester outer
- Zip access for decoration

Size XXS-5XL



### **ECO Dover Waterproof Jacket**

2218577

#### Features & Benefits:

- Concealed hood with adjusters
- Storm flap with hook and loop
- Adjustable cuffs
- 220 series anti-pill Symmetry fleece lined body
- Waterproof Hydrafort polyester fabric
- Concealed zip entrance in lining for embroidery access

Sizes XS-4XL







## Packaway Waterproof Breathable Overtrousers

#### 2204067

#### Features & Benefits:

- Waterproof with taped seams
- · Windproof and breathable
- Elasticated waistband
- Two side pocket openings
- · Open leg ends with stud adjusters
- Packs away into stuff sack

Size XS-3XL



#### **PW3 Rain Trouser**

#### 2100485

#### Features & Benefits:

- Water resistant eco-conscious fabric finish, water beads away from fabric surface
- Easy access cargo pockets
- Side zip leg opening for easy access
- Ergonomically shaped hem
- Waterproof with taped seams preventing water penetration
- 8 pockets for ample storage
- Large back zip pocket for multiple storage options
- 100% Polyester 300D Oxford, Stain Resistant Finish, Double PU Coated: CE certified

Size XS-4XL



### Kiwi Waterproof Trouser

#### 2204068

#### **Features & Benefits:**

- Wind Resistant
- Breathable
- Waterproof
- AQUADRY: Guaranteed waterproof and breathable fabric. Designed for moderate to heavy downpours
- Insulating

Size 30-42 (R)

morethansafety.com

+44 01489 780255



# Hi Visibility Wear



### **Hi Vis Vest**

### empro \* morethansafety

#### 2211645

#### Features & Benefits:

- 100% polyester
- Hook and loop fastening
- Retro-reflective tape
- 2 x body bands
- 2 x braces
- EN ISO 20471
- Class 2 high visibility

Size S-3XL



### Ladies Hi-Vis Vest

#### 2213484

#### Features & Benefits:

- Two reflective bands around the body
- Princess panelling with fitted waist
- Tear release closure
- Tear out label

Size XXS-2XL 3 Available Colours



### **Executive Hi Vis Vest**

#### 2212295

#### Features & Benefits:

- Front zip fastener
- Pen pocket with D ring
- Retromax reflective tape
- 100% Knitted polyester
- ISO 20471 CLASS
- 2\* (Conforms to Class 1 in size XS)
- Large area for printing/badging on front & rear
- Mobile phone pocket with hook and loop fastened flap

Size XS-6XL





### Hi-Vis Winter Traffic Jacket

#### 2217854

#### Features & Benefits:

- Waterproof with taped seams preventing water penetration
- Fully lined and padded to trap the heat and increase warmth
- Human shape at a distance
- Pack away hood for added functionality
- Certified to EN ISO 20471 after 50x washes
- 100% Polyester, 300D Oxford, Stain Resistant Finish
- EN ISO 20471 Class 2, EN 343 Class 3 Water Penetration Class 1 Air Permeability

Size XS-6XL 2 Available Colours



### **Evolution HV Storm Coat**

### empro \* morethansafety

#### 2219807

#### Features & Benefits:

- Thermally applied RFX Reflective Tape with segmented
- Comfort trim shoulder braces
- PULSAR reflective blue piping and chevron detail
- YKK 2-way zip concealed by double velcro storm flap
- Neoprene inner cuff, underarm ventilation and chin guard
- Two internal A4 sized poachers pockets
- Suitable for use in the automotive industry (car safe)
- EN ISO 20471 Class 3 & EN343 Class 4:3
- Highly breathable 3 layer laminate technology

Size XS-6XL



### Hi-Vis Winter Bomber Jacket 2218579

#### **Features & Benefits:**

- Waterproof with taped seams preventing water penetration
- Extremely water resistant eco-conscious fabric finish
- EN342 Protection against cold certified up to -40°C
- Fleece lined collar to trap the heat and increase warmth
- Certified to EN ISO 20471 after 50x washes
- Hook and loop cuffs for a secure fit
- 100% Polyester

Size XXS-8XL 3 Available Colours



### **Hi Visibility Executive Jacket**

### empro \* morethansafety

#### 2218929

#### **Features & Benefits:**

- Conforms to EN ISO 20471: 2013 + A1: 2016 class 3
- EN343: 2003 + A1: 2007 class 3.3
- Waterproof with taped seams
- Windproof and breathable
- Two reflective bands around the body, sleeves & over each shoulder
- Heavy duty two way zip with tear release storm flap
- Part elasticated waist
- Two angled front pockets with tear release flaps and reflective piping

Size XS-2XL 2 Available Colours



### Hi-Vis Winter Jacket

#### 2219806

#### Features & Benefits:

- Premium waterproof and breathable fabric with mechanical stretch
- Extremely water resistant eco-conscious fabric finish
- Fleece lined collar to trap the heat and increase warmth
- 100% Polyester Stretch, 150D, PU Membrane 160g
- EN ISO 20471 Class 3
- Waterproof and breathable with taped seams to prevent water penetration
- Pack away detachable hood for convenience

Size S-4XL 2 Available Colours



### **Evolution HV Bomber Jacket**



#### 2219808

#### Features & Benefits:

- Thermally applied RFX Reflective Tape
- PULSAR reflective blue piping and chevron detail
- YKK 2-way zip concealed by storm flap with a zipped pocket
- Neoprene inner cuff, underarm ventilation and chin guard
- Breathable EVOTECH 3 layer polyester laminate
- Two internal A4 sized poachers pockets & Pen Pocket
- Highly breathable 3 layer laminate technology
- EN ISO 20471 Class 3 & RIS-3279 (Rail Standard)

Size S-7XL



### Hi Visibility Breathable Rain Trouser

#### 2501415

#### **Features & Benefits:**

- Extremely water resistant eco-conscious fabric finish
- (Certified to EN ISO 20471) after 50x washes
- Durable, breathable, windproof and water resistant fabric
- 100% Polyester 300D Oxford, Stain Resistant Finish
- Reflective tape for increased visibility
- Zipped ankles for easy fitting over work boots
- Waterproof with taped seams preventing water penetration

Size S-XXL



### PW3 Hi Vis Extreme Rain Trouser

#### 2501416

#### Features & Benefits:

- Waterproof and breathable with taped seams
- Premium stain resistant finish repels oil, water and grime
- Highly breathable 3 layer laminate technology
- Durable, breathable, windproof and water resistant fabric
- Lightweight flexible HiVisTex Pro segmented reflective
- Tape for increased visibility
- Elevated padded back panel keeping the lower back warm
- 100% Polyester, 300D Stretch Oxford, stain resistant finish
- EN ISO 20471 Class 2

Size S-XXL



### empro \* morethansafety



### **Evolution HV Over Trouser**

#### 2501417

#### Features & Benefits:

- Thermally applied RFX Reflective Tape with segmented comfort trim thigh band for improved abrasion resistance
- PULSAR reflective blue piping and chevron detail
- Highly breathable 3 layer laminate technology (EN ISO 20471 Class 2)
- Fully elasticated waistband with draw cord for a more secure fit
- · Combat style thigh pocket to each leg
- Suitable for use in the automotive industry (car safe)

Size XXS-6XL



## Footwear



### **Base Matar Boot**

## **empro** \* morethansafety

#### 8011915



#### Features & Benefits:

- Anti-static footwear
- Water resistant upper to prevent water penetration
- Non-magnetic nickel and ferrous free
- 200 joules resistant toe-cap
- Puncture resistant sole
- Shock absorption in the heel region
- Hydrocarbons resistant
- Electronic devices protection from electrostatic discharges
- Orthopaedic made to measure footbed, complying with European norms DGUV112-191 Heat Resistant (HI), HRO

Size: 36 - 48

#### **Base Matar Shoe**



8011914





UNI EN ISO 20345:2012 S3 ESD SRC

#### Features & Benefits:

- Anti-static footwear
- Water resistant upper to prevent water penetration
- Non-magnetic nickel and ferrous free
- 200 joules resistant toe-cap, Puncture resistant sole
- Shock absorption in the heel region
- Hydrocarbons resistant
- Electronic devices protection from electrostatic discharges
- Orthopaedic made to measure footbed, complying with European norms DGUV112-191

## **CAT Charge Hiker Boot**



8011853



#### Features & Benefits:

The Charge S3 is a non-metallic safety hiker with a composite toe and an SRC rated slip resistant rubber outsole.

- Composite fiber glass toe protects against impact and compression of 200 joules
- Fully Non-Metal Water Resistant ESD Safety Hiker
- Energy Absorbent Heel
- Fuel & Oil Resistant Outsole
- Anti penetration non-metallic midsole
- Heat Resistant outsole to 300 Degrees
- Antistatic

## **CAT Charge Trainer Shoe**



8011933



#### Features & Benefits:

The Charge S3 is a non-metallic safety trainer with a composite toe and an SRC rated slip resistant rubber outsole.

- Fully Non-Metal Water Resistant ESD Safety Trainer
- Energy Absorbent Heel
- Fuel & Oil Resistant Outsole
- Heat Resistant outsole to 300 Degrees
- · Water Resistant with a standard Fit
- Antistatic



## **empro** \* morethansafety

8011852



#### Features & Benefits:

- The flexible and light MASCOLAYER textile nail protection
- The composite toecap is completely free of metal
- Removable insole with optimal arch support that can counteract the tendency to flat foot
- Insert in the mid sole of shock-absorbing lightweight material
- Shock-absorbing, soft and flexible two-component sole of PU/PU
- Electronic devices protection from electrostatic discharges
- Orthopaedic made to measure foot bed, complying with European norms DGUV112-191
- Heat Resistant (HI), HRO & ESD Approved
- Hydrocarbons resistant

## **Energy Shoe S3**



8011853



#### Features & Benefits:

- The flexible and light MASCOLAYER textile nail protection
- The composite toecap is completely free of metal
- Removable insole with optimal arch support that can counteract the tendency to flat foot
- Insert in the mid-sole of shock-absorbing lightweight material
- Shock-absorbing, soft and flexible two-component sole of PU/PU
- Electronic devices protection from electrostatic discharges
- Orthopaedic made to measure foot bed, complying with European norms DGUV112-191
- Heat Resistant (HI), HRO
- ESD Approved
- Hydrocarbons resistant



## **QHSE Approved PPE Kit**

## empro \* morethansafety

#### 1601242

#### **Kit Content:**

- 1010103M ~ Super KW Stockinette Mens Size M
- 1010106GRYL ~ PU Coated Glove Grey Large Size L
- 1010390GRNL ~ Kutstop Micro Foam Nitrile Green Cut Level 5 Glove 09/Large Size 09
- 2212286BLK ~ B-Brand Safety Bump Cap Black + Logo One Size
- 1103314 ~ Safety Helmet White + Chinstrap + One Size
- 1201315 ~ Folding Ear Defender One Size
- 1301136 ~ Clear Lens Safety Spectacle One Size
- 1401416 ~ Disposable P3 Mask Valved (Pack of 5) One Size
- 2211645SYL ~ Hi-Visibility Vest Saturn Yellow Large + Logo (Green) + Logo (Green) Size L
- 8200119L ~ Non-Slip Ice Gripper Black Size L
- 5973129 ~ WSID02G Ice Hard Hat ID Tag One Size
- 1010631 ~ Cut Resistant Sleeve 12" Size 12



## Safety Helmet

#### 1103314

General purpose safety helmet with a 6 point plastic cradle.

#### Features & Benefits:

- Weight: 375g
- Material: High Density Polyethylene (HDPE)
- Peak Type: Full (40mm)
- Internal Features: 6-Point Low Density Polyethylene (LDPE)
- Colour: White
- Full Peak Slip Vented with Brushed Nylon Sweatband
- Branding available on front, side & rear

EN Standards: EN 397:2012+A1:2012 One Size





#### **CORPORATE BADGING**



## Endurance Reduced Peak Safety Helmet

#### 2217465

#### **Features & Benefits:**

- Vented helmet shell to allow air circulation
- 6-point textile suspension harness for enhanced wearer comfort and safety
- Size adjustable headband via wheel ratchet system
- Y-style 4-point chin strap
- Compatible with PS58 helmet visor holder
- Available in multiple colourways

EN Standards: EN 397-30°C/+50°C, LD

One Size Colour: White



## EVOLite Skyworker Industrial Climbing Helmet

#### 1102218

The EVOLite Skyworker™ helmet has a suspension system and shell structure that has been designed to be used for industrial, mountaineering, rescue and leisure activities. Meeting the ENI2492 standard.

#### **Features & Benefits:**

- Strong Light Shell
- Conforms to the mandatory shock absorption and penetration requirements of EN397 industrial standard
- Fully adjustable 4-point chinstrap
- A 6-point textile harness system & Chamlo
- CR2 Reflective
- Available in multiple colourways
- Side & rear ventilation
- EPS Liner- side, front & rear impact protection

EN Standards: EN 12492 . EN 397 One Size







Peak Micro



Side Impact Resistance 25 Joules



Minimum Temperature -40°C



Recyclable Shell



Depth Adjustment 3D Harness



Universal Accessories Slot



Reflective Option Optional



BSI Kitemark Yes



JSPCheck Yes



Size 53-64cm

## Safety Bump Cap

#### 2217618

Classic design bump-cap with ventilation ports for maximum breathability. Metallic ring holes for baseball cap look.

#### Features & Benefits:

- Long peak (7cm) for maximum protection against shock and light
- Durable high density EVA protects and gives comfort to the wearer
- Inner ABS shell and soft pad for shock absorption
- Hook and loop strap for safe and secure fit
- Padded headband for comfort
- Available Colours
- Materials: Cotton, ABS EVA

EN Standards: EN 812 One Size



## First Base Bump Cap

## **empro** \* morethansafety

#### 1102227

#### **Features & Benefits:**

- Standard peak length
- Timeless look and appeal
- Lightweight micro-fibre fabric reduces humidity and permits air circulation
- Side mesh ventilation enhances breathablility
- CE CAT 2 Intermediate

EN Standards: EN 812 One Size



## Al Reduced Peak Bump Cap

#### 1102081

Classic design bump-cap with ventilation ports for maximum breathability. Metallic ring holes for baseball cap look.

#### **Features & Benefits:**

- Reflective piping on all models adds extra visibility
- Ventilation: Extra holes in the liner plus the two mesh panels on the outer
- All round protection
- Sweat Band terry towelling sweatband adds comfort and absorption
- Available Colours

EN Standards: EN 812 One Size



## Ear Plug Dispenser Black (500 Plugs)

## **empro** \* morethansafety

#### 1208914

#### **Features & Benefits:**

- Plastic dispenser with 500 pairs of ear plugs included
- Wall mountable for secure storage
- Easy to use turn wheel to dispense ear plugs
- Can stand on even surfaces
- CE certified// CE-CAT III

EN Standards: EN 352-2 SNR 34dB

## Ear Plug Refill Pack (500 Plugs)

#### 1201317

#### Features & Benefits:

- Disposable ear plugs made from soft PU foam
- Easy to fit
- Excellent attenuation rate
- CE certified// CE-CAT III.
- Retail box which aids presentation for retail sales
- This product is sold in inner boxes

Material: PU Foam EN Standards: EN 352-2 SNR 34dB

## **Super Ear Protector**

#### 1201315

#### **Features & Benefits:**

- Folds to palm size for better carriage and to keep clean
- Adjustable dual pin system provides multiple positioning for better fit
- Retail bag which aids presentation for retail sales & CE-CAT III

Material: Stainless Steel EN Standards: EN 352-1 SNR 30dB









### **Ear Defender**

## empro \* morethansafety

#### 1201312

#### Features & Benefits:

- Unique cup design
- Padded headband for user comfort
- Soft foam ear cushions for wearer comfort
- Ease of headband adjustment
- · Can be folded for easy storage
- · Lightweight materials, only 218g


EN Standards: EN352-1: 2002











## Optime 2 Ear Defender

#### 1200142

#### Features & Benefits:

- Optime II has been developed for demanding noise-hazard environments and muffles even extremely low frequencies to a maximum degree
- The sealing rings are filled with a unique combination of liquid and foam
- Optime II is a suitable choice for environments with substantial industrial noise or construction machinery, airports and agricultural work
- SNR 31db

EN Standards: EN 352



## **TPR Easy Fit Ear Plugs**

## empro \* morethansafety

#### 1201300

#### Features & Benefits:

- TPR disposable ear plugs
- CE CAT 2 Intermediate
- Low frequency = 23.00 dB
- Medium frequency = 23.00 dB
- High frequency = 27.00 dB

EN Standards: EN352-2:2002 Colour: Green One Size

Suitable for:





## **Yale Safety Spec**

#### 1301136

#### Features & Benefits:



- Wrap around design
- Contoured shape
- Polycarbonate lens (PC lens)
- Soft nose bridge
- Non slip coloured rubber tips

EN Standards: EN166 Optical Class:1, F - (Low impact energy) & 2C-1.2 - UV Filter

Suitable for: Standard Uniform Level 1 Arc Arc Arc Arc











### Balaclava

#### 1751941

#### Features & Benefits:

- Garment layering benefits for extra protection
- Extra soft Flame Resistant fabric
- Elastic fabric to fit all shapes & sizes
- LOI: Not Applicable
- Protection Type: Antistatic // Heat & Flame

EN Standards: EN 1149-5:2018: Pt. 5:2008 // Pt.

3:2004 // Charge Decay EN ISO 11612:2015: A1 // B1 // C1

Colour: Navy Gender: Unisex

Open ARC Test: Not Applicable

Box Test: Not Applicable

Suitable for: Standard Uniform Level 1 Level 2 Arc Arc Arc













## Hi-Vis Anti-Static Flame **Retardant Waistcoat**

#### 2218142

#### Features & Benefits:

- Pinstripe detail
- Tear release front closure
- Two reflective bands around the body and one over each shoulder
- Available in Yellow & Orange
- Material: 100% recycled polyester

EN Standards: EN ISO 20471: 2013 + A1: 2016 class 2, EN14116 and EN1149.

Size: S-3XL

Suitable for: Standard Uniform Level 1 Arc













### Endura 378 Arc Flash Drivers Glove

## empro \* morethansafety

#### 1010668

#### **Features & Benefits:**

- DuPont™ Kevlar /composite filament fiber lining provides 360° ANSI Level A5 cut protection
- Padded palm for vibration dampening
- Arc Flash testing placed these gloves at level 3, with an Arc Thermal Performance Value (ATPV) of 36 cal/cm<sup>2</sup>
- Impact-resistant back-of-hand protection safeguards against knocks and bumps without impeding flexibility or dexterity
- High tensile strength goatskin provides outstanding abrasion resistance
- Treated with Oilbloc™ for unbeatable oil and water resistance

EN Standards: EN388:2016 3X22DP

Size: S-XL

Suitable for: Level 3





### **Arc Gloves Khaki**

#### 1010621

#### Features & Benefits:

- Box Test//Not Applicable
- LOI//Not Applicable
- Protection Type- ARC Flash // Heat & Flame
- Fabric: Not Applicable

EN Standards: EN 388:2003: Cut Level 5

EN 388:2016: 3.X.4.3.D EN 407:2004: 4.2.3.2.2 Colour: Black

Gender: Unisex

Open ARC Test: EBT50=8.6 cal/cm² // ARC 2

Size: S-XL

Suitable for: Stan











## **ProGARM 2240 Kneepad**

#### 1700160

Flame Resistant certified gel foam kneepad designed for use with our range of Flame Resistant garments to improve comfort when kneeling. Cellular foam rubber for maximum comfort and wash performance.

#### **Features & Benefits:**

#### OPTIONAL ITEM

- Notched sides // For maximum flexibility
- Excellent breathability // Due to air holes in the foam
- High Impact absorption // From high grade cellular rubber Wash tested to ISO 15797, 12 cycles // Perfect stability

Colour: Black Gender: Unisex

Open ARC Test: Not Applicable

Box Test: Not Applicable LOI: Not Applicable

Protection Type: Heat & Flame

Fabric: Not Applicable

EN Standards: EN ISO11612 Certified



#### Arc 4 Hood

## empro \* morethansafety

#### 1751942

#### Features & Benefits:

#### **ASSEMBLY**:

The assembly of hood, visor and helmet has been tested to and certified to EN 166:2002, GS-ET-29:2011 (APC 2), and ASTM F2178-ATPV 47 cal/cm<sup>2</sup>.

#### **FABRIC:**

VXS+ Inherent special weave 395gsm outer shell fabric with VXS+ inherent 200gsm lining woven fabric, meeting the following standards:

EN ISO 11612:2015 // A1, B1, C1, D2, E3, F1 EN ISO 11611:2015 // Class 2, A1 EN 1149-5:2008 IEC 61482-2: Open Arc ATPV = 47 cal/cm² // Category 4 IEC 61482-2: Box Test = Class 2

#### VISOR:

Premium anti-fog coated Highly Transparent Arc flash protective shield, colour grey, meeting the following standards:

NFPA 70E, ASTM F2178 - 47 cal/cm² ANSI Z87.1

#### HELMET:

Manufactured from high quality strong ABS material, up to 20% lighter than most other helmets, features Dry-Tech sweatband for maximum comfort and an adjustable ratchet. Meeting the following standards:

EN 397 - LD, MM, -40°C EN 50365 ANSI/ISEA Class C Colour: Navy Gender: Unisex Open ARC Test: ARC 4 Box Test: Class 2 LOI: Not Applicable

Protection Type: Antistatic // ARC Flash // Heat & Flame

Fabric: ProGARM VXS+ Inherent Special Weave

// ProGARM VXS+ Inherent Woven Weave // 395gsm

EN ISO 11611:2015: Class 2 // B1 // A1

EN ISO 11612:2015: A1 // B1 // C1 // D2 // E3 // F1

EN 1149-5:2008: Pt. 5-2008 // Pt. 3:2004 // Charge Decay

IEC 61482-2:2009: Class 2 // ATPV=47 cal/cm² // ARC 4







## **36 Cal Safety Helmet**

## **empro** \* morethansafety

#### 1103335

#### **Features & Benefits:**

#### HELMET:

Made of ABS

Suitable for live working

Smooth head circumference adjustment, range 53cm-63cm Helmet type

(ANSI standard) - Type 1

Lateral deformation resistance (EN Standard) - LD

Molten metal splash resistance (EN Standard) - MM

Resistance to penetration after conditioning in temperatures of -40°C to +60°C

Electrical properties (EN standard) - 440 Vac

Electrical Class O (1000 V AC/1500 V DC) according to EN 50365 Electrical Class E (20kV AC)

according to ANSI Z89.1.1

Compliance with ANSI Z89.1; EN397; EN 50365 standards Approved to EN 50365 - Electrically

insulating helmets for use on low voltage installation

Approved to ANSI Z89.1 - Industrial head protection

Improved visibility with reflective stickers

Manufacturing date and utilisation date permanently marked

#### **FACE SHIELD:**

Made from Polycarbonate

Protection against high-speed particles - B

Protection against droplets and splashes of liquids (3)

Full face, chin and neck protection against thermal hazards caused by electric arc flash

Resistance to fogging - N

Protection against electric arc: Class 2 - Box test 7kA/0.5s; ATPV > 36cal/cm2

Compliance with standards: EN 166; GS-ET-29; ASTM F2178 Code number for ultra-violet filter

(UV) - 2C - 2

Visible light transmittance (VLT) < 50% - Class 2

Optical Class - 1

Protection against molten metals and hot solids (9)

Approved to ASTN F2178

Premium class anti-fog and anti-scratch protection

Easy to wear with eyealasses

Incident energy - ATPV = 36cal /cm2

#### CHIN STRAP:

4-point strap recommended for working at height Quick, clasp - easy operation with protective gloves

Size: One Size Colour: White Gender: Unisex Box Test: Class 2 LOI: Not Applicable

Protection Type: Antistatic // ARC Flash // Heat & Flame

Fabric: Not Applicable EN 397:2012 +A1:2012 EN 50365:2002 EN 166:2001

Suitable for: Level 2 Level 3 Arc Arc





## Fold Flat P3 Mask Valved (Pack of 20)

## **empro** \* morethansafety

1401416

#### **Features & Benefits:**

- Maintenance free particulate respirator
- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres
- Latex free synthetic rubber head strap
- Contour design ensures the compatibility of glasses / goggles and reduces fogging
- Soft close-cell nose foam and adjustable nosepiece

EN Standards: EN149:2001 + A1:2009 FFP3 NR V

## B-Brand P3 Mask Valved (Pack of 5)

1400144

#### Features & Benefits:

- "Big Eye" design provides very low breathing
- resistance due to the increased filtration area
- Adjustable head strap ensures the best facial seal with minimum leakage
- Full facial close-cell foam seal for improved fit
- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres
- Adjustable nose piece ensures increased worker comfort and acceptance
- Protection level FFP3 with exhalation valve

EN Standards: EN149:2001 + A1:2009 FFP3 NR

## A2 P3 Organic

#### 1400106

#### Features & Benefits:

- 3M 4255+ Maintenance Free Gas/Vapour and Particulate Respirator
- Soft, close-fitting face seal made with textured, non-allergenic material
- Includes a resealable bag for hygienic storage and transportation
- A newly enhanced valve assembly helps to reduce exhalation breathing resistance

EN Standards: EN 405:2001+A1:2009





### Foam Knee Pad Black

#### 1700893

#### Features & Benefits:

- Ergonomically designed to hug your knee
- Fits all Portwest knee pad pockets
- Does not impede when walking
- Retail bag which aids presentation for retail sales
- CE certified & UKCA marked
- 21.5cm x 16.5cm x 1.5cm
- Material: EVA Foam

EN Standards: EN 14404: 2004 + A1:2010 Type 2 Level 0

# Poly Ridged Knee Pad 1700104

#### Features & Benefits:

- Deluxe model offering excellent protection
- Made using non marking material
- Rubber-like surface with grip ridges help prevent sliding and slipping
- Hook and loop Adjustable straps
- This product is sold in pairs

EN Standards: EN 14404: 2004 + A1: 2010 Type 2 Level 0

### **Ulitmate Gel Knee Pad**

#### 1700161

#### Features & Benefits:

- Tough abrasion resistant PVC shell
- Thick silicone gel adapts to your kneedap
- Ergonomically designed and tested straps ensure no pinching to the back of the wearers lea
- CE certified & UKCA marked
- Materials: PVC Shell, Nylon, EVA Foam

EN Standards: EN 14404: 2004+A1: 2010 Type 1 Level 1









## **Disposable Boiler Suit**

## **empro** \* morethansafety

#### 2400114

#### Features & Benefits:

- Hooded coverall
- Robust, yet lightweight
- 3 piece hood
- Elasticated face, wrist and ankles
- Excellent barrier to fine particles and fibres
- Ultra-low linting
- Stitched external seams
- Elasticated waist (glued-in)
- Elasticated wrists, ankles and face
- CAT III, TYPE 5B, 6B

EN Standards: EN 1073-2, EN 1149-5, EN14126

Colour: White Size: S-XXL



## **Poly/Cotton Boilersuit**

#### 2217173

#### Features & Benefits:

- 65% polyester, 35% cotton
- Concealed two-way zip
- 2 zip breast pockets
- Reinforced elasticated waist
- Double pen pocket on sleeve
- 2 swing hip pockets with side access
- 2 rear pockets, one with hook and loop fastening
- Knee pad pockets
- 1 rule pocket
- Hammer loop

Size 36"- 54"





# Test Equipment



### LV Isolation Kit

## empro \* morethansafety

#### 5552672

#### **Kit Content:**

- Kewtech KT1780 2 Pole LED Voltage Tester
- Kewstick Duo Non-Contact Voltage Detector
- Kewtech Proving Unit
- KTP1 Non-Contact Proving Unit
- Yale Clear Lens Spectacle
- 18-Gauge Flame resistant Arc Flash Glove
- Small Clear Front Pocket Bag For Isolation Kits



## Authorised Persons LV Isolation Kit

5552673

#### **Kit Content:**

- Kewtech KT1780 2 Pole LED Voltage Tester
- Kewstick Duo Non-Contact Voltage Detector
- Kewtech Proving Unit
- KTP1 Non-Contact Proving Unit
- Yale Clear Lens Spectacle
- 18-Gauge Flameresistant Arc Flash Glove
- Small Clear Front Pocket Bag For Isolation Kits



### **KT65 Multifuntion Tester**

#### 5551218

Proven multifunction tester combining the latest anti-trip technology, phase rotation, earth resistance & advanced memory, with easy to use functionality. Specifically designed for the UK market.

#### Features & Benefits:

- Easy to use
- Phase rotation in line with new 18th Edition requirements
- Advanced memory with free software, eg you can save a continuity test as an rl, r2, rn, R2 or R1+R2 and on which circuit
- Powerful 18th Edition software available optionally from Castline Systems
- NEW Anti-Trip Technology for full no trip LOOP testing on all RCD types
- Test button in probe as well as lockdown test button for 'hands free' testing
- Easy PFC & PSC measurement without the need to alter test probes
- 250, 500 & 1000V insulation tests with auto discharge
- Additional LED for warning of high voltage output in insulation test mode
- Memory for test lead resistance compensation
- Backlit display
- Auto-test memory for RCD testing with all results shown on one screen
- Conducts phase to phase loop tests
- Earth resistance for earth rods (with optional Earth Spikes)
- End of line calibration certificate included
- Comes with easily removed and stored lid for excellent protection when not in use
- Can be used with rechargeable batteries
- Complies with BS7671 (Part P)

## empro \* morethansafety



#### **Includes:**

ACC064SP G7 test lead with remote test button ACC065 G7 Test lead set Batteries Instruction Manual Certificate of conformity End of line Certificate KAMP 12 Mains lead

Test lead pouch Soft carry case

#### Weight & Dimensions:

Boxed Weight: 3.6kg Boxed Dimensions: 320(W)x275(H)x235(D)mm

## KT66DL and EVSE Adapter Testing Kit

#### 5552703

#### Features & Benefits:

- The KT66DL has many great features including a low currnet two & three wire test and a 25A, 0.001 Ohm resolution high current test allowing for PSC readings of up to 50 kA.
- It has two special options of EV loop test currents to overcome sensitive inbuilt tripping devices. It also tests type B & EV RCDs and 6 mA RDC-DDs for time and tripping level.
- The user interface is flexible and enables you to do the RCDs tests as part of an auto-test or individually.
- The KEWEVSE enables electrical safety tests with the KT66DL by simulating the presence of an electric vehicle and opening up the supply circuits to enable testing. It facilitates the testing of single and three phase charging stations as well being able to simulate earth faults to test whether the charging point closes down.
- There are 4mm connectors and a BS1363 three pin socket to enable connection to your MFT. Red LEDs indicate which phases are live.



## empro \* morethansafety



#### **EVSE Adapter**

#### Features & Benefits:

- Compact smallest in class
- Easy to use
- Allows for the electrical safety checks of a charging point in conjunction with an EVSE enabled MFT, like the KT66DL
- Checks the functionality of the EVSE
- Used for commissioning and trouble shooting
- For use on single phase or three phase systems
- Type 2 male connector for EVSE connection
- 4 mm connectors and alternative BS1363 socket for connecting your tester
- CP & PP state adjustment rotary switches
- PE error & CP error simulation test
- Oscilloscope output
- Printed manual
- · Carry case included

## Kewtech Smartpat PAT Tester

#### 5551654

#### **Features & Benefits:**

- Easy to use
- Converts into a full downloading PAT Tester with the KEWPAT APP
- Automatic test sequences standard or make your own
- Large easy to read display
- Battery operated approx. 1400 tests
- IT safe with 200mA earth test and 250V insulation option
- PASS / FAIL Green / Red screens
- Run / leakage at supply voltage (110V or 230V)
- Portable RCD tests 10mA & 30mA
- Performs Earth bond at 200mA (IT safe)
- Converts into a full downloading PAT tester with the KEWPAT APP
- Automatic test sequences make your own with the KEWPAT APP
- For fast data collection and results saving works in connection with the KEWPAT APP
- PASS / FAIL Green / Red screens
- Appliance status pre-check
- Quick check continuity
- 5 second continuity
- 250 V and 500 V insulation
- Substitute leakage test
- Selectable substitute leakage limits
- Extension lead test
- Test lead nulling
- Back light
- Extension lead adapter
- Earth Continuity test lead with probe and croc clip
- Carry bag with handle
- Quick start guide

## empro \* morethansafety



#### **Includes:**

- Extension lead adapter (EZYLEAD)
- Earth continuity test lead with probe and croc clip (EZYEARTH)
- Mains Lead (EZYMAIN)
- Carry bag with strap

#### Weight & Dimensions:

- Boxed Weight: 1.84kg
- Boxed Dimensions: 290(L)x140
   (W)x130(D)mm

### 815 Class 2 Sound Level Meter

#### 5500114

The testo 815 sound level meter can be used for control measurements in the air conditioning and heating area, on combustion systems or at workplaces.

#### Features & Benefits:

- Heating technology: measurement of the volume of burners
- Industry and trade: measurement of machinery noise
- Event technology or public authorities: noise levels at events
- Building services: simple measurements by the caretaker when there are complaints
- Test whether the charging point closes down
- There are 4mm connectors and a BS1363 three pin socket to enable connection to your MFT. Red LEDs indicate which phases are live





#### **540 Pocket Pro Lux Meter**

#### 5500143

#### Features & Benefits:

The testo 540 light meter can be used to measure both artificial and natural light and provides you with a quick and easy means of measuring lighting conditions in the workplace.

The testo 540 light meter is a compact entry level model designed specifically for carrying out spot checks in the workplace, shops and offices. The light sensor is modelled on the spectral sensitivity of the human eye and is ideal for measuring lighting conditions in a variety of different workplaces.

The compact, easy-to-use meter has a number of useful functions and features including a large, easy-to-read display, min/max values which can be shown at the touch of a button, a hold function that allows you to freeze the last reading and a protective cap for safe storage.





## 410-1 Compact Vane Anemometer NTC Air Thermometer

#### 5500116

The testo 410-1 includes a plug-on protective cap, as well as a wrist strap for secure measurement, and enables you to take advantage of the following functions:

#### Features & Benefits:

- Single-point averaging: provides information on the average air velocity, e.g. at air outlets
- Hold function: is used to record the current values relating to air velocity and air temperature and compare them with each other
- Max/min values: get the minimum or maximum values since the anemometer was last switched on or reset, at the touch of a button
- Illuminated display: read off your readings even in dark environments
- Selectable units: for air velocity and temperature: m/s, km/h, fpm, mph, kts, Beaufort, °C, °F and wind chill



#### **Overview:**

The testo 410-1 vane anemometer is impressive thanks to its practical pocket size and is ideal for fast check measurements. With a measuring range of 0.4 to 20 m/s, the anemometer can even be used for low flow speeds.

The anemometer has a permanently mounted vane with a diameter of 40 mm. You can therefore use it for the integral measurement of air velocity at ventilation grilles (air outlets).

The anemometer is practical for outdoor operation: as well as air velocity and air temperature, the testo 410-1 also calculates the Beaufort wind force and the wind chill temperature, which is the temperature perceived by a person due to wind-related cooling.

## 440 Air Velocity and IAQ Measuring Instrument

5551703

#### Features & Benefits:

- A measuring instrument for all climate related parameters
- Extendible with a wide range of probes
- Wireless measurement with bluetooth probes
- USB interface for exporting measurement reports as CSV files
- Intuitive measurement menus
- Graphic display with parallel display of 3 readings





#### **Overview**

Precise, reliable measurement of all air velocity and IAQ parameters with just one measuring instrument: the multifunction measuring instrument features intuitive operation with clearly structured measurement menus.

Adjusting air conditioning and ventilation systems, monitoring air quality or carrying out comfort level measurements – thanks to versatile options for combining with high-quality, digital probes, you are ideally equipped to carry out your measuring task (please order probes separately)

#### General technical data:

Weight~250 g
Dimensions-154 x 65 x 32 mm
Operating temperature-20 to +50 °C
Connectable probes
1 x digital probe with cable or 1 x Temperature
NTC TUC, 1 x digital Bluetooth probe or testo
Smart Probe, 1 x Temperature TC Type K
Battery type3 AA mignon 1.5 V
Battery life:12 h (typically vane measurement)

## 610 Compact Humidity Temperature Meter

#### 5501109

With its built-in NTC temperature sensor, the testo 610 thermohygrometer offers great accuracy when it comes to temperature measurement. The thermohygrometer measures humidity using its capacitive humidity sensor which is characterized by its long-term stability. The two sensors make the testo 610 a reliable and durable thermohygrometer.

The thermohygrometer is easy to use: the current temperature and humidity values are easily legible on the illuminated display. In addition, it can display the calculated dew point and wet bulb temperature, as well as min./max. values. With its clip-on protective cap, wrist strap and belt pouch, the handy thermohygrometer can be safely stored and easily taken along to any measuring location.

#### **Delivery Scope**

testo 610 thermohygrometer, protective cap, calibration protocol, belt pouch and batteries.

## empro \* morethansafety



## Blackline G7c Unit (Quoted spec for contract)

#### Contact us to specify your unit

Blackline Safety's G7c uses integrated 4G/2G or 3G/2G connectivity to wirelessly link your team to real people, while automating data analytics and compliance reporting.

All safety incidents are communicated to 24/7 live monitoring personnel who can mobilise responders to an employee's exact location or trigger an evacuation in real-time.

With a two-way speakerphone, monitoring personnel can communicate directly with the worker, providing critical insights and situational awareness for optimised emergency responses.



## Testo 868s Thermal Imaging Camera

#### 5501345

#### Features & Benefits:

- Image quality with IR resolution of 160 x 120 pixels (with testo Super Resolution technology 320 × 240 pixels)
- Thermal sensitivity of 0.08 °C
- Free analytical software for creating professional reports
- Automatic detection of hot and cold spots
- Thermal images can be saved as JPEGs
- App for analysis and creating on-site measurement reports





#### Technical data:

Infrared image output	
Infrared resolution	160 x 120 pixels
Thermal sensitivity (NETD)	<0.08 °C (80 mK)
Field of view/min. focusing distance	31° x 23° / < 0.5 m
Geometric resolution (IFOV)	3.4 mrad
testo SuperResolution (pixels/IFOV)	320 x 240 pixels 2.1 mrad
Image refresh rate	9 Hz
Focus	Fixed focus
Spectral range	7.5 to 14 µm
Visual image output	
Image size / min. focusing distance	5 MP / min. 0.5 m
Image presentation	
Image display	8.9 cm (3.5°) TFT, QVGA (320 x 240 pixels)
Display options	IR image / real image
Colour palettes	iron, rainbow HC, cold-hot, grey
Data interface	
WLAN Connectivity	Communication with the testo Thermography App Wireless module WLAN (EU, EFTA, USA, AUS, CDN, TR)
USB 2.0 micro B	~
Measurement	
Measuring ranges	Measuring range 1: -30 to +100 °C Measuring range 2: 0 to +650 °C Manual/automatic switchover
Accuracy	±2 °C, ±2 % of measured value
	(higher value applies)
Emissivity/reflected temperature adjustment	(higher value applies) 0.01 to 1 / manual
	0.01 to 1 / manual  Automatic recognition of emissivity and
temperature adjustment	0.01 to 1 / manual  Automatic recognition of emissivity and
temperature adjustment testo ε-Assist	0.01 to 1 / manual  Automatic recognition of emissivity and
temperature adjustment testo ε-Assist <b>Measuring functions</b>	0.01 to 1 / manual  Automatic recognition of emissivity and determination of reflected temperature (RTC)  Centre point measurement, hot/cold spot
temperature adjustment testo ε-Assist <b>Measuring functions</b> Analysis functions	O.01 to 1 / manual     Automatic recognition of emissivity and determination of reflected temperature (RTC)     Centre point measurement, hot/cold spot detection, delta T
temperature adjustment testo ε-Assist Measuring functions Analysis functions testo ScaleAssist	0.01 to 1 / manual  Automatic recognition of emissivity and determination of reflected temperature (RTC  Centre point measurement, hot/cold spot detection, delta T
temperature adjustment testo ε-Assist Measuring functions Analysis functions testo ScaleAssist IFOV warner	0.01 to 1 / manual  Automatic recognition of emissivity and determination of reflected temperature (RTC  Centre point measurement, hot/cold spot detection, delta T
temperature adjustment testo ε-Assist  Measuring functions  Analysis functions  testo ScaleAssist  IFOV warner  Imager features	O.01 to 1 / manual  Automatic recognition of emissivity and determination of reflected temperature (RTC)  Centre point measurement, hot/cold spot detection, delta T
temperature adjustment testo ε-Assist  Measuring functions  Analysis functions  testo ScaleAssist  IFOV warner  Imager features  Digital camera	O.01 to 1 / manual  Automatic recognition of emissivity and determination of reflected temperature (RTC  Centre point measurement, hot/cold spot detection, delta T

image storage	
File format	.bmt and .jpg; export options in .bmp, .jpg, .png, .csv, .xls
Memory	Internal memory (2.8 GB)
Power supply	
Battery type	lithium ion rechargeable battery exchangeable on site
Operating time	4 hours
Charging options	In instrument/in charging station (optional)
Mains operation	~
Ambient conditions	
Operating temperature range	-15 to +50 °C
Storage temperature range	-30 to +60 °C
Air humidity	20 to 80 %RH, non-condensing
Housing protection class (IEC 60529)	IP54
Vibration (IEC 60068-2-6)	2G
Physical features	
Weight	510 g
Dimensions (LxWxH)	219 x 96 x 95 mm
Housing	PC - ABS
PC software	
System requirements	Windows 10, Windows 8.1
Standards, tests	
EU Directive	EMC: 2014/30/EU RED: 2014/53/EU

#### **Overview**

With the testo 868s thermal imager, we have developed a thermal imager which makes work quicker and easier – without foregoing professional thermal imaging technology.

You can generate error-free and objectively comparable infrared images using its handy functions. The IFOV warner, testo Assist and testo Scale Assist mean you can avoid measurement errors and not only effortlessly achieve optimum setting of emissivity (and reflected temperature (RTC) for building thermography, but also of colour scale.



## LOTO



### **Electrical Mobile LOTO Kit**

## empro \* morethansafety

#### 6030079

#### **Kit Content:**

- 6030059 ~ Steel Shackle Red LOTO Padlock Steel Shackle Length 38mm
- 6030061 ~ PA Coated Steel Hasp Lock Shackle 1" (25mm)
- 6030062 ~ Nylon Lockout Hasp (43mm x 173mm)
- 6030065 ~ Miniature Circuit Breaker Lockout Pin Out Standard
- 6030066 ~ Miniature Circuit Breaker Lockout
   Pin In Standard
- 6030067 ~ Simple Circuit Breaker Lockout (45mm x 25mm x 10mm)
- 6030068 ~ Simple Circuit Breaker Lockout (51mm x 25mm x 23mm)
- 6030069 ~ Simple Circuit Breaker Lockout
- 6030071 ~ Simple Circuit Breaker Lockout

- 6030071 ~ Simple Circuit Breaker Lockout (125mm x 63mm x 40mm)
- 6030073 ~ Clamp-On Breaker Lockout Oversize - 480V to 600V
- 6030076 ~ Simple Cable Lockout
- 6011083 ~ Permanent Marker Pen For Writing On Tags
- 5904403 ~ Draper Expert 3.0mm x 100mm Fully Insulated Plain Slot Screwdriver (Sold Loose)
- 6011704 ~ Tag Double Sided logo Printed Inspection/Caution (Pack of 10)
- 6011703 ~ Tag Single Sided logo Printed Live Equipment Do Not Touch (Pack of 10)
- 6220033 ~ logo Approved Mobile LOTO Bag (Electrical)

Please see web for more detail



#### **Gas Mobile LOTO Kit**

## **empro** \* morethansafety

#### 6030080

#### **Kit Content:**

- 6030059 ~ Steel Shackle Red LOTO Padlock Steel Shackle Length 38mm
- 6030061 ~ PA Coated Steel Hasp Lock Shackle 1" (25mm)
- 6030062 ~ Nylon Lockout Hasp (43mm x 173mm)
- 6030065 ~ Miniature Circuit Breaker Lockout Pin Out Standard
- 6030066 ~ Miniature Circuit Breaker Lockout Pin In Standard
- 6030067 ~ Simple Circuit Breaker Lockout (45mm x 25mm x 10mm)
- 6030068 ~ Simple Circuit Breaker Lockout (51mm x 25mm x 23mm)
- 6030069 ~ Simple Circuit Breaker Lockout
- 6030070 ~ Simple Circuit Breaker Lockout

6030071 ~ Simple Circuit Breaker Lockout  $(125 \text{mm} \times 63 \text{mm} \times 40 \text{mm})$ 

- 6030073 ~ Clamp-On Breaker Lockout Oversize - 480V to 600V
- 6030076 ~ Simple Cable Lockout
- 6011083 ~ Permanent Marker Pen For Writing On Tags
- 5904403 ~ Draper Expert 3.0mm x 100mm Fully Insulated Plain Slot Screwdriver (Sold Loose)
- 6011704 ~ Tag Double Sided logo Printed Inspection /Caution (Pack of 10)
- 6011703 ~ Tag Single Sided logo Printed Live Equipment Do Not Touch (Pack of 10)
- 6220033 ~ Approved Mobile LOTO Bag (Electrical)

Please see web for more detail



# **HVAC Mobile LOTO Kit**

# empro \* morethansafety

#### 6030081

- PA Coated Steel Hasp Lock Shackle 1" (25mm)
- Nylon Lockout Hasp (43mm x 173mm)
- Adjustable Ball Valve Lockout (0.5" to 2.5")
- Adjustable Ball Valve Lockout (1.5" to 2.5")
- Miniature Circuit Breaker Lockout Pin Out
- Miniature Circuit Breaker Lockout Pin In
- Simple Circuit Breaker Lockout (45mm x 25mm x 10mm)
- Simple Circuit Breaker Lockout (51mm x 25mm x 23mm)
- 6030069 ~ Simple Circuit Breaker Lockout
- 6030070 ~ Simple Circuit Breaker Lockout
- Clamp-On Breaker Lockout Oversize (480V to 600V)

- Gate Valve Lockout (5" to 6.5")
- New Gate Valve Lockout (1" to 2.5")
- Permanent Marker Pen For Writing On Tags
- Tag Double Sided logo Printed Inspection /Caution (10 pack)
- Tag Single Sided logo Printed Live Equipment Do Not Touch (Pack of 10)
- Approved Mobile LOTO Bag (Refrigeration)
- Steel Shackle Red LOTO Padlock Steel Shackle Length 38mm
- 6030071 ~ Simple Circuit Breaker Lockout (125mm x 63mm 40mm)
- Draper Expert 3.0mm x 100mm Fully Insulated Plain Slot Screwdriver (Sold Loose)
- Simple Cable Lockout



# **Group Lockout Box**



6030087

### Features & Benefits:

Global Standard for Simple Group Lockout and simplifies the lockout of larger machines. After the equipment to be worked on has been isolated from the energy source, the lockout keys are placed inside the multiple lockout box and then padlocked by the controlling person.

Each person then working applies their own unique padlock to the lockout box. Only when all unique padlocks have been removed (including the controller's padlocks) can the necessary keys be re-issued to re-start.



# **Lockout Bag**

#### 6030072

This lockout bag is best used for locking out junction boxes and elevator controllers.

Simply slide the device inside, tighten the top of the bag and lock out the cord to ensure the bag cannot be pulled off. Made from wear resisting polyester cloth and features a PVC liner to prevent others from making contact with any buttons through the bag.

Can lock out many kinds of driving controller buttons or all kinds of special large sized plugs and accessories

#### **Features & Benefits:**

- Bag dimensions 440 x 250mm
- Strap can be locked out by up to 6 padlocks or hasps





# **Cylinder Tank Lockout**

#### 6030075

Prevents access to the main cylinder valve with no need to match your lockout device to varying diameter and threads of cylinder caps. Can be locked out by up to 3 padlocks simultaneously. The lock body front is suitable for writing on.

# **Content:**

- Maximum diameter neck ring of 80mm
- Padlock shackle diameter up to 7mm
- Made from engineering plastic PP



# Static Site LOTO Kit

# **empro** \* morethansafety

#### 6030082

#### **Content:**

- 6030059 ~ Steel Shackle Red LOTO Padlock Steel Shackle Length 38mm
- 6030061 ~ PA Coated Steel Hasp Lock Shackle 1" (25mm)
- 6030062 ~ Nylon Lockout Hasp (43mm x 173mm)
- 6030063 ~ Adjustable Ball Valve Lockout (0.5" to 2.5")
- 6030064 ~ Adjustable Ball Valve Lockout (1.5" to 2.5")
- 6030065 ~ Miniature Circuit Breaker Lockout Pin Out Standard
- 6030066 ~ Miniature Circuit Breaker Lockout Pin In Standard
- 6030067 ~ Simple Circuit Breaker Lockout (45mm x 25mm x10mm)
- 6030068 ~ Simple Circuit Breaker Lockout (51mm x 25mm x 23mm)
- 6030069 ~ Simple Circuit Breaker Lockout
- 6030070 ~ Simple Circuit Breaker Lockout
- 6030071 ~ Simple Circuit Breaker Lockout (125mm x 63mm x 40mm)
- 6030073 ~ Clamp-On Breaker Lockout Oversize (480V to 600V)
- 6030076 ~ Simple Cable Lockout
- 6030077 ~ Gate Valve Lockout (5" to 6.5")
- 6030078 ~ New Gate Valve Lockout (1" to 2.5")
- 6011083 ~ Permanent Marker Pen For Writing On Tags
- 5904403 ~ Draper Expert 3.0mm x 100mm Fully Insulated Plain Slot Screwdriver (Sold Loose)
- 6011704 ~ Tag Double Sided logo Printed Inspection /Caution (Pack of 10)
- 6011703 ~ Tag Single Sided logo Printed Live Equipment Do Not Touch (Pack of 10)
- 6210167 ~ Branded Static Wall Mounted Lock Out Station Yellow



# **Electrical Plug Lockout 3 Pin**

# 6030088

#### Features & Benefits:

 Self-locking Computer industrial host Safety lockout device with rubber stopple for lockout



# **LOTO Board**



#### 9270004


Orientation: Landscape Size: 1804 x 1204mm

Design printed onto 100 micron white gloss self-adhesive vinyl, laminated with dry wipe film, and applied to 5mm PVC white foam board and mounted onto 10mil black PVC foam.

# **Supplied with:**

- 2 Key cabinets
- 32 Red padlocks
- 2 x A4 Transparent Document Holders
- 3 x A6 Transparent Document Holders
- Self tapping screws for use with document holders and key cabinets
- Cup hooks for use with padlocks for lock out stations

**Notes:** Artwork not to size. Please allow 10 working days for production. Items may also vary due to changes in QHSE Approved LOTO.



# **LOTO Board with AP Box**



# 9270065

Orientation: Landscape Size: 1804 x 1204mm

Design printed onto 100 micron white gloss self-adhesive vinyl, laminated with dry wipe film, and applied to 5mm PVC white foam board and mounted onto 10mil black PVC foam.

# **Supplied with:**

- 1 Key cabinet
- 1 Safety Key Box
- 36 Red padlocks
- 3 x A4 Transparent Document Holders
- 2 x A6 Transparent Document Holders
- Self tapping screws for use with document holders and key cabinets
- Cup hooks for use with padlocks for lock out stations

**Notes:** Artwork not to size. Please allow 10 working days for production. Items may also vary due to changes in QHSE Approved LOTO.

# Lockout Isolation Board SAFETY LOCKOUT STATION NUMB APPORTMENT SEELA NO. VALID TO IN THE SOLATING AUTHORITY NUMB APPORTMENT SEELA NO. VALID TO IN THE SOLATING AUTHORITY NUMB APPORTMENT SEELA NO. VALID TO IN THE SOLATING AUTHORITY NUMB APPORTMENT SEELA NO. VALID TO IN THE SOLATING AUTHORITY LOCKOUT - Toggout Transfer of Duty Log Transfer o



# Glassfibre Swingback Step Ladder

# 6102965

The Murdoch GRP swingback steps are manufactured to withstand vigorous everyday usage. Carrying the EN131 professional label means that the product has been tested to withstand at least 50,000 uses. The fibreglass stiles makes this step your ideal partner when working around electricity. The spreader arm makes opening/closing of the stepladder simple, plus a heavy duty tool tray creates another user friendly touch.

#### **Features & Benefits:**

- Tested to 30,000 Volts
- 80mm deep treads for comfortable standing
- 2 locking arms for safety and usability
- · Large anti-slip feet for ultimate grip
- Load rating 150kg
- EN131 Professional

# Heavy Duty Professional Glassfibre Swingback Step Ladder

#### 6102183

This range of ladders is ideal for trade use and is tested to a durability test of 50,000 cycles. Tested & certified to New EN131-2, Professional Improved stiles and strengthened treads as well as reinforced platform in-line with the new standard requirements.

Unique strengthening beam incorporated into non-slip treads, rubber feet, and twists as there are no tapes to snap, or flimsy arms to break. Rigid box section back legs with additional cross braces and 'k' straps for increased strength and stability.

Non conductive to 30,000 volts and so the ladder is ideal for use where electrical hazards exist.

Lower bottom tread to avoid bending of front feet. Plastic tool tray to hold tools and equipment while working.

# empro \* morethansafety



# Lytepod Adjustable Low Level Platform

#### 6100573

#### **Features & Benefits:**

- Low Level Aluminum Podium Steps. Low Level Access Certified to BS8620
- Saloon gates for easy access and egress, stoppers for extra safety
- Only 2 removeable parts: platform deck and access ladder
- All models have 2 platform heights
- Anti surf as standard Compact folding dimensions. Toe boards are available
- Non removeable stabilisers





# **Teletower**

#### 6100208

The World's First Telescopic Mobile Scaffold Tower.

#### Features & Benefits:

Telescopic mechanism allows seven different platform heights from 0.33 to 2.00 metres - Working heights from 2.30 to 4.00 metres

Large folding aluminium work platform (1.4m x 0.7m) with climb through hatch

Fully erected in under 3 minutes, saving down time & man hours

Operates as a podium with low level fixed height options of 33cms & 61cms

Comprises only two parts - tower and platform (no more leaving parts in the yard!)

Integral stablising legs with 5 optional positions & lockable castors

Includes toe-boards as standard

Integral telescopic hand & knee rails-Integral platform stabilisers

Conforms to EN1004



# Glidelift Low Level Access Desk Surfer

# 6100282

The height adjustable access platform for all work up to a reach height of 4m. Evolved from our Deskglider, the hugely popular over desk platform, The GlideLift still retains its over desk capability but at last offers the most versatile, low cost, low level access platform on the market.

#### **Features & Benefits:**

- 4.00M Reach height
- 2.00M Platform height
- Lightweight 90kg
- 150KG Safe working load
- Height adjustable platform
- Compact fits through single doors (inside & outside use)
- No assembly required
- Easily transportable
- · Quick and easy to use
- Work at height compliant

# **Ladder Tag Kit**

#### 6011714

#### **Kit Content:**

- Replacement Ladder Tags(Pack of 20)
- Tag holders (20)
- Pen for writing on tags (20)

# empro \* morethansafety





# 1 Person Travel First Aid Kit

# **empro** × **morethansafety**

### 7011726

#### **Features & Benefits:**

- Small, compact, zip bag
- Easy to fit in rucksack
- Light weight

#### Content:

- Cleansing Wipes (Sterile) QTY x2
- Washproof Plasters QTY x10
- Triangular Bandage QTY x2
- Gloves (Pair) QTY x2
- Large Sterile First Aid Dressing 18cm x 18cm QTY x1





First Aid



# 10 Person Workplace HSE Compliant First Aid Kit

#### 7011727

The Standard Workplace Kit is low-medium risk ideal for small offices, shops, and libraries etc. Essential kits for variety of needs - from general first aid and catering to burns, eyewash and biohazards. A compact and durable comprehensive HSE compliant range.

- Safety Pins
- Triangular Bandages
- Eye Pad Sterile Dressing
- Medium Sterile Dressing
- Large Sterile Dressing
- Nitrile Disposable Gloves Conforming to BS EN 455-1 and BS EN 455-2, large size (8-9)
- Saline Cleansing Wipes
- Plasters
- Guidance Leaflet

# 20 Person Workplace HSE **Compliant First Aid Kit**

# 7011728

The Standard Workplace Kit is low-medium risk ideal for small offices, shops, and libraries etc. Essential kits for variety of needs - from general first aid and catering to burns, eyewash and biohazards. A compact and durable comprehensive HSE compliant range.

#### **Kit Content:**

- Safety Pins
- Triangular Bandages
- Eye Pad Sterile Dressing
- Medium Sterile Dressing
- Large Sterile Dressing
- Nitrile Disposable Gloves Conforming to BS EN 455-1 and BS EN 455-2, large size (8-9)
- Saline Cleansing Wipes
- Plasters
- Guidance Leaflet

# **empro** \* morethansafety





First Aid

# **50 Person Workplace HSE Compliant First Aid Kit**

#### 7011705

The Standard Workplace Kit is low-medium risk ideal for small offices, shops, and libraries etc. Essential kits for variety of needs - from general first aid and catering to burns, eyewash and biohazards. A compact and durable comprehensive HSE compliant range.

- Safety Pins
- Triangular Bandages
- Eye Pad Sterile Dressing
- Medium Sterile Dressing
- Large Sterile Dressing
- Nitrile Disposable Gloves Conforming to BS EN 455-1 and BS EN 455-2, large size (8-9)
- Saline Cleansing Wipes
- **Plasters**
- Guidance Leaflet





# Large BS 8599-12019 Catering First Aid Kit

# **empro** × **morethansafety**

#### 7011729

The Blue Dot BS 8599-1 (2019) First aid kits have been put together especially for use in the food service industry. With health and safety being a priority in catering establishments, these kits are essential for when an accident occurs, and immediate aid is required. These kits fully conform to the BS8599-1:2019 legislation.

#### **Kit Content:**

- Instructions
- Contents Leaflet
- Medium Dressing 12cm x 12cm
- Large Dressing 18cm x 18cm
- Triangular Bandage
- Eye Pad & Bandage
- Blue Detectable Plasters
- Cleansing Wipes (Sterile)
- Blue Microporous Tape
- Nitrile Gloves (Pair)
- Blue Finger Dressing 3.5cm x 3.5cm
- Revive Aid (Resuscitation Device)
- Thermal Blanket

- Burn Dressing 10cm x 10cm
- Tuff Cut Scissors
- Conforming Bandage
   7.5cm x 4.5cm



# **Standard Burns First Aid Kit**

#### 7010457

Blue Dot Burns Kit is effective for use at work or home and provides effective relief from a variety of burns including, scalds and sunburn. The Blue Dot Burns Kit is available in two sizes – small and medium and is an essential requirement with the workplace. Particularly where the risk of getting burn related injuries is higher.

- Burn Dressing 20cm x 20cm
- Burn Dressing 10cm x 10cm
- Low Adherent Dressing 10cm x 10cm
- Low Adherent Dressing 10cm x 20cm
- Burn Gel Sachet
- Eye Wash Pods
- Crepe Bandage
- · Conforming Bandage
- Gloves
- Microporous Tape
- Scissors



# Standard Eye Wash Station

#### 7011731

Strong ABS plastic with clear front and integrated wall bracket. Contents are kept dust and damp free. Items can be individually refilled.

#### **Kit Content:**

- 2x Sterile Eye Pad Dressing
- 2x Sterile Eye Wash Bottles

# **empro** \* **morethansafety**



# First Aid Box Wall Bracket

# 7011730

A simple and cost-effective wall mounting bracket for first aid kits. The bracket allows for the kit to be easily removed and used where an incident has occurred.

It is suitable to be used with all of our first aid boxes.



# **AED Emergency Response Kit**

#### 7011732

The ideal kit to pair with Defibrillators

- 1x Razor
- 1x Protective Face Shield
- 1x Scissors
- 2x Sterile Wipes
- 1x Pair of Gloves
- 2x Gauze Swabs



# Smarty Saver Wall Mount Bracket Stainless Steel

# **empro** \* morethansafety

#### 7011733

Wall bracket designed to hold Smarty Saver models, allowing for quick and easy access to the defibrillator.



First Aid



# Smarty Saver Normal Configuration Fully Automatic Dibrillator

### 7011734

Automatic Smarty Saver Defibrillator. This defibrillator automatically delivers shocks, making operation easier for the user.

The Fully Automatic model will, if a shockable rhythm is detected, warn the user of the imminent shock delivery and after 5 seconds the de-fibrillating shock will be released automatically; the CPR phase will follow.

It delivers one or more de-fibrillating shocks on adult or paediatric patients affected by ventricular fibrillation or ventricular tachycardia, using a thorax impedance-compensated, biphasic truncated exponential discharge (BTE).

#### Features & Benefits:

- Affordable and easy to use
- Reliable and durable
- Dustproof and waterproof resistance IP rate
- Easily operated by anyone in the medical field and non-medical field too (e.g. public or private places



# **Leak Diverter Kit**

#### 4300874

#### **Overview:**

Leaking roofs can damage valuable stock and equipment, not to mention the inconvenience of moving people and goods out of the way.

Leak Diverter deals with nuisance roof and ceiling leaks without disruption to the work-place until a permanent repair can be made. The device hangs from the roof directly under drips and leaks and diverts water to a convenient collection point. The floor beneath stays dry, the risk of slips and falls is reduced whilst damage to goods and machinery is minimised.

Adjustable hanging straps make levelling and positioning easy. Standard UK Hozelock fittings ensure water is safely channelled into the Leak Diverter reservoir drum (included in complete kit or available separately). Leak Diverter is available in four sizes in two colours, with separate accessories or as complete kit.





# QHSE Approved Multi Purpose Spill Kit 2401

# 4300875

Packed with fast-acting sorbents to clean-up spills quickly and efficiently. 240l capacity.

#### General Purpose:

Coolant ~ Antifreeze ~ Oil ~ Water ~ Weak chemicals ~ Solvents

- 12x Absorbent Socks (8cm x 3m)
- 100x Absorbent Pads
- 4x Disposal bag & tie
- 1x Instruction and contents sheet
- 1x Medium sized wheelie bin (2401)



# **Drain Protection Kit**

#### 4100143

Preventing spills and leaks from entering drainage systems is the best way to prevent environmental pollution.

Neoprene Drain Cover (ADR10) 1kg Tub Plugging Granules Weatherproof Holdall (wall mountable)

# QHSE Approved Oil & Fuel Only Spill Kit 2401

#### 4300876

Packed with fast-acting sorbents to clean-up spills quickly and efficiently. 240l Capacity. General Purpose:

Oil & Fuel ~ Hydraulic oil ~ Engine oil ~ Lubricating oil ~ Solvents ~ Will not absorb water

#### **Content:**

- 12x Absorbent Socks (8cm x 3m)
- 100x Absorbent Pads
- 4x Disposal bag & tie
- Instruction and contents sheet
- Medium wheelie bin (240l)

# empro \* morethansafety







Spill Response Type ~ Bunded Workfloor Applications ~ Drum Max Load ~ 1000kg Absorption Capacity ~ 120L

# Drum Workfloor for 2x 2051 Drums

# 4100199

- For storage of drums or numerous smaller containers
- · Removable grid deck for easy cleaning
- Ideal for use in drum stores to provide effective secondary containment

# **CO2 XRT Fire Extinguisher**

# empro \* morethansafety

#### 6300136

The aluminium 2kg CO2 extinguisher is used for situations involving flammable liquids and electrical hazards. One of the best selling extinguishers in the Firechief XTR range, the CO2 extinguishant is harmless to delicate equipment making it ideal for office environments.

#### **Features & Benefits:**

- Approved to BSEN3
- Kitemark and LPCB approved
- Harmless to machinery
- Aluminium alloy construction
- · Corrosion resistant finish
- Squeeze grip operation
- Includes wall hanging bracket



# Fire Extinguisher Maintenance Record Self Adhesive (Pack of 250)

#### 9250466PK250

Fire Extinguisher Maintenance Record Self Adhesive 80x160mm (Pack of 250)

# Maintenance Record Extinguisher No. Extinguisher No. Extinguisher No. Extinguisher No. Location Location Date Code NSD WT. Eng WT. Eng Codes C - Commissioned R - Refilled B - Basic Service E - Extended Service C - O-Overhaul NSD - Next Service Due Last Test Discharge

Fire Extinguisher

# 8mm Fire Door Gap Gauge Kit

# empro \* morethansafety

6302301

#### **Kit Content:**

6302000 ~ Fire Door Gap Gauge Pouch 6302277 ~ Fire Door Gap Gauge 6302001 ~ Fire Door Check Cards



# **Water Fire Extinguisher 61**

# 6300135

The Firechief XTR 6L Water Extinguisher is widely recognised and trusted by re-sellers and end users alike. Designed, developed and tested in the UK for use on A-class fires, this product carries the well-known Kitemark, LPCB and MED certification achieving superior results in tests.

#### Features & Benefits:

- 5 year guarantee
- Designed, developed and tested in UK
- Squeeze grip operation
- Corrosion resistant finish
- Approved to BS EN3
- Supplied with J bracket
- FXW6 Approved to 35kV dielectric test
- Internal polyethylene lining
- Comes with water spray



# **COSHH Floor Cupboard**

# **empro** \* morethansafety

### 6210178

#### **Features & Benefits:**

- QMP's range of COSHH cupboards help users to comply with the control of hazardous substances as demanded by the COSHH regulations when in the workplace
- No snag' handles with 2-point locking
- Adjustable spill-retaining galvanised shelves for superior spill management with a UDL of 70KG
- Reaction to Fire Classification EN 13501-1
- Warning stickers supplied as standard
- Fully welded all steel structure with full length heavy duty hinges with concealed fixings to prevent forced entry
- Powder coated graphite grey with Germ Guard Active Technology paint
- Floor chests have a welded integrated sump, angled lid to discourage article placement and a hasp and staple lock padlock not supplied
- Colour: Grey



900 x 900 x 460mm

# **Hazardous Floor Cupboard**

# 6210179

#### **Features & Benefits:**

- QMP's range of COSHH cupboards help users to comply with the control of hazardous substances as demanded by the COSHH regulations when in the workplace
- Adjustable spill-retaining galvanised shelves for superior spill management with a UDL of 70KG
- Integral liquid-tight sump encourages the correct handling of spills through the use of absorbents
- Stands raise cupboards by 543mm with an adjustable foot for uneven surfaces
- Powder coated yellow with Germ Guard Active Technology paint
- Hazardous Cupboards come complete with a selection of hazardous warning stickers
- Reaction to Fire Classification EN 13501-1
- Colour: Yellow



900 x 900 x 460mm

# Flammable Liquid Storage Cupboard

#### 6210171

### Features & Benefits:

- Reaction to Fire Classification EN 13501-1
- Warning stickers supplied as standard
- Adjustable spill retaining shelves for superior spill management
- Cupboard shelves have a UDL of 50KG
- Integral liquid-tight sump encourages the correct handling of spills through the use of absorbent cleaning materials
- Cupboard stands are available which raise cupboards by 543mm with an adjustable foot for uneven surfaces
- Powder-coated red with Germ Guard Active Technology paint
- Floor chests have a welded integrated sump, angled lid to discourage article placement and a hasp and staple lock - (padlock not supplied)
- Colour: Red





900 x 900 x 460mm

# Safegate 3 Gate Barrier

#### 6021148

#### Features & Benefits:

- Ideal for ground works, and protecting pedestrianised areas
- High density Polyethylene
- Prevent access to open manholes, drain, areas of wet flooring, trip hazards and spillages
- Compact design makes it ideal for use in workshops and even supermarkets
- One of the fastest barriers to deploy
- All packages are supplied with chapter 8 reflective strips and all the necessary clips to use the gates
- Conforms: BS 8442:2015, Chapter 8, The Red Book, TSRGD, BS7818 Specification for pedestrian restraint systems, Chapter 8 & BSEN13422, The Red Book 2013, Chapter 8
- Colour: Yellow



H 1000mm x Extended Length 2250mm Collapsed Length 750mm

# Portagate 3 Gate Compact Barrier

#### 6021123

Portagate Compact Barrier Gate System
The Portagate is a blow moulded high density polyethylene barrier, supplied as a 3 or
4 gate system. Light and compact, the Portagate is designed to meet communications industry requirements and enables increased quantities per vehicle.

#### Features & Benefits:

- Configurations Adjoining clips allow multi-positioning configurations to be formed such as a triangle, a square or a single line
- Firm hold By sliding the top hinge clip down panels can be locked securely into formations
- Added stability Designed to accept anti-trip feet for increase stability
- Temporary signage Recesses are included for toggle mounted courtesy signs to enable the system to be fully closed with the signs still attached
- Reflective panels Class R1 reflective panels which are 20% more reflective than standard lower grade reflective material conforming to BS 8442
- Stackable Can be stacked in any 180° orientation to a height of 20 units for 4 gate systems and 25 for 3 gate systems
- Colour: Red





Barrier Gates: 3 Material: HDPE EN Standards: BS 8442



empro \* morethansafety

# Safety Signs



Fire door keep

# QHSE 5 C's Notice Board

# **empro** \* morethansafety

### 9270005

Orientation: Landscape


Design printed onto 100 micron white gloss self-adhesive vinyl, laminated with dry wipe film, and applied to 5mm PVC white foam board and mounted onto 10mm black PVC foam.

Applied to board: Monthly magnetic calendar square and 3 x blank magnetic parts of key.

# **Supplied with:**

- 6 of each red, blue and green magnetic squares
- 6 x A4 transparent document holders (sticker for wording applied)
- Self tapping screws for use with document holders

**Notes:** Artwork not to size. Please allow 10 working days for production. Items may vary.



Size: 1350 x 925mm

# **Weekly Work Planner Board**

#### 9270003

Orientation: Landscape

Design printed onto 100 micron white gloss self-adhesive vinyl, laminated with dry wipe film, and applied to 5mm PVC white foam board.

**Notes:** Artwork not to size. Please allow 7 working days for production. Items may vary.

Day	Company	Building(s)		Work Description	MS/RA Yes/No	Permit Number	CEWA Number	Company Contact	Monitoring Engineer Escort	Completion
Monday										
			Call out							
Tuesday										
			Call out							
Nednesday										
			Call out							
Thursday										
			Call out							
Friday										
			Call out							
Saturday										
			Call out							

Size: 1500 x 1000mm

# **Permit To Work Board**

# **empro** \* morethansafety

# 9270002

Orientation: Landscape

Design printed onto 100 micron white gloss self-adhesive vinyl, laminated with dry wipe film, and applied to 5mm PVC white foam board.

Notes: Artwork not to size. Please allow 10 working days for production. Items may vary.

- Backing ~ 5mm PVC White Foam Board
- Printed Sides ~ Single
- Orientation ~ Landscape
- Dimensions ~ 1500x1000mm

Permit Number	Issued by	Date of Issue	Work description (Isolations Etc)	Company to whom permit is issued	Location	Completion date	Responsible person for work effort

Size: 1500 x 1000mm

# **Project Site Safety Board**

#### 9270011

Orientation: N/A

Artwork printed onto white digital print vinyl, laminated with dry wipe film, and applied to 5mm white PVC foam and mounted onto 10mm black PVC foam

# **Supplied with:**

- 1x A4 transparent document holder
- 8x A4 acrylic poster sleeves portrait
- 1x A3 acrylic poster sleeve landscape
- Self tapping screws
- 1x Health & Safety Law Poster 420 x 595mm
- Also available as a PVC Banner 9300009

Notes: Artwork not to size. Please allow 10 working days for production. Items may vary.



Size: 1275 x 1250mm

# **Project Site Safety Banner**

# **empro** \* morethansafety

### 9300009

Orientation: N/A

Material: Supported front-lit 450gms White PVC

Finishing: The banner will include eyelets, and the following sleeve supplied only.

# **Supplied with:**

9x A4 portrait sleeves 1x A3 landscape sleeve 1x Health & Safety Law Poster 420 x 595mm Also available as a PVC Board 9270011 wording applied) Self tapping screws for use with document holders

**Notes:** Artwork not to size. Please allow 5 working days for production. Items may vary.



Size: 1275 x 1250mm

# Contractor Daily Attendance Board

# 9270001

Orientation: Landscape

Design printed onto 100 micron white gloss self-adhesive vinyl, laminated with dry wipe film, and applied to 5mm PVC white foam board.

**Notes:** Artwork not to size. Please allow 7 working days for production.

		Contractor I	Daily Attenda	nce Board	l .		Date:			
Time In	Contractor	Description of Works	Location of Works	Permit No.	CEWA No.	Dynamic RA Engineer	Monitoring Engineer	Time Out		
Approve	d Access Perm	it and Contractor RAMS	Duty Shift Team Comments							

Size: 1200 x 900mm

# Contractor Weekly Attendance Board

# 9270047

Orientation: Landscape

Artwork printed onto white digital print vinyl, laminated with dry wipe film, and applied to 5mm PVC white foam.

**Notes:** Artwork not to size. Please allow 7 working days for production.



		Contractor v	eekly Attend	ance Board	1		WK:	
Day In	Contractor	Description of Works	Location of Works	Permit No.	CBRE / Vestas	Dynamic RA Engineer	Monitoring Engineer	Day Out
Approve	ed Access Perm	nit and Contractor RAMS			Team Co	mments		

Size: 1200 x 900mm

# Life Safety Isolations Board

# 9270017

Orientation: Landscape Size: 1200 x 900mm

Design printed onto 100 micron white gloss self-adhesive vinyl, laminated with dry wipe film, and applied to 5mm PVC white foam board.

**Notes:** Artwork not to size. Please allow 7 working days for production.

#### Life Safety Isolations

Date	Time	Type of Isolation	Purpose	Safety Lock Number	Permit Reference	Comments	Initial
	$\vdash$						
							-
							-
							+

Size: 1275 x 1250mm



# **Project Site Safety Banner**

# 9100102

Health & Safety Law Poster Laminated Paper 420 x 595mm

# Stac1 Accident Book

9100112


Accident Book Books 0

# Fire Log Book

9201867

Fire Log Book Books 0









# **First Aid Centre**

### 9202207

800 x 700mm

First Aid Centre C/W Accessories 5mm Foam PVC



Size: 800 x 700mm

# **Fire Action Centre**

# 9202099

800mmx700mm

First Aid Centre C/W Accessories 5mm Foam PVC



Size: 800 x 700mm



# Fire Assembly Point Self Adhesive

### 9250751

Fire Assembly Point Self Adhesive Vinyl Size: 600 x 400 mm



# **Fire Assembly Point Rigid**

#### 9204461

Fire Assembly Point 1mm Rigid Plastic Size: 600 x 400 mm



# **Fire Exit Up Self Adhesive**

# 9250759

Fire Exit Arrow Up Self Adhesive Vinyl Size: 600 x 200 mm



# Fire Exit Up Rigid

#### 9204358

Fire Exit Arrow Up 1mm Rigid Plastic Size: 600 x 200mm







# Fire Door Keep Shut Self Adhesive

### 9250372

Fire Door Keep Shut Self Adhesive Vinyl Size: 100 x 150mm



No smoking

# No Smoking Self Adhesive

9204299

No Smoking Self Adhesive Vinyl Size: 100 x 150mm



No smoking

# **No Smoking Rigid**

9204298

No Smoking 1mm Rigid Plastic Size: 100 x 150mm



# Electrical Walkaround Toolkit @Mpro \* morethansafety

# 5601504K

The electrical walkaround toolkit has the essential tools required for an electrical engineer whilst being light enough to carry on your person.

# This kit contains 20 items including:

- VDE screwdrivers & pliers
- Pickup and go tool pouch
- The approved LV isolation kit
- Fire door gap gauge kit





# Multi Skilled Engineer Toolkit empro \* morethansafety

### 5601523

The Multi skilled engineer toolkit is ideal for multi disciplined engineers, containing all of the tools from both the full electrical & mechanical toolkits.

# This kit contains 62 items including:

- Compact Drill Driver 10.8 Volt 2 x 2.0Ah Li-lon
- Socket set
- VDE screwdrivers & pliers
- 20l toolcase
- The approved LV isolation kit
- Loopcheck socket tester
- · Combination drilling set
- Fire door gap gauge kit





# **Electrical Engineer Toolkit**

# empro \* morethansafety

### 5601502B

The complete electrical toolkit contains all the tools required.

# This kit contains 42 items including:

- Compact Drill Driver 10.8 Volt 2 x 2.0Ah Li-lon
- Socket set
- VDE screwdrivers & pliers
- Hard bottom bag
- The approved LV isolation kit
- Loopcheck socket tester
- Fire door gap gauge kit





# Mechanical Engineer Toolkit @MPTO \* morethansafety

### 5601503B

The mechanical toolkit contains all the tools required to complete any job.

# This kit contains 43 items including:

- Socket set
- VDE screwdrivers & pliers
- Hard bottom bag
- Combination spanner set
- Ergo insulated screw drivers
- Fire door gap gauge kit





# Multi Skilled Engineer Toolkit @mpro \* morethansafety

#### 5601524

The Multi skilled engineer toolkit is ideal for multi disciplined engineers, containing all of the tools from both the full electrical & mechanical toolkits.

### This kit contains 59 items including:

- Backpack on wheels
- Socket set
- VDE screwdrivers & pliers
- 46cm Tool bag
- The approved LV isolation kit
- Loopcheck socket tester
- · Combination drilling set
- Fire door gap gauge kit

**STANLEY** 



# **Electrical Engineer Toolkit**

# empro \* morethansafety

#### 5601502S

The complete electrical toolkit contains all the tools required.

### This kit contains 42 items including:

- Pro combination drilling set
- Socket set
- VDE screwdrivers & pliers
- Backpack on wheels
- The approved LV isolation kit
- Loopcheck socket tester
- Fire door gap gauge kit

**STANLEY** 



### **Mechanical Engineer Toolkit**



# empro \* morethansafety

#### 5601503S

The mechanical toolkit contains all the tools required to complete any job.

### This kit contains 45 items including:

- Socket set
- VDE screwdrivers & pliers
- Hard bottom bag
- Combination spanner set
- Pro combination drilling set
- · Fire door gap gauge kit

**STANLEY** 



### **Electrical Engineer Toolkit**

# empro \* morethansafety

#### 5601415

The complete electrical toolkit contains all the tools required.

### This kit contains 42 items including:

- 12 volt combi drill
- Socket set
- VDE screwdrivers & pliers
- 20l toolcase
- · The approved LV isolation kit
- Loopcheck socket tester
- Fire door gap gauge kit





#### 

#### 5601425

The Multi skilled engineer toolkit is ideal for multi disciplined engineers, containing all of the tools from both the full electrical & mechanical toolkits.

### This kit contains 60 items including:

- 12 volt combi drill
- Socket set
- VDE screwdrivers & pliers
- 20l toolcase
- The approved LV isolation kit
- Loopcheck socket tester
- Combination spanner set
- Bosch GMS120
- Fire door gap gauge kit





# Electrical Lite Engineer Toolkit @MPTO \* morethansafety

#### 5601416

The electrical lite toolkit is a reduced version of the full electrical toolkit but with still the tools required to complete most day to day jobs.

### This kit contains 32 items including:

- Socket set
- VDE screwdrivers & pliers
- Pickup and go tool pouch
- The approved LV isolation kit
- Fire door gap gauge kit





# Electrical Walkaround Toolkit empro \* morethansafety

#### 5601417

The electrical walkaround toolkit has the essential tools required for an electrical engineer whilst being light enough to carry on your person.

### This kit contains 20 items including:

- VDE screwdrivers & pliers
- Pickup and go tool pouch
- The approved LV isolation kit
- Fire door gap gauge kit





# **Mechanical Engineer Toolkit**



# empro \* morethansafety

#### 5601418

The mechanical toolkit contains all the tools required to complete any job.

### This kit contains 45 items including:

- Socket set
- VDE screwdrivers & pliers
- 20l toolcase
- Combination spanner set
- Pound Thru PZ screw drivers
- Fire door gap gauge kit





### **Fabric Engineer Toolkit**

# empro \* morethansafety

#### 5601194

The Fabric toolkit is ideal for decorators, plasterers and handy persons.

### This kit contains 43 items including:

- Mallets and hammers
- Chisel set
- · Paintbrush and roller set
- Glass and tile suction lifters
- 20l toolcase
- Fire door gap gauge kit





# **Fabric Lite Engineer Toolkit**



#### 5601205

The Fabric toolkit is ideal for decorators, plasterers and handy persons.

### This kit contains 33 items including:

- Mallets and hammers
- Chisel set
- Paintbrush and roller set
- Glass and tile suction lifters
- 201 toolcase
- Fire door gap gauge kit





### **HVAC Engineer Toolkit**

# empro \* morethansafety

#### 5601420

The HVAC (Refrigeration) toolkit is ideal for all heating and air conditioning servicing needs.

### This kit contains 42 items including:

- Wet and dry vacuum cleaner
- Recovery unit and vacuum pump
- 20 volt combi drill
- Digital manifold
- Set of aluminum pipe wrenchers
- 80l toolchest
- Fire door gap gauge kit





# **Gas Engineer Toolkit**

# empro \* morethansafety

#### 5601419

The Gas toolkit is ideal for working on gas systems.

### This kit contains 52 items including:

- Wet and dry vacuum cleaner
- Testo 300-211 flue gas analyser
- 20 volt combi drill
- Gas leak detector
- Pipe repair kit
- 80l toolchest
- Fire door gap gauge kit





### **Plumber Engineer Toolkit**

# empro \* morethansafety

#### 5601199

The Plumber toolkit features all the necessary equipment for the job.

### This kit contains 46 items including:

- Pipe cutting tools
- Pipe wrenches
- Holesaw kit
- 20l toolcase
- · Fire door gap gauge kit





### **HVAC R32 Engineer Toolkit**

### empro \* morethansafety

#### 5601421

The HVAC (Refridgeration) toolkit is exactly the same as the standard HVAC toolkit except the recovery unit is suitable for R32 gasses.

#### This kit contains 41 items including:

- Wet and dry vacuum cleaner
- Recovery unit and vacuum pump
- 20 volt combi drill
- Digital manifold
- Set of aluminum pipe wrenchers
- 80l toolchest
- Fire door gap gauge kit





### **Apprentice Engineer Toolkit**



#### 5601402

The apprentice toolkit a variety of tools to enable them to learn and complete any task required of them.

### This kit contains 32 items including:

- VDE screw driver and plier set
- Hack saw and junior hacksaw
- Combination spanner set
- Socket set
- Adjustable wrenches
- Fire door gap gauge kit





# 8100SB VDE Socket Set 3/8" Driempro \* morethansafety

#### 59073775

Incredibly compact set arrangement for a lot of tools in a small space.

#### Features & Benefits:

- Provides safe and secure storage
- Individually tested ratchet, sockets and extensions as per IEC 60900 at 10,000V for safe working at the approved voltage of 1,000V
- 8007 B VDE 3/8" Ratchet
- 3/8" Drive 8790 B VDE Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm
- VDE Extension bars: 91 & 160mm Long
- Textile box with very high robustness and durability
- Smooth turning mechanism for secure hold and easy removal of VDE sockets
- Low weight and volume for easier mobility





# Kraftform Kompakt W2 Maintenance Kit 35 Piece

#### 59073784

Compact tool set with the 35 most important screw driving tools for maintenance work both indoors as well as outdoors.

#### Features & Benefits:

- Includes VDE holder with 12 VDE blades
- I Joker double open-end wrench with holding function limit stop, small return angle and extremely gripping teeth
- The incredibly fast 1/4" Zyklop Speed ratchet and accessories
- 8 manual and power tool sockets, sizes
   5.5-13, 1 universal bit holder; 7 bits in a length of 25mm
- 1 screw gripper for firmly holding screws
- 1 voltage tester 247
- Textile box: Robust and durable
- VDE Extension bars: 91 & 160mm Long



# Wera Kraftform Micro ESD Screwdriver Set (25 Piece)

#### 59073793

#### Features & Benefits:

Electrostatically secured Wera Micro screwdriver 25-piece set. The included screw profiles are especially suitable for the use on mobile phones and tablets.

Safe protection against electrostatic energy and associated damage.

By supporting the hand on the rotating cap, and by the fast rotating zone below the rotating cap, lightning fast turning is possible.

The power zone with integrated soft zones ensures the transmission of high tightening and loosening moments.

Precision zone for correct rotation angles whilst adjusting.

The Black Point tip provides fitting accuracy and optimum corrosion protection.

Take it easy tool finder with size stamping and colour coding by profile to find the required tool quickly and easily.


Storage and transport in a robust textile pouch, so the tool is well protected and always close at hand.


Time-consuming hand switching is eliminated.



# empro \* morethansafety







### **Stainless Torsion Bit Set** (30 Piece)

#### 59073616

#### **Features & Benefits:**

Bit-Check that can be positioned upright with high quality bits out of stainless steel.

Wera stainless tools are manufactured out of stainless steel, thus preventing the formation of unsightly extraneous rust. 29 Wera stainless bits.

1 stainless Rapidaptor quick-release holder. The multi-component Bit-Check is convincing on account of its low weight and the maximum possible degree of compactness.

In this respect, the soft material in the lower section of the Bit-Check ensures that the bits are securely held whilst being simple to remove at the same time.

The profile and size of the bits are easy to recognise thanks to the Wera "Take it easy" Tool Finder with its colour coding and clearly visible imprint.
















# **empro** \* morethansafety









# TSTAK Twin Kit With 2x 4.0Ah Batteries

# empro \* morethansafety

#### 5100097

#### Features & Benefits:

The DEWALT DCK266M2T TSTAK™ Twin Kit, contains the following:

1 x 18V DCD796 XR Brushless Combi Drill which has an ultra-compact, lightweight design.

Chuck: 13mm Keyless No Load Speed: 0-550/0-2,000/min Impact Rate: 0-9,350/34,000/bpm Torque: 27/70Nm, 15 Settings Capacity: Masonry/Steel 13mm, Wood 40mm

1 x 18V DCF887 XR Brushless Impact Driver is equipped with application control. This is achieved through 3 motor speeds and torque settings.

Bit Holder: 6.35mm (1/4in)

No Load Speed: 0-1,000/0-2,800/0-3,250/min Impact Rate: 0-1,800/0-2,900/0-3,800/bpm

Max. Torque: 26/80/205Nm

Weight: 1.56kg

Also supplied with: 1 x 10.8-18V DCB115 Multi-Voltage XR Charger, 2 x 18V 4.0Ah Li-ion Batteries and 1 x TSTAK™ Case.



### Pressure Washer 1400W 105Bar

#### 5109914

Perfect for cleaning patios, cars, caravans or worksites. This simple to use washer features a carry handle and large wheels, which make it easier to manoeuvre. The total stop device is designed to save water, prolonging the life of both the pump and the motor.

### **Specification:**

- Wattage: 1600
- Working pressure (+/-10%): 1305psi (90bar)
- Max pressure (+/-10%): 1958psi (135bar)
- Working flow (+/-10%): 5.5I/min
- Max flow (+/-10%): 7.11/min
- Hose length: 5m
- Cable length: 5m
- Weight: 8kg

# empro \* morethansafety



### Henry Type 230V Vacuum Cleaner NRV200

#### 5120111

The Henry vacuum with its one-piece polypropylene and struct foam tanks are long-wearing, dent and corrosion proof and light in weight.

#### **Specification:**

- Powerful motors
- Designed with wide bases to prevent tipping
- Unique rewind and storage system
- Super-efficient filtration
- Quiet operation
- Friendly smiles are standard equipment
- Can be used with or without bags

