




# CBRE

# MULTI TOOLKIT

## 2019



**5900007**

**5900007**

**Security Screwdriver Bit and Driver Set (45 Piece)**

25mm 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a shot blast finish. Supplied with a 1/4" soft grip driver. Supplied in a heavy duty storage case with plastic inlay to hold bits securely. Display packed. PZ TYPE products are compatible with \*Pozidriv®/Supadriv® fixing systems. Draper TX-STAR products are compatible with †Torx fixing systems.

**Contents:**

- Magnetic soft grip driver
- 3 x Tri wing: 1, 2 and 3
- 4 x Spanner: 4, 6, 8 and 10
- 5 x Spline: M4, M5, M6, M8 and M10
- 4 x Square: S0, S1, S2 and S3
- 6 x Security hex (metric): 2, 2.5, 3, 4, 5 and 6mm
- 6 x Security hex (imperial): 5/32, 9/64, 1/8, 7/16, 3/32 and 5/64"
- 7 x Draper TX-STAR®: T5, T6, T7, T8, T10, T15 and T20
- 9 x Draper TX-STAR® security: T8T, T9T, T10T, T15T, T20T, T25T, T27T, T30T and T40T



**5903301**


**5903301**

**Metric Combination Spanner Set (11 Piece)**

**Generally in accordance with DIN3113 Specifications**

Expert Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Draper HI-TORQ® ring end offset at 15°. Jaw offset at 15°. Supplied in Tetron divided wallet with tie cord. Display packed.

Contents: 6, 7, 8, 9, 10, 11, 12, 13, 14, 17 and 19mm.



**5900075**

**5900075**

**3/8" Sq. Dr. Metric Socket Set in Metal Case (27 Piece)**

**Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications**

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Each socket has a knurled ring for extra grip. Packed in a steel carrying case with EVA foam inserts.

**Contents:**

- 17 sockets size 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 24mm
- 3 spark plug sockets size 10, 12, 14mm
- 72 tooth reversible ratchet with soft grip handle and quick release button
- 3 wobble extension bars size 75, 150, 250mm
- \*T' bar head 1/2" (F) x 3/8" (M) converter
- universal joint
- 3/8" sq dr x 1/4" hex adaptor. \*T' bar head/converter when used with extension bar forms a sliding 'T' bar.



**5916628**

**1/4" Sq. Dr. Metric Socket Set (44 Piece)**

**Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications**

Six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in tough plastic storage case.

Contents:

- 10 sockets sizes 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
- 6 deep sockets sizes 6, 8, 10, 11, 12, 13mm
- 72 tooth reversible ratchet with soft grip handle and quick release button
- spinner handle
- 2 wobble extension bars 50 and 150mm
- sliding T bar
- universal joint
- 1/4" Sq. Dr to 1/4" hex bit adaptor
- 3 x plain slot socket bits 3, 5, 5.5mm
- 3 x PZ Type socket bits #1, 2, 3
- 3 x cross slot socket bits #1, 2, 3
- 5 x hex socket bits 3, 4, 5, 6, 8mm
- 7 x Draper TX-STAR® socket bits T10, T15, T20, T30, T35, T40, T45



**5920194**

**Ergo Plus® Interchangeable VDE Torque Screwdriver Set (19 Piece)**

**Manufactured and individually certified to EN 60900**

Expert Quality, interchangeable VDE torque screwdriver, intended for electrical applications. Perfect for torque-controlled tightening of screws, which helps avoid damaging screws and tools whilst ensuring a safe and secure screw connection. The adjustment scope for the torque screwdriver is 1.0 – 5.0 Nm (accuracy +/- 6%). Individually tested to 10,000V and fully compliant to EN60900:2012 standards, permitting use on AC circuits up to 1000V and DC circuits up to 1500V. Suitable for attaching to all existing Draper Expert 965 interchangeable range screwdrivers. The VDE interchangeable blades are made from SVCM steel for added strength and deliver a fast and easy press in auto-lock action with a simple release method. Supplied complete with calibration certificate, a selection of blades suiting all popular applications and a convenient canvas roll for secure transportation and storage. Display packed.

PZ TYPE products are compatible with \*Pozidriv®/Supadriv® fixing systems.

Contents:

- 1 Insulated torque screwdriver
- 1 Insulated Holder Driver
- 1 Precision Insulated Holder Driver
- 4 plain slot size: 3 x 60, 4.0 x 80, 5.5 x 80 and 6.5 x 100mm
- 3 cross slot sizes: No.0 x 60, No.1 x 80 and No.2 x 100mm
- 3 PZ TYPE sizes: No.0 x 60mm, No.1 x 80 and No.2 x 100mm
- 4 Draper TX-STAR®: T10, T15, T20, T25 x 100mm
- 2 PZ/SL: No.1 x 80 and No.2 x 100mm



**5900068**

**5900068**

**'Pound Thru' Soft Grip Screwdriver Set (6 Piece)**

Expert Quality, screwdrivers with hardened SVCM+ satin chrome plated hexagonal blades. Attached to a soft grip, oil and solvent resistant handle with integrated toughened 'Pound Thru' metal cap designed for receiving hammer blows. Supplied in a PVC storage case. Display packed.

Contents: Plain Slot; 5.5 x 75, 6.5 x 100mm  
 Cross Slot; No.1 x 75, No.2 x 100mm  
 PZ Type; No.1 x 75, No.2 x 100mm




**5905639**

**5905639**

**Metric Combination Spanner Set with Flexible Head and Double Ratcheting Features (8 Piece)**

Expert Quality, unique ratcheting open-end design. Draper Expert HI-TORQ® 180° flexible head reversing ratchet ring requiring only 5° movement to turn fastener. Both ratcheting facilities are especially useful in confined spaces. Forged from chrome vanadium steel, hardened, tempered, chrome plated and fully polished throughout. Display packed. Contents: 8, 10, 12, 13, 14, 15, 17 and 19mm



**5906039**

**5906039**

**Metric Combined HSS and Masonry Drill Bit Set (17 Piece)**

12 titanium nitride coated high speed steel straight shank drills and five tungsten steel masonry drills in handy set. Display packed in soft grip plastic case. Contents: 12 titanium nitride coated HSS drills: 1.5, 2.0, 2.5, 3.0, 3.2, 3.5, 4.0, 4.5, 4.8, 5.0, 5.5 and 6.0mm: 5 masonry drills: 3.0, 5.0, 6.0, 8.0 and 10mm



**5115122**

**5115122**

**Open Mouth Tool Bag (440mm)**

Open mouth design tool bag with 13 internal and 6 external pockets for excellent organisation potential. Fitted with a padded shoulder strap and grip handle for added user comfort. The solid base keeps tools safe from damage and protects the bag from moisture and dirt. Made from 600 denier hardwearing fabric that's strong and durable.

Dimensions: 440 x 245 x 335mm

**5902389****5902389****Metric Hexagon and Ball End Hexagon Key Set (9 Piece)**

Hexagon keys with ball end on the long arm and conventional ends on short arm. The ball type hexagon tip allows the hexagon key to be used up to 30° angle from the screwhead recess. Manufactured from chrome vanadium steel that's hardened and tempered then applied with a chemically blacked finish. Supplied in fold-out easy release holder which can be wall-mounted.

Contents: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0 and 10.0mm

**5902390****5902390****Imperial Hexagon and Ball End Hexagon Key Set (12 Piece)**

Hexagon keys with ball end on the long arm and conventional ends on short arm. The ball type hexagon tip allows the hexagon key to be used up to 30° angle from the screwhead recess. Manufactured from chrome vanadium steel that's hardened and tempered then applied with a chemically blacked finish. Supplied in fold-out easy release holder which can be wall-mounted.

Contents:

1/16, 5/64, 7/64, 9/64, 5/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16 and 3/8".

**5917242****5917242****Metric Coloured Long Arm Draper TX-Star® Key Set (9 Piece)**

Expert Quality, coloured, long arm, metric ball ended Draper TX-STAR® keys. Manufactured from chrome vanadium steel, hardened, tempered and chrome plated with a protective coloured rubber coating. Each colour signifies a different size. Supplied in fold-out easy release holder.

Contents: T10, T15, T20, T25, T27, T30, T40, T45, T50

**5904389****5904389****200mm VDE Long Nose Pliers****Manufactured to DIN Standard and individually certified to EN 60900**

Expert Quality, drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed.

Length: 200mm

Cut Hard Wire Dia. 1.6mm

Cut Med/Hard Wire Dia. 3.6mm

**5904396****5904396****250mm VDE Waterpump Pliers****Manufactured to DIN Standard and individually certified to EN 60900**

Expert Quality, drop forged from chrome vanadium steel correctly hardened and tempered. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handle. Has 'no-nip' feature which prevents handles locking together when at largest capacity and damaging users' hands. Display packed.

Capacity: 38mm

**5904386****5904386****200mm VDE Combination Pliers****Manufactured to DIN Standard and individually certified to EN 60900**

Expert Quality, drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed.

Cut Hard Wire Dia: 2.3mm

Cut Med/Hard Wire Dia: 3.8mm

Length: 200mm

**5904392****5904392****180mm VDE Diagonal Side Cutter****Manufactured to DIN Standard and individually certified to EN 60900**

Expert Quality, drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed.

Cut Hard Wire Dia: 2.3mm

Cut Med/Hard Wire Dia: 3.0mm

Cut Soft Wire Dia: 4.0mm

Length: 180mm

**5917287****5917287****VDE Approved Fully Insulated Cable Shears (180mm)****Manufactured to DIN Standard and individually certified to EN 60900**

Expert Quality, 180mm cable shear, manufactured from chrome vanadium steel that's hardened and tempered for extra strength. The induction hardened and finely ground cutting edges are finished with a protective lacquer for corrosion protection. Fitted to heavy duty, fully insulated soft grip handles, tested to 10,000V for safe 1000V AC or 1500V DC live line working.

**5903464****5903464****Curved Jaw Self Grip Pliers (220mm)**

Jaws manufactured from good quality steel hardened and tempered. Serrated gripping surfaces and adjustable opening, with quick-release lever. Display packed.

Length: 220mm

**5901238****5901238****Soft Grip Trimming Knife with 'Safe Blade Retractor' Feature**

Expert Quality, retractable pattern with special blade feature allows blade to retract automatically when surface contact is lost even when thumb pressure is maintained. Diecast zinc alloy body with anti-slip soft grip handle for user comfort. Supplied with five spare blades. Display packed.

**5916633****5916633****Junior Hacksaw**

Expert Quality, 150mm junior hacksaw made with a steel frame with an soft grip plastic handle. Supplied with blade.

**5900114****5900114****Soft Grip Hacksaw (300mm)**

Expert Quality, ergonomic pattern aluminium frame with a soft grip handle for user comfort. Frame has two sets of blade spigots which allows straight or 45° cutting. Supplied with a 300mm bi-metal blade.





**5900069**

**Opti-Vision™ Torpedo Level with Magnetic Base (250mm)**

Expert Quality, heavy duty cast aluminium level torpedo level with highly visible horizontal 'Opti-Vision' solid acrylic UV resistant vial set into the angles surface, one solid acrylic vertical vial and one angle finder solid acrylic vial all set within tough red housings for maximum visibility. Electrostatically epoxy powder coated and baked for maximum protection, shock absorbing end caps. The base has a finely milled surface, a V-groove for levelling pipework and two inset rare earth magnets. Accuracy 0.5mm per 1M = 0.029° in standard position.



**5916635**

**Storm Force® 10.8V Cordless Hammer Drill with LI-ION Battery**


- Fitted with a 25Nm variable speed motor
- 21 torque control positions
- 3 functions; drill, hammer drill and screwdriver
- Attached with a 10mm keyless chuck, super bright LED worklight, metal belt clip and a battery level indicator
- Supplied with a 10.8V 1.5Ah lithium battery and a 1 hour charger

**Drilling capacities:** Wood: 25mm Masonry: 10mm Mild steel: 10mm

**Speed (no load):** 0-400 and 0-1300r/min

**Max. torque:** 25Nm

**Weight (machine and battery):** 1kg



**5916634 Slimline COB LED Rechargeable Magnetic Inspection Lamps (5W) Colour: Green**

5W inspection lamp fitted with an additional SMD LED's on the end transforming the lamp into torch. The 3 cycle switch allows half/full/ torch features. Powered by a rechargeable Li-ion battery providing an impressive 450 lumens inspection light and a 250 lumen torch. The base is manufactured with an integrated magnet with protective cover and pivoting head enabling the light to be used in any 360° position. Supplied with micro USB to standard USB cable and 3 pin approved USB charger. Battery: 3.7V Li-ion Battery.

Burn Time: 4.5 hrs Charging Time: 4 hrs IP Rating: IPX4

**5903948****150mm Crescent-Type Adjustable Wrench with Phosphate Finish**

Expert Quality, crescent-type wrenches manufactured from chrome vanadium steel hardened and tempered with black phosphate finish, polished profile and jaws. Jaws offset at 22°. The 150, 200, 250 and 300mm sizes have a graduated scale on the fixed jaws. Suitable for use in areas where chemicals and chrome plate can give off poisonous fumes. Display packed.

Capacity: 24mm Length: 150mm

**5903950****250mm Crescent-Type Adjustable Wrench with Phosphate Finish**

Expert Quality, crescent-type wrenches manufactured from chrome vanadium steel hardened and tempered with black phosphate finish, polished profile and jaws. Jaws offset at 22°. The 150, 200, 250 and 300mm sizes have a graduated scale on the fixed jaws. Suitable for use in areas where chemicals and chrome plate can give off poisonous fumes. Display packed.

Capacity: 33mm  
Length: 250mm

**5903951****300mm Crescent-Type Adjustable Wrench with Phosphate Finish**

Expert Quality, crescent-type wrenches manufactured from chrome vanadium steel hardened and tempered with black phosphate finish, polished profile and jaws. Jaws offset at 22°. The 150, 200, 250 and 300mm sizes have a graduated scale on the fixed jaws. Suitable for use in areas where chemicals and chrome plate can give off poisonous fumes. Display packed.

Capacity: 38mm Length: 300mm



**5904257**

**5904257**

**560g (20oz) Fibreglass Shafted Claw Hammer**

Expert Quality, polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing PP/TPR grip. Sold Loose.

Weight: 560g (20oz)



**5904258**

**5904258**

**450g (16oz) Fibreglass Shafted Ball Pein Hammer**

Expert Quality, polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing PP/TPR grip. Sold Loose.

Weight: 450g (16oz)



**5930206**

**5930206**

**Gasket Scraper**

Manufactured from carbon steel hardened, tempered and satin chrome finish with shot blast scraper end. For cleaning cylinder heads, removing old sealants and carbon, etc. Display packed.



**5950237**

**5950237**

**355mm Pry Bar / Nail Puller**

Flat section with nail puller and chisel ends 35mm wide. Forged from good quality carbon steel hardened, tempered and painted black. Sold loose.

Size: 150mm  
Type: Half Round




**5917737**

**5917737**

**150mm Hand File and Handle**

High carbon steel, hardened and tempered with soft grip handles incorporating hang hole. Improved tooth profile for increased performance.

Size: 150mm  
Type: Hand



**5917738**

**5917738**

**150mm Half Round File and Handle**

High carbon steel, hardened and tempered with soft grip handles incorporating hang hole. Improved tooth profile for increased performance.

Size: 150mm  
Type: Half Round



**5300703**

**5300703**

**4 Heavy Duty AAA-Size Alkaline Batteries**

4 Heavy Duty AAA-Size Alkaline Batteries



**5300702**

**5300702**

**4 Heavy Duty AA-Size Alkaline Batteries**

4 Heavy Duty AA-Size Alkaline Batteries



**5950509**

**5950509**

**150mm / 6" Steel Rule**

Double sided with hang hole. Permanently etched graduations of cm/mm and inches, 1/8", 1/16", 1/32" and 1/64". Display packed.

Length: 150mm/6"

Width: 19mm



**5916631**

**5916631**

**Measuring Tape (5m / 16ft x 25mm)**

**Manufactured to EC Class II Accuracy**

Expert Quality, tough impact resistant ABS case. Hold and measure button allows user to lock tape for accurate measurements. Power return nylon-coated tape has metric and imperial graduations. Fitted with a belt clip for added user portability.

Length: 5m / 16ft

Width: 25mm



**5210647**

**5210647**

**Cree and COB LED Head Lamp (3W) (3 x AAA Batteries)**

Three function head lamp (100% white light / 50% white light / red light), fitted with a comfortable adjustable head strap with foam padding. Producing an ultra bright 220 lumen 80M beam of brilliant white light. The ON/OFF button is easily operated. Supplied with 3 x AAA batteries. Display packed.



**5904265**

**5904265**

**Card of 5 Hooked Trimming Knife Blades**

Reversible polished steel blades with accurately ground cutting edges.

Type: 2 notch (hooked)



**6800139**

**6800139**  
**10 x 300mm 24TPI B-Metal Hacksaw Blades**  
**Conforms to BS 1919**

Expert Quality, saw edge, manufactured from high speed steel strip, electron beam welded to high quality carbon steel backing. Display packed ten blades per card.


Pitch: 24



**6800419**

**6800419**  
**10 x Junior Hacksaw Blades**  
**Manufactured to BS6271**

Expert Quality, general purpose cutting blades with pinned ends. Will fit all junior hacksaw frames. Packed ten blades on display card or in bags of 100 blades.



**5904925**

**5904925**  
**Professional Utility Key**

Expert Quality, with two square, one triangle and one stepped key profile plus a double-ended 7mm plain/No.2 cross slot insert bit 40mm long. Holder included for 1/4" insert bit. Display packed.



**7200134**

**7200134**  
**Stainless Steel Fill Brush (230mm)**

Plastic handle. For aggressive cleaning and removal tasks. Display packed.

Wires per row: 3 x 11



**5917739**

**5917739**  
**Magnetic Parts Bowl**

150mm diameter, stainless steel, magnetic parts bowl. Manufactured from high grade steel and fitted with a strong magnet on the base.



**6201944**

**6201944**  
**Magnetic Parts Bowl**

For storage of nuts, bolts, screws, etc. whilst working. Bowl has rubber covered magnetic base for affixing to metal objects such as tool boxes etc. Magnetism transfers to inner surface of bowl to retain small metal parts, nuts, bolts, etc. Sold loose.

Diameter: 145mm

**5950134****5950134****8 x 10m x 19mm Black Insulation Tape to BSEN60454 / Type 2****Manufactured to EN60454 / Type2 Specifications**

Expert Quality, PVC self-extinguishing flame resistant tape manufactured under strict quality control. Security wrapped eight rolls per pack.

**5950774****5950774****8 x 10m x 19mm Grey Insulation Tape to BSEN60454 / Type 2****Manufactured to EN60454 / Type2 Specifications**

Expert Quality, PVC self-extinguishing flame resistant tape manufactured under strict quality control. Grey tape compatible with BS7671:2001 Harmonised Cabling. Security wrapped eight rolls per pack.

**5950139****5950139****8 x 10m x 19mm Blue Insulation Tape to BSEN60454 / Type 2****Manufactured to EN60454 / Type2 Specifications**

Expert Quality, PVC self-extinguishing flame resistant tape manufactured under strict quality control. Security wrapped eight rolls per pack.

**5950775****5950775****8 x 10m x 19mm Brown Insulation Tape to BSEN60454 / Type 2****Manufactured to EN60454 / Type2 Specifications**

Expert Quality, PVC self-extinguishing flame resistant tape manufactured under strict quality control. Brown tape compatible with BS7671:2001 Harmonised Cabling. Security wrapped eight rolls per pack.

**5950137****5950137****8 x 10m x 19mm Yellow Insulation Tape to BSEN60454 / Type 2****Manufactured to EN60454 / Type2 Specifications**

Expert Quality, PVC self-extinguishing flame resistant tape manufactured under strict quality control. Security wrapped eight rolls per pack.

**5950568****5650568****Insulation Earth Colour Tape****Manufactured to EN 60454 Specifications**

Expert Quality Self-adhesive PVC earth colour tape. Shrink wrapped and sold loose.