



CBRE

TOOLKIT
ASTRAZENECA

**5906184****5906184****Metric Hexagon and Ball End Hexagon Key Set (10 Piece)**

Hexagon keys with ball end on the long arm and conventional ends on short arm. The ball type hexagon tip allows the hexagon key to be used up to 30° angle from the screwhead recess. Manufactured from chrome vanadium steel that's hardened and tempered. Held in plastic storage holder. Display packed.

Contents

2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0, 7.0, 8.0 and 10.0mm

**5902390****5902390****Imperial Hexagon and Ball End Hexagon Key Set**

Hexagon keys with ball end on the long arm and conventional ends on short arm. The ball type hexagon tip allows the hexagon key to be used up to 30° angle from the screwhead recess. Manufactured from chrome vanadium steel that's hardened and tempered then applied with a chemically blacked finish. Supplied in fold-out easy release holder which can be wall-mounted. Quantity: 12 piece set.

Contents:

1/16, 5/64, 7/64, 9/64, 5/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8".

**59010626****59010626****T27 T Handle TX Star® Key**

Draper TX-STAR® products are compatible with †Torx fixing systems.

High leverage keys with conventional TX-STAR® end on the long arm and TX-STAR® security end on the short arm. Manufactured from CRV steel hardened and tempered with high impact-resistant polypropylene handles. Display packed.

†Torx is the registered trademark of Acument Intellectual Properties LLC.

Dimensions: 150 x 16mm.

Type of tip: T27



5900077

5900077

1/4" Sq. Dr. Metric Socket Set (12 Piece)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Manufactured from chrome vanadium steel hardened and tempered with a satin finish. Supplied with 72 tooth reversible soft grip ratchet and 75mm extension bar. Supplied on a socket rack for easy storage and transportation. Display packed.

Contents: 10 sockets size 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
72 tooth reversible ratchet with soft grip handle and "quick release" button
75mm extension bar



5900079

5900079

3m / 10ft Measuring Tape

Manufactured to EC Class II Accuracy

Made with a hardwearing stainless steel case attached with a soft grip for user comfort. Fitted with a large blade-locking button and belt clip. The nylon-coated blade has clear black and red metric and imperial graduations, metres into cm/mm and feet into inches, 1/8" and 1/16" on both sides and obvious stud centre markings every 16" all coated in a hardwearing yellow protective cover. The self-aligning end hook assists in providing extremely accurate internal and external measurements.

Length: 3M/10ft **Width:** 19mm




5904407

5904407

No. 0 X 60mm Fully Insulated Cross Slot Screwdriver
Manufactured and individually certified to EN 60900

Tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC. Made with SVCM alloy steel blades which are hardened, tempered and chemically blacked. Fully insulated ergonomic soft grip handle with deep set blade sheath for total safety. Display packed in individual storage hanger with barcode on reverse.

Blade Length: 60mm **Blade Tip:** No.0



5904398


5904398

3.0mm x 100mm Fully Insulated Plain Slot Screwdriver

Manufactured and individually certified to EN 60900

Tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC. Made with SVCM alloy steel blades which are hardened, tempered and chemically blacked. Fully insulated ergonomic soft grip handle with deep set blade sheath for total safety. Display packed in individual storage hanger with barcode on reverse.

Blade Length: 100mm **Blade Tip:** 3.0mm



59010718

59010718

Soft Grip T15 X 100mm TX-Star® Screwdrivers

SVCM+ blades which are hardened and satin chrome plated with sand blasted tips. Attached to a soft grip, oil and solvent resistant handle.

Blade Length: 100mm **Blade Tip:** T15



5900038

5900038

Soft Grip Screwdriver Set (8 Piece)

SVCM+ blades which are hardened and satin chrome plated with sand blasted tips. Attached to a soft grip, oil and solvent resistant colour coded handle. Supplied in PVC storage case.

Contents: Plain Slot; 3.5 x 75, 5.5 x 100, 6.5 x 100, 8 x 150
Cross Slot; No.1 x 75, No.2 x 100mm
PZ Type; No.1 x 75, No.2 x 100mm



59010719

59010719

Soft Grip T20 X 100mm TX-Star® Screwdrivers

SVCM+ blades which are hardened and satin chrome plated with sand blasted tips. Attached to a soft grip, oil and solvent resistant handle.

Blade Length: 100mm **Blade Tip:** T20



59010726

59010726

TX-Star® Security T30 X 100mm Soft Grip Screwdrivers

SVCM+ blades which are hardened and satin chrome plated with sand blasted tips. Attached to a soft grip, oil and solvent resistant handle.

Blade Length 100mm **Blade Tip** T30



59010720

59010720

Soft Grip T25 X 100mm TX-Star® Screwdrivers

SVCM+ blades which are hardened and satin chrome plated with sand blasted tips. Attached to a soft grip, oil and solvent resistant handle.

Blade Length 100mm **Blade Tip** T25



59010705

59010705

Cross Slot No: 2 X 38mm Soft Grip Screwdrivers

SVCM blades which are hardened and satin chrome plated with sand blasted tips. Attached to a soft grip, oil and solvent resistant handle.

Blade Length 38mm **Blade Tip** No: 2

5900078**5900078****1/4" Square Drive Spinner Handle**

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Blade manufactured from hardened and tempered chrome vanadium steel, with polished finish. Fitted with a spring-loaded ball bearing for secure socket holding. Handle end has male 1/4" square drive for use with 1/4" square drive female accessories. Display packed.

Length: 150mm

5903757**5903757****Bit Holding Driver**

Magnetic bit holder for 1/4" bits with chrome vanadium steel blade hardened, tempered and chrome plated. Fitted with soft grip handle. Display packed.

5900076**5900076****Soft Grip Handle Paint-Brush 25mm (1")**

Paint brushes fitted with soft grip handle attached with a stainless steel ferrule, that securely fastens the synthetic filaments. Vapour box compatible. Display packed.

Width: 25mm

59010970**59010970****Soft Grip Awl**

Fitted with a soft grip handle improving comfort and performance. 3mm blade tapering to a fine point. Display packed.

Length: 75mm

5904373**5904373****130mm Diagonal Side Cutter**

Manufactured to DIN Standard

Drop forged from chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Lacquered finish for corrosion protection with heavy duty, soft grip handles with slip guards. Display packed.

Cut Hard Wire Dia. 1.6mm **Cut Med/Hard Wire Dia.** 2.5mm
Cut Soft Wire Dia. 4.0mm **Length:** 130mm

5904822**5904822****110mm Mini Diagonal Side Cutter**

Carbon steel hardened and tempered. The jaws and cutting edges are induction hardened with captive double leaf springs and soft grip handles. Display packed.

**5901092****5901092****250mm Heavy Duty Soft Grip Waterpump Pliers**

Heavy-duty waterpump pliers. Manufactured from hardened and tempered chrome vanadium steel, with hardened jaws, achieving excellent gripping performance. The jaws have our multi position feature while being fitted to ergonomic cushion-grip handles, ensuring greater user comfort and less hand fatigue.

A great pair of everyday waterpump pliers for professional plumbers and for plumbing tasks around the home.

Capacity: 53mm. **Length:** 250mm

**5904366****5904366****160mm Combination Pliers****Manufactured to DIN Standard**

Drop forged from chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Lacquered finish for corrosion protection with heavy duty, soft grip handles with slip guards. Display packed. **Length:** 160mm

Cut Hard Wire Dia. 1.8mm **Cut Med/Hard Wire Dia.** 3.1mm

**5904821****5904821****125mm Soft Grip Long Nose Mini Pliers**

Carbon steel hardened and tempered. The jaws and cutting edges are induction hardened with captive double leaf springs and soft grip handles. Display packed.

**5904370****5904370****160mm Long Nose Pliers****Manufactured to DIN Standard**

Drop forged from chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Lacquered finish for corrosion protection with heavy duty, soft grip handles with slip guards. Display packed. **Length:** 160mm

Cut Hard Wire Dia. 1.6mm

Cut Med / Hard Wire Dia. 2.5mm



5940176

5940176

Long Imperial Open End Spanner Set (8 Piece)

Manufactured to DIN 3110 ISO 3318 ISO 1085 Specifications

Forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Jaws have accurate face openings and are offset at 15°. Carton packed.

Contents: 1/4 x 5/16, 5/16 x 3/8, 3/8 x 7/16, 1/2 x 9/16, 5/8 x 11/16, 3/4 x 7/8, 15/16 x 1 and 1.1/16 x 1.1/4".



5940178

5940178

Long Metric Open End Spanner Set (6 Piece)

Manufactured to DIN 3110 ISO 3318 ISO 1085 Specifications

Forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Jaws have accurate face openings and are offset at 15°. Packed in a storage wallet.

Contents: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15 and 16 x 17mm.



5903949

5903949

200mm Crescent-Type Adjustable Wrench with Phosphate Finish

Crescent-type wrenches manufactured from chrome vanadium steel hardened and tempered with black phosphate finish, polished profile and jaws. Jaws offset at 22°. The 150, 200, 250 and 300mm sizes have a graduated scale on the fixed jaws. Suitable for use in areas where chemicals and chrome plate can give off poisonous fumes. Display packed. **Capacity** 29mm **Length** 200mm



5903948

5903948

150mm Crescent-Type Adjustable Wrench with Phosphate Finish

Crescent-type wrench manufactured from chrome vanadium steel hardened and tempered with black phosphate finish, polished profile and jaws. Jaws offset at 22°. The 150, 200, 250 and 300mm sizes have a graduated scale on the fixed jaws. Suitable for use in areas where chemicals and chrome plate can give off poisonous fumes. Display packed. **Capacity:** 24mm. **Length:** 150mm.




5901238

5901238

Soft Grip Trimming Knife with 'Safe Blade Retractor' Feature

Retractable pattern knife with special blade feature that allows the blade to retract automatically when surface contact is lost, even when thumb pressure is maintained. Its die cast zinc alloy body provides durability while the anti-slip, soft grip handle delivers user comfort. Each knife is supplied with five spare blades.



5950509

5950509

150mm / 6" Steel Rule

Double sided with hang hole. Permanently etched graduations of cm/mm and inches, 1/8", 1/16", 1/32" and 1/64". Display packed.

Length: 150mm / 6"
Width: 19mm



59088986
Coloured Screwdriver Bit Set (19 Piece)

25mm 1/4" bits manufactured from hardened and tempered, S2 steel, which is applied with a satin chrome finish. Each screwdriver bit is attached with a plastic coloured ring for easy identification. Supplied in a convenient storage case, which opens up for easy access to the bits. Bit holder has a quick release collet, which allows bits to be expelled quickly and efficiently.

PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems.

Draper TX-STAR products are compatible with †Torx fixing systems.

*Pozidriv®/Supadriv® are registered trademarks of Trifast Plc.

†Torx is the registered trademark of Acument Intellectual Properties LLC.

Contents:

- 1 x Magnetic bit holder
- 4 x Plain slot - 3, 4.5, 5.5 and 6mm
- 3 x PZ Type - No.1, No.2 and No.3
- 4 x Hex - 3, 4, 5 and 6mm
- 7 x Draper TX-STAR® - T10, T15, T20, T25, T27, T30 and T40

59088986



5904563
Soft Grip Precision Screwdriver Set (6 Piece)

Hardened and tempered S2 steel blades, satin chrome plated with black tips. Soft grip rubber handles with revolving tops. Overall screwdriver length 40mm. Display packed in plastic case.

PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems. *Pozidriv®/Supadriv® are registered trademarks of Trifast Plc.

Contents: 3 plain slot size: 1.5, 2.0 and 3.0mm,
 2 cross slot size: No.00 and 0,
 PZ TYPE No.1

5904563



5903110
165mm Circlip Pliers Set (5 Piece)

Combination circlip plier set for inside or outside circlips. Display packed in plastic storage case.


Contents:

- two straight heads
- one 90° head
- one 45° head
- pair of handles

5903110

**5920131****5920131****Fully Insulated Precision Tweezers****Tested to EN60900**

Professional Quality, blunt tipped straight pattern spring steel tweezers with non reflective nickel plating. Fully insulated handles feature anti slip guards. Display packed.

Length: 145mm**5930322****5930322****Telescopic Pick Up Tool and Mirror Set (4 Piece)**

Handle with 500mm extendable shaft. Screw-in end allows magnet or mirror to be attached. Two attachments with 50mm and 30mm diameter mirrors and 50mm long magnet. Packed in plastic storage case and display packed.

**5900080****5900080****3W Cob LED Aluminium Pocket Torch
(3 X AA Batteries)**

Pocket aluminium torch with 3W COB LED with three function torch (100% white light/50% white light/red light) capable of producing an ultra bright 360 lumen beam of brilliant white light. Easy touch on/off button on the base, pocket clip and handy magnet on the base. Supplied with 3 x AAA batteries. Display packed.

**5610115****5610115****X 2 Jewellers Eye Glass**

Display packed.

Magnification: X 2

**5551233****Kewstick DUO (Non-Contact Voltage Detector)**
ITEM USED FOR INDICATION ONLY

Unique dual sensitive non-contact voltage detector - just press and hold the desensitising button and you can differentiate between live and earthed cables approximately 10mm apart.

Key Benefits:

Dual sensitivity

Heartbeat - green LED indicates that the unit is on and working correctly

Red LED indicates presence of voltage

Audible tone also indicates the presence of voltage

Key Features:

Clearly detects 90 - 600 volts AC without metal contact

Two colour LEDs - Green for correct working and Red for Voltage detection

Two tone buzzer, one for correct working and one for voltage detection

Pocket-size for handy use anywhere

Low power consumption circuits means long life batteries

Cat IV rated

2 year unconditional guarantee (excluding batteries)

**5551617****Non Contact Proving Unit**

Portable proving unit for use on / off site that instantly proves the function of non-contact voltage testers before and after use.

Simple to use, just press the button and tests.

Belt clip for hands-free use.

Visual LED indication of function.

Robust and drop-proof from 1 metre.

Comes installed with a 9V battery.

**5950605****8 x 10m x 19mm Mixed Colours Insulation Tape to BSEN60454 / Type 2****Manufactured to EN60454/Type2 Specifications**

PVC self-extinguishing flame resistant tape manufactured under strict quality control. Comprises 2 x black, 1 x white/red/yellow/green/blue and yellow & green stripe. Security wrapped eight rolls per pack.