CBRE

| UNIFORM | | |
|-----------|-------------------------------|---------|
| | Workwear | 03 - 10 |
| | Waterproof Clothing | 11 - 31 |
| | Corporate Clothing | 32 - 45 |
| CBRE QHSE | 46 - 49 | |
| PERSONAL | PROTECTIVE EQUIPMENT | |
| | Head Protection | 50 - 51 |
| | Knee Pads | 52 |
| | Hi Visibility | 53 - 54 |
| | Boilersuit / Apron / Backpack | 55 |
| | Disposable | 56 |
| | Hand Protection | 57 - 61 |
| | Eye Protection | 62 - 66 |
| | Ear Protection | 67 - 70 |
| | Respiratory Protection | 71 - 73 |
| | Fall Arrest & Prevention | 74 -75 |
| | Special Hazard PPE | 76 - 78 |
| BESPOKE B | OARDS, TAGS & SIGNAGE | |
| | CBRE Bespoke Boards | 79 - 86 |
| | CBRE Branded Tags | 87 - 88 |
| | CBRE Branded Stickers | 89 |
| | Bespoke Signs | 90 |
| | Commonly Used Safety Signs | 91 - 96 |
| | | |



Black Poly / Cotton Piqué Polo Shirt

Classic fit. Taped neck and shoulders. Three self colour button placket. Half back yoke. Cuffed sleeves. Side vents. Twin needle stitching. Superwash® 60°C. WRAP Certified Production.

Material: 65% polyester / 35% cotton.

Colour: Black

Weight: 185 gsm

 Size:
 XS
 S
 M
 L
 XL
 XXL
 3XL
 4XL
 5XL
 6XL

 Chest (to fit):
 32/34
 36/38
 40
 42
 44
 46/48
 50/52
 54/56
 58/60
 62/64

 Garment sizes are approximate and for guidance only.
 50/52
 54/56
 58/60
 62/64



2215495

White Long Sleeve Super Premium T-Shirt

Cotton/Lycra® ribbed collar. Taped shoulder to shoulder. Hemmed sleeves. Twin needle stitching. Cut out label. 60°C wash. WRAP Certified Production. Cotton/Lycra® ribbed collar. Taped shoulder to shoulder. Hemmed sleeves. Twin needle stitching. Cut out label. 60°C wash. WRAP Certified Production.

| Material: 100% | Colour: | White | Weight: 190gsm | | | | | |
|--|------------|------------|----------------|-------------|--------------|--|--|--|
| Size: Chest (to fit): | S 35/37 | M 38/40 | L 41/43 | XL 44/46 | XXL 47/49 | | | |
| Garment sizes are approximate and for guidance only. | | | | | | | | |



2213029

White Classic Ringspun T-Shirt

Front cover seaming on collar. 1x1 rib knit collar. Shoulder to shoulder taping. Tubular body. WRAP Certified Production.

Material: 100% ringspun cotton Weight: 175gsm Colour: White

Size:XSSMLXLXXL3XL4XLChest (to fit):34/3636/3838/4040/4242/4444/4646/4848/50Garment sizes are approximate and for guidance only.



2212281

Black Long Sleeve Poly / Cotton Piqué Polo Shirt

1x1 rib flat knit collar. Narrow three button placket. Reinforced shoulder seams. Ribbed cuffs. Side vents. Twin needle stitched shoulders, armholes and cuffs. Tear out label.

Material: 65% polyester / 35% cotton

Colour: Black

Weight: 200gsm

Size:SMLXLXXLChest (to fit):36/3840424446/48Garment sizes are approximate and for guidance only.

2212281


04



2215496

Black Long Sleeve Super Premium T-Shirt

| Material: 100% cotton | | Colour: E | Black | Weight: 205gsm | | | |
|--|---|-----------|------------|----------------|--------------|--|--|
| Size: Chest (to fit): | • | 1 4 1 | L 41/43 | XL 44/46 | XXL 47/49 | | |
| Garment sizes are approximate and for guidance only. | | | | | | | |



2212284

Black Classic Ringspun T-Shirt

Front cover seaming on collar. 1x1 rib knit collar. Shoulder to shoulder taping. Tubular body. WRAP Certified Production.

Material: 100% ringspun cotton Weight: 180gsm Colour: Black

Size: XS S M L XL XXL 3XL 4XL Chest (to fit): 34/36 36/38 38/40 40/42 42/44 44/46 46/48 48/50 Garment sizes are approximate and for guidance only.



2210094 Workwear Standard White Short Sleeve Workwear Standard Oxford Shirt

Easy iron fabric. Classic fit. Fused, stand up button down collar. Self colour buttons. Left chest pocket. Back yoke with two back pleats.

Double stitched side and sleeve seams. Curved hem. 50°C wash. Material: 70% cotton / 30% polyester. Weight: 135gsm Colour: White

Collar: 14.5 15 15.5 16 16.5 17 17.5 18 18.5 19 19.5 20 21 22 23

Garment sizes are approximate and for guidance only.



2211649 Workwear Standard Black Short Sleeve Workwear Standard Oxford Shirt

Easy iron fabric. Classic fit. Fused, stand up button down collar. Self colour buttons. Left chest pocket. Back yoke with two back pleats. Double stitched side and sleeve seams. Curved hem. 50°C wash.

Material: 70% cotton / 30% polyester. Weight: 135gsm Colour: Black

Collar: 14.5 15 15.5 16 16.5 17 17.5 18 18.5 19 19.5 20 21 22 23

Garment sizes are approximate and for guidance only.



2210095 Workwear Standard White Long Sleeve Workwear Standard Oxford Shirt


Easy iron fabric. Classic fit. Button down collar. Self colour buttons. Left chest pocket. Back yoke with two back pleats. Double stitched

Left chest pocket. Back yoke with two back pleats. Double stitched side and sleeve seams. Adjustable cuffs with button on cuff gauntlet. Curved hem. 50°C wash.

Material: 70% cotton / 30% polyester. Weight: 135gsm Colour: White

Collar: 14.5 15 15.5 16 16.5 17 17.5 18 18.5 19 19.5 20 21 22 23

Garment sizes are approximate and for guidance only.



2211648 Workwear Standard

Black Long Sleeve Workwear Standard Oxford Shirt

Easy iron fabric. Classic fit. Button down collar. Self colour buttons. Left chest pocket. Back yoke with two back pleats. Double stitched side and sleeve seams. Adjustable cuffs with button on cuff gauntlet. Curved hem. 50°C wash.

| Materia | ton / 30 | Weight: 135gsm | | | | | | | | | |
|---------|----------|----------------|------|----|------|----|------|----|------|----|------|
| Colour: | Black | | | | | | | | | | |
| Collar: | 14.5 | 15 | 15.5 | 16 | 16.5 | 17 | 17.5 | 18 | 18.5 | 19 | 19.5 |

Collar: 14.5 15 15.5 16 16.5 1/ 1/.5 18 18.5 19 19. 20 21 22 23

Garment sizes are approximate and for guidance only.

05



Black V-Neck Sweatshirt Drop shoulder style. Ribbed collar, cuffs and hem. Side seams. WRAP Certified Production.

Material: 50% combed ringspun cotton / 50% polyester.

Weight: 295gsm Colour: Black

Size:XSSMLXLXXLChest (to fit):34/3636/3838/4040/4242/4444/46Garment sizes are approximate and for guidance only.




2214193 Black Drop Shoulder Sweatshirt

Self fabric collar. Taped neck and shoulders. Double layer self fabric cuffs and hem. Twin needle stitched shoulders and armholes. Tear out label. Superwash® 60°C. WRAP Certified Production.

Material: 65% polyester / 35% cotton.

Weight: 280gsm Colour: Black

Size:XSSMLXLXXL3XL4XLChest (to fit):32/3436/3840424446/4850/5254/56Garment sizes are approximate and for guidance only.



2210102

Black Fleece Jacket

High quality. 360gsm micro fleece with full zip front. Concealed lightweight hood with drawcord. Yoke shoulders with contrast piping. Rib knitted waistband and cuffs. Two lower pockets with zip closure. Fully lined.

Weight: 360gsm Colour: Black

Sizes: XS S M L XL XXL 3XL 4XL 5XL



2210108 Black Regular Boilersuit

Poly Cotton. Concealed stud front. 2 breast pockets. Elasticated waist. 2 swing hip pockets with side access. 1 rear pocket. 1 rule pocket. Garment has a half elasticated waistband.

Material: Poly Cotton Sizes: 36" - 58"



2210091 Black Soft Shell Jacket

High Stretch water resistant, windproof and breathable fabric. Fleece lined with internal pockets and weatherguard front flaps. 3 zipped front pockets. Adjustable cuffs. Warm fleece lined collar. Cordura® tear resistant trim. Hip drawcord.

Colour: Black

Sizes: XS S M L XL XXL 3XL 4XL 5XL 6XL



2210092 Black Waterproof Coat

Polyester / Pongee fabric. 2 Zipped side pockets. 1 Zipped security pocket. Adjustable Velcro cuffs. Draw cord waist. Half fleece lined. Zipped logo access. 2 Internal zipped pockets Internal mobile phone pocket. Taped Seams. Zip away hood.

Material: Polyester / Pongee Fabric

Sizes: S M L XL XXL 3XL 4XL 5XL

06



2213930

Black Corporate Soft Shell Jacket

Bonded micro fleece. Polyester mesh lined front panels. Wind resistant and breathable. Taped neck. Full length zip with chin guard and inner storm flap. One right chest zip pocket. Two front zip pockets. Self fabric panel detail. Easy tear adjustable cuffs. Drawcord hem. Drop tail.

| Size: | S | Μ | L | XL | XXL | 3XL |
|-----------------|-------|----|----|----|-------|-------|
| Chest (to fit): | 36/38 | 40 | 42 | 44 | 46/48 | 50/52 |



2214970 (Mens) / 2214971 (Ladies) Wave Bodywarmer

Polyester padding. Nylon lining. Showerproof. Fitted style. Collar high full length zip. Two front zip pockets. Self fabric binding on hem. Material: Nylon outer. Colour: Black

| Mens Size: Chest (to fit): | | | |
|-------------------------------|------|-----------------|--|
| Ladies Size: Size: | | 14/16 XL | |

Garment sizes are approximate and for guidance only.





2011420 Trousers with Knee Pad Pockets

Two-toned. Light fabric. Triple stitched seams at leg and crotch. Low waist and form cut waist band. Ergonomically formed trouser leg. Belt loops. D-ring. Fly with zip. Tool strap at waist. Spacious front pockets - one with easily accessible telephone pocket. Back pockets with reinforcement. Adjustable hammer loop. Thigh pocket with phone pocket and flap with hidden press studs. Reinforced ruler pocket. Pen pocket. Adjustable kneepad pockets in durable CORDURA® (500 D) with flap and top access. Reflectors.

Material: 65% polyester / 35% cotton, 270 g/m²

Colour: Black & Dark Anthracite

Leg Length and Size: 76 cm: C 46-C 56 • 82 cm: C 42-C 68 • 90 cm: C 46-C 62

Features:

- Ergonomic fit to suit the shape of your legs with reinforced gusset on the inside of the legs and crotch.
- Durable triple stitched seams on leg and crotch extend product life.
- Integrated phone pocket in the right pocket.
- Top loading durable CORDURA® reinforced adjustable kneepad pockets, with flap so they don't collect dirt.
- Extra visibility with the help of reflectors.

Certification:

Oeko-Tex® Standard 100 EN ISO 15797 UV Standard 801

Care Instructions / Info: Twill. Industrial care category A1

🗑 🌣 🖸 🗟 🖻

2011420 Trousers with Knee Pad Pockets

One-tone. Light fabric. Triple stitched seams at leg and crotch. Low waist and form cut waist band. Ergonomically formed trouser leg. Belt loops. D-ring. Fly with zip. Tool strap at waist. Spacious front pockets - one with easily accessible telephone pocket. Back pockets with reinforcement. Adjustable hammer loop. Thigh pocket with phone pocket and flap with hidden press studs. Reinforced ruler pocket. Pen pocket. Adjustable kneepad pockets in durable CORDURA® (500 D) with flap and top access. Reflectors.

Material: 65% polyester / 35% cotton, 270 g/m²

Colour: Black

Leg Length and Size: 76 cm: C 46-C 56 • 82 cm: C 42-C 68 • 90 cm: C 46-C 62

Features:

- Ergonomic fit to suit the shape of your legs with reinforced gusset on the inside of the legs and crotch.
- Durable triple stitched seams on leg and crotch extend product life.
- Integrated phone pocket in the right pocket.
- Top loading durable CORDURA® reinforced adjustable kneepad pockets, with flap so they don't collect dirt.
- Extra visibility with the help of reflectors.

Certification:

Oeko-Tex® Standard 100 EN ISO 15797 UV Standard 801

Care Instructions / Info: Twill. Industrial care category A1







2010425 Heavyweight Cargo Work Trousers

7 Belt loops. Metal button waist fastening. No. 5 YKK brass zip. 2 front pleats. 2 hip pockets with flap and press stud closure. Pleated leg pockets with stud flap. Knee pad pockets.

Material: 9oz 65% polyester / 35% cotton

Colour: Black

Sizes: 26" - 50" (Regular) 28" - 50" (Tall)

09

TBA Trousers with kneepad pockets and holster pockets

One-tone. Contains TENCEL® which makes the fabric cooler, soft and more moisture absorbing. Triple stitched seams at leg and crotch. Low waist and form cut waist band. Ergonomically formed trouser leg. Belt loops. D-ring. Fly with zip. Tool strap at both sides of waist. Holster pockets in CORDURA® fabric. Adjustable hammer loop. Spacious front pockets - one with easily accessible telephone pocket. Back pockets with reinforcement. Thigh pocket with phone pocket and flap with hidden press studs. Reinforced ruler pocket. Pen pocket. Adjustable kneepad pockets in very durable CORDURA® (1000 D) with flap and top access. Reflectors.

Material: 70% polyester / 30% lyocell (TENCEL®) 340 g/m²


Colour: Black

Leg Length and Size: 76 cm: C 46-C 56 • 82 cm: C 42-C 68 • 90 cm: C 46-C 62

Certification: Oeko-Tex® Standard 100 EN ISO 15797 UV Standard 801

Care Instructions / Info: Twill. Industrial care category A1





2203213 Workwear Trousers

Teflon® coated. Belt loops with extra key loop. Zip fly with button over. Two side pockets. Phone pocket with tear release flap. Side leg tear release cargo pockets. Rear tear release pockets. Internal knee pad pockets. Twin needle hem. Superwash® 60°C.

Material: 65% polyester / 35% cotton

Weight: 260gsm

Colour: Black

Waist (to fit): 28 30 32 34 36 38 40 42 44 46 Leg Length: Short 29.5 Reg 32 Long 33



Thermal Terry Socks

Gentle welt for comfort. Offers protection against cold conditions. Looped terry for extra warmth and comfort.

Sizes: One Size Material: 80% cotton / 20% polyester

Colour: Black

Also available in longer length



2211763

Black Original Cuffed Beanie

Double layer knit. Cuffed design for optimal decoration.

Material: 100% soft touch acrylic.

Colour: Black

Size: One Size



TBA NosiLife Sun Hat

Insect repellent fabric. SolarShield protection. Wicking and cooling inner headband. Concealed inner tear release fastening pocket in top of hat. Lightweight and packable. Craghoppers branding on item.

Material: 100% polyamide. Colour: Dark Khaki

Sizes: S/M M/L




TBA NosiLife Outback Hat

Insect repellent fabric. SolarShield protection. Wicking and cooling inner headband. Concealed inner tear release fastened pocket in top of hat. Outer zip pocket. Adjustable chin cord. Lightweight and packable. Craghoppers branding on item.

Material: 100% polyamide. Colour: Dark Khaki

Sizes: S/M M/L



TBA **CLASSIC RAIN JACKET**

Description:

Designed to be worn in foul weather conditions, the Classic Rain Jacket is not only practical and durable, it offers exceptional value for money. Easily rolled up and stored for when the wet weather arrives. Available in a wide range of colours, wearer satisfaction is guaranteed.



Classic Rainwear:

Designed to be worn in foul weather conditions, the Classic rainwear range is not only practical and durable, it offers exceptional value for money. Clever styling and taped seams guarantee maximum comfort and protection.

olive black yellow orange grey navy areen

Sizes (Regular): S - 3XL (Grey & Orange) XS - 4XL (Black)

Shell Fabric: 100% Polyester, PVC Coated 210g

Features:


- 2 pockets for secure storage
- Vented back yoke and eyelets for added breathability and comfort
- Pack away hood for added functionality
- Waterproof keeping the wearer dry and protected from the elements

(Ÿ

Standards:

EN 343 Class 3:1

Warnings:



• 50+ UPF rated fabric to block 98% of UV rays

S - 4XL (Olive Green & Yellow)

Retail bag which aids presentation for retail sales

- Extremely water resistant fabric finish, water beads away from fabric surface
- Generous fit for wearer comfort

Wash Care:

•





TBA CLASSIC ADULT RAIN TROUSERS

Description:

Lightweight and easily packable for convenience, these trousers provide comfort and protection in any weather. The fit is roomy for easy layering on top of trousers, with the added benefit of side access pockets. The stud adjustable hem ensures a secure fit around work boots. Unbeatable value for money.

Colours Available: navy olive black yellow orange

Sizes (Regular): S - 3XL (Grey & Orange) XS - 4XL (Black)

Shell Fabric: 100% Polyester, PVC Coated 210g

Features:

12

- Fully elasticated waistband for ultimate wearer comfort
- Stud adjustable hems for a secure fit
- Waterproof keeping the wearer dry and protected from the elements

Standards: EN 343 Class 3:1



XS - 5XL (Navy)

Classic Rainwear:

Designed to be worn in foul weather conditions, the Classic rainwear range is not only practical and durable, it offers exceptional value for money. Clever styling and taped seams guarantee maximum comfort and protection.

S - 4XL (Olive Green & Yellow)

XS - 5XL (Navy)

- 50+ UPF rated fabric to block 98% of UV rays
- Retail bag which aids presentation for retail sales
- Extremely water resistant fabric finish, water
- beads away from fabric surface • Side access pockets

Wash Care:











2100459 SEALTEX CLASSIC JACKET

Description: The clever styling, exceptional water resistance and affordable price make this garment a great value waterproof jacket. The tough fabric and welded seams are combined with a generous fit for wearer comfort. It offers storage space for your personal and work belongings and the zip fastened studded storm flap keeps out all the elements the weather may throw at you.

Colours Available: navy olive green olive slack yellow Sizes (Regular): S - 5XL (Navy) S - 3XL (Olive Green & Yellow) S - XXL (Black)

Shell Fabric: Sealtex Classic 200g.

Sealtex Classic is a high technology, PU coated fabric, on a flexible, highly resistant 100% Polyester tricot knit, 200g. Sealtex Classic fabric is tested regularly to ensure it meets and exceeds EN343 waterproof standards. Independent test houses carry out hydrolysis and hydrostatic testing. Sealtex Classic consistently achieves top results in these tests.

Features:

- Pack away hood for added functionality
- 2 pockets for secure storage
- Concealed stud and zip fastening
- Vented back yoke and eyelets for added breathability and comfort

 $(\hat{\mathbf{T}})$

• Stud adjustable cuffs for a secure fit

Standards:

EN 343 Class 3:1

Warnings: Do not wring

- Generous fit for wearer comfort
- Waterproof with welded seams to prevent water penetration
- Waterproof keeping the wearer dry and protected from the elements
- 50+ UPF rated fabric to block 98% of UV rays

Wash Care:





TBA SEALTEX CLASSIC TROUSERS

Description: These lightweight, extremely waterproof over-trousers offer exceptional value and should form part of every outdoor workers' wardrobe. The elasticated waist allows you to move and stretch without restriction and the stud-adjustable hem maintains a secure fit around the top of working boots.

Sizes (Regular): S - 3XL (olive green & yellow) S - 5XL (navy) S - XXL (black)

Colours Available:

Shell Fabric: Sealtex Classic 200g

Features:

- Waterproof with welded seams to prevent water penetration
- Fully elasticated waistband for ultimate wearer comfort.
- Stud adjustable hems for a secure fit.

Standards:

EN 343 Class 3:1



Generous fit for wearer comfort
Waterproof keeping the wearer dry and protected from the elements
50+ UPF rated fabric to block 98% of UV rays

Wash Care:





TBA SEALTEX CLASSIC COVERALL

Description: Complete waterproof protection at an affordable price. The zip front fastening means the coverall is easy to put on and to take off, and the studded storm flap prevents water from penetrating. Features include side access pockets and a drawcord hood that can be rolled up into the inner collar.

Shell Fabric: Sealtex Classic 200g

Sizes (Regular): S - 3XL (Navy) M - 3XL (Yellow)

Colours Available:

Features:

- Durable and stretchy with wipe clean finish
- Waterproof with welded seams to prevent water penetration
- Side access pockets
- Concealed stud and zip fastening
- Two-way zip for quick and easy access

Standards:

EN 343 Class 3:1



- Double Storm Flap
- Elasticated back waist for a secure fit
- Pack away hood for added functionality
- Stud adjustable cuffs for a secure fit
- Inner elasticated cuff

Wash Care:





2100455 SEALTEX AIR JACKET

Description: The clever styling, exceptional water resistance and breathable properties make this garment a great value waterproof jacket. The tough fabric and welded seams are combined with a generous fit for wearer comfort.

Sizes: S - 3XL Regular

Colours Available:



Shell Fabric: Sealtex Air 180g.

Features:

- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable.
- Durable and stretchy with wipe clean finish
- Waterproof with welded seams to prevent water penetration
- 2 pockets for secure storage

Standards: EN 343 Class 3:2



16

2100455

Concealed stud and zip fastening
Two-way zip for quick and easy access
Double Storm Flap
Pack away hood for added functionality
Stud adjustable cuffs for a secure fit
Inner elasticated cuff

Wash Care:





2100456 SEALTEX AIR TROUSERS

Description: A garment of exceptional quality, the Sealtex AIR trouser is made from a unique lightweight material which offers an unrivalled mixture of breathability, waterproof and windproof protection.

Sizes: S - 3XL Regular




Shell Fabric: Sealtex Air 180g

Sealtex® Air Constructed from a highly breathable, high technology, PU coated fabric, on a flexible 100% polyester tricot knit, 180g

Features:

- Breathable fabric to draw moisture away from the body keeping the wearer cool, dry and comfortable.
- Durable and stretchy with wipe clean finish.
- Waterproof with welded seams to prevent water penetration.







- Fully elasticated waistband for ultimate wearer comfort.
- Stud adjustable hems for a secure fit.
- Retail bag which aids presentation for retail sales.

Wash Care:





TBA PW3 FLEX SHELL JACKET

Description:

Stylish work jacket made from our dynamic Flex Shell fabric. This style offers excellent performance with incredible comfort. A sleek minimal design, longer length back, ergonomically shaped sleeve, guick dry cuffs, low profile zips and reflective trims ensure a contemporary look. Three generously sized external pockets provide ample storage.

PW3 Flex Shell

Portwest PW3 Flex Shell fabric is the latest evolution of soft-shell fabrics to deliver maximum performance and protection from the weather. This highly durable 3-layer laminate fabric is water repellent and windproof with a stretch finish. Incredible suppleness offers outstanding user comfort. With low weight to high warmth ratios, the soft mesh inner face feels dry and comfortable next to the skin during extended periods of wear.

Sizes: S - 3XL Regular



black black /

Shell Fabric: 100% Polyester laminated to 100% Polyester Mesh 185g

Features:

- Premium water resistant fabric
- Wind resistant to protect against wind chill •
- Front zip opening for easy access
- Reversed zip for convenient opening/closing
- 4 pockets for ample storage



zoom are

- Smart phone pocket
- Side zip pockets
- Reflective trim for increased visibility and safety
- Quick dry elastic bound cuff
- Drawcord adjustable hem

Warnings:

Wash with similar colours



TBA OUTCOACH JACKET

Description: This high performance jacket offers maximum waterproof, windproof and breathable protection for year round performance. Using a highly durable outer fabric, with an air permeable mesh lining, this jacket ensures total comfort in foul conditions. High specification features, such as water resistant zippers, ergonomic cut, engineered storm hood and multiple pockets provide superb function. A sporty fit and low profile design ensure this is the jacket of choice for demanding conditions.

Sizes: S - 3XL Regular Colour: Black

Shell Fabric: 100% Polyester, PU coated 190g

Lining Fabric: Body Lining: 100% Polyester Mesh, 65g

Features:

- Abrasion resistant Oxford polyester
- Wind resistant to protect against wind chill
- Waterproof and breathable with taped seams to prevent water penetration
- Lined for added warmth and comfort •
- Front zip opening for easy access

Standards:

EN 343 Class 3:3



- Sleeve: 100% Polyester, 190T Taffeta, 60g
- Storm flap front to protect against the elements
- Water resistant zips to prevent water penetration
- Hood with peak and drawstrings
- Pack away hood for added functionality
- Hook and loop cuffs for a secure fit

Wash Care:



Warnings: Wash with similar colours



TBA **RADIAL 3 IN 1 JACKET**

Description: Ideal for modern corporate use, this contemporary cut jacket has a sporty fit and is totally waterproof, guality, style and function combined.

Sizes: S - 3XL Regular Colour: Black

Shell Fabric: 100% Polyester, Peach Finish 130g Contrast Fabric: 100% Polyester, PU coated 190g Lining Fabric: Upper Body: 100% Polyester Mesh, 65gm, Lower Body & Sleeve: 100% Polyester 190T Taffeta, 60gm

Features:

- Abrasion resistant oxford polyester
- 3 in 1 waterproof, breathable and windproof jacket with taped seams
- Interactive fleece which can be worn as a separate jacket for multi use
- Lined for added warmth and comfort

Standards:

EN 343 Class 3:3



windproof and breathable. The dual-fabric outer shell has Oxford reinforced panels for additional durability. Water resistant zippers give a sophisticated, low profile finish. The inner fleece jacket provides insulation in colder conditions or can be zipped out to be worn as a standalone fleece. The ultimate in

> • Front zip opening for easy access • Storm flap front to protect against the elements • Water resistant zips to prevent water penetration • Hood with peak and drawstrings • Pack away hood for added functionality • Drawcord adjustable waist for a comfortable fit

Wash Care: $\underline{\otimes} \ \underline{\otimes} \ \underline{\blacksquare} \ \underline{\otimes} \$ 40°

Warnings: Wash with similar colours



WATERPROOF OVERTROUSERS

Material: Isotex® 5000 coated polyester.

Size: S Μ XL XXL L Waist (to fit): 30/32 33/34 36/37 38/40 42/44 Leg length: Reg 31

Features:

- Waterproof with taped seams.
- Windproof and breathable.
- Elasticated waistband with drawcord.
- Two side zip pockets. •
- Protective overlay to knees and seat area.
- Adjusters at ankle.



navy black







2100335

NYLON B-DRI JACKET

- Lightweight nylon with PVC coating on inside
- Zip front
- Concealed hood
- Studded cuffs
- Sizes: S XXXL

Colours Available:

CAT 1 - Minimal Risk

2100101 / 2100359

NYLON B-DRI TROUSERS

- Lightweight nylon
- PVC coating to the inside •
- Elasticated waist
- Sizes: S 3XL

Colours Available:

CAT 1 - Minimal Risk

2100435 / 2100361

NYLON B-DRI COVERALL

- Lightweight with PVC coating to reverse
- Concealed hood
- Studded cuffs and ankles
- Sizes: S 4XL

Colours Available:

yellow

- Hip drawcord •
- Fully taped seams
- Lower front pockets with • flap

- Access to side pockets
 - Stud fastening to ankles
- Fully taped seams


- Fully taped seams
- Plastic front zip with • storm flap





cat.i







navy



olive saturn

saturn





2100336 / 2100436

NYLON B-DRI WEATHERPROOF SUIT

Description: Nylon B-DRI weatherproof suit - jacket and trouser pack. Manufactured in lightweight nylon with PVC waterproof coating to the inside surface, fully taped seams. Jacket with full zip front opening with attached hood/drawcord fully retractable into 'mandarin' collar, two lower front pockets concealed under wide flap, hip drawcord. Trousers with elasticated waist, through access pockets and adjustable stud fastening at ankle. B-DRI Fully Interactive

Sizes: S - 5XL



Features:

Jacket:

- Lightweight nylon with PVC coating to the inside
- Zip front
- Concealed Hood
- lower front pocket with flaps
- Studded cuffs
- Hip drawcord
- Fully taped seams


Cat 1 - Minimal Risk



Trousers:

- Elasticated waist
- Access to pockets
- Stud fastening to ankles
- Fully taped seams







2100346

SUPER B-DRI JACKET

- Polyester with PU coating
- Concealed hood
- Full zip front with double storm flap
- Self double yoke back
- Lower pockets with flap
- Elasticated wind cuffs
- Stitched and welded seams

Sizes: S - XXXL

Colours Available:

Overtrousers with

elasticated waist



CAT.I

Ŷ

Fabric Conforms to EN343 Class 3 Water Penetration Fabric Conforms to EN343 Class 1 Breathability

CAT 1 - Minimal Risk

2100347

SUPER B-DRI TROUSERS

- Polyester with PU coating
- Studded ankles

Sizes: S - XXXL

Colours Available:



Fabric Conforms to EN343 Class 3 Water Penetration Fabric Conforms to EN343 Class 1 Breathability

CAT 1 - Minimal Risk

2100345

SUPER B-DRI COVERALLS

- Polyester with PU coating
- Hood with drawcord
- Zip front with stud flap

Sizes: S - XXXL

Colours Available: navy



Fabric Conforms to EN343 Class 3 Water Penetration Fabric Conforms to EN343 Class 1 Breathability



- Elasticated wind cuffs
- Studded ankles
- Stitched and welded seams









Ţ

2100344

SUPER B-DRI BIB & BRACE

Sizes: S - XXL

| Colours Available: | | | | |
|--------------------|---|----------------|--------|--|
| colours Available. | 1 | olive areen | yellow | |

Features:

- Polyester with PU coating
- Adjustable elasticated braces with quick release buckles
- Internal bib pocket with zipped entry
- Side waist expension for easy "on-off"
- 25cm zips at ankles with hook and loop tab closure •
- Stitched and welded seams

Fabric Conforms to EN343 Class 3 Water Penetration Fabric Conforms to EN343 Class 1 Breathability

Cat 1 - Minimal Risk







2100348

SPRINGFIELD JACKET

- Breathable fabric
- Tasoft soft feel fabric
- Hi viz piping
- Concealed hood
- Robust tensile strength Lightweight
- Excellent water shedding characteristics



Sizes: S - XXXL

Colours Available:



Fabric Conforms to EN343 Class 3 Water Penetration Fabric Conforms to EN343 Class 2 Breathability

CAT 1 - Minimal Risk



2100349

SPRINGFIELD TROUSERS

- Tasoft PU breathable nylon
- Elasticated waist
- Lightweight
- Sizes: S XXXL

Colours Available:

•

Flexible

closure



• Gusset at ankles with zip

Fabric Conforms to EN343 Class 3 Water Penetration Fabric Conforms to EN343 Class 2 Breathability

CAT 1 - Minimal Risk







BRECON TRANSFER COATED JACKET

- PU Coated polyester • fabric
- Zip to neck & stud fly front
- Concealed hood in collar, hook and loop closure •
- Breathable fabric •
- Elasticated draw cord hem
- Sizes: S 4XL



• 2 Large front hip pockets

• Fully welded seams • Lightweight, very supple

and comfortable

Multi use garment

Leisure

Agriculture, Industrial,

Conforms to EN343 Class 3 Water Penetration Conforms to EN343 Class 2 Water Vapour Resistance

CAT 1 - Minimal Risk





2100428

BRECON TRANSFER COATED TROUSERS

- PU Coated polyester • fabric
- Elasticated waist •
- Breathable fabric •
- Studded ankle • adjustment
- Fully welded seams

Sizes: S - 4XL **Colours Available:**



• Lightweight, supple and

very comfortable

• Agriculture, Industrial,


• Multi use garment

Leisure

Conforms to EN343 Class 3 Water Penetration Conforms to EN343 Class 2 Water Vapour Resistance

CAT 1 - Minimal Risk







2100425



2100425

BRECON TRANSFER COATED COVERALL

- PU Coated polyester fabric Fully welded seams
- Zip to neck & stud fly front Lightweight, supple
- Attached hood
- Stud adjustable cuffs & • ankles
- Breathable fabric
- and very comfortable
- Multi use garment
- Agriculture, Industrial, Leisure

Sizes: S - 4XL

Colours Available:



Conforms to EN343 Class 3 Water Penetration Conforms to EN343 Class 2 Water Vapour Resistance

CAT 1 - Minimal Risk



2100429

BRECON TRANSFER COATED BIB & BRACE

- Lightweight PU coated bib & brace
- Highly durable foul weather garment
- Breathable fabric
- High frequency welded seams
- Zip and hook and loop adjustable leg openings
- Fully adjustable shoulder braces.

Sizes: S - 4XL

Colours Available:



Conforms to EN343 Class 3 Water Penetration Conforms to EN343 Class 2 Water Vapour Resistance

CAT 1 - Minimal Risk





TBA

GORE-TEX FOUL WEATHER JACKET ORANGE GORE-TEX Fabrics take protective clothing to another level: they're fully waterproof and windproof; and highly breathable to avoid heat build-up. They can also withstand high water pressure and severe mechanical stresses

- Outer fabric is fully seam sealed for maximum protection against the elements whilst remaining breathable to allow wearer to work in comfort.
- The collar is shaped and contoured for compatibility with hard hats and can be combined with a detachable hood HV161 when necessary.
- Approved to BS EN ISO 20471: 2003 Class 3, EN343: 2003 3:3, RIS-3279-TOM , EN ISO 13688: 2013
- Outer fabric 100% polyester with ePTFE membrane.
- Washable at 40° and Industrial Laundering.

Sizes: S - 3XL



TBA

GORE-TEX FOUL WEATHER JACKET SATURN YELLOW

GORE-TEX Fabrics take protective clothing to another level: they're fully waterproof and windproof; and highly breathable to avoid heat build-up. They can also withstand high water pressure and severe mechanical stresses

- Seam sealed with proprietary GORE-SEAM® Tape to provide ultimate full waterproofness to meet and exceed the EN 14360 Protective Clothing Against Rain test with no leakage after extended use simulation
- Fold away mesh lined hood •
- Two large hip pockets for storage, large map pocket beneath • double stormflap with press stud fastening and chin guard and large internal zipped pocket
- Fully interactive main zip for ease of layering with thermal layers
- Elasticated internal cuff with Velcro closure for added • comfort
- Proven industrial laundering to ISO 15797
- Approved to EN ISO 20471: 2003 Class 3, EN343:2003 3:3 •
- Meets requirements of EN ISO 13688:2013



TBA







30

TBA

GORE-TEX FOUL WEATHER OVER TROUSER ORANGE

GORE-TEX Fabrics take protective clothing to another level: they're fully waterproof and windproof; and highly breathable to avoid heat build-up. They can also withstand high water pressure and severe mechanical stresses

- Outer fabric is fully seam sealed for maximum protection against the elements whilst remaining breathable
- Zipped leg openings to enable ease of access to boots
- Approved to BS EN ISO 20471: 2003 Class 1, EN343: 2003 3:3, RIS-3279-TOM, EN ISO 13688: 2013
- Outer fabric 100% polyester with ePTFE membrane
- Washable at 40° and industrial laundering

Sizes: S - 3XL



TBA

GORE-TEX FOUL WEATHER OVER TROUSER SATURN YELLOW

GORE-TEX Fabrics take protective clothing to another level: they're fully waterproof and windproof; and highly breathable to avoid heat build-up. They can also withstand high water pressure and severe mechanical stresses

- Seam sealed with proprietary GORE-SEAM® Tape to provide ultimate full waterproofness to meet and exceed the EN 14360 Protective Clothing Against Rain test with no leakage after extended use simulation.
- 50mm reflective tape heat applied to reduce weight and maximise breathability, with two rows around each upper leq.
- Two side access pockets for ease of entry
- Ankle zips and gussets to enable ease of putting on and pulling off
- Proven industrial laundering to ISO 15797
- Approved to EN ISO 20471: 2013 Class 1, EN 343: 2003 3:3, GO/RT 3279
- Meets requirements of EN ISO 13688:2013









TBA

GORE-TEX FOUL WEATHER SALOPETTE ORANGE GORE-TEX Fabrics take protective clothing to another level: they're fully waterproof and windproof; and highly breathable to avoid heat build-up. They can also withstand high water pressure and severe mechanical stresses

- Outer fabric is fully seam sealed for maximum protection against the elements whilst remaining breathable to allow the wearer to work in comfort
- Zipped leg openings to enable ease of access to boots
- Two-way concealed front zip and elasticated back waist
- Approved to BS EN ISO 20471: 2003 Class 3, EN343: 2003 3:3, RIS-3279-TOM, EN ISO 13688: 2013
- 3 layer GORE-TEX Laminate
- Washable at 60° and industrial laundering

Sizes: S - 3XL



TBA

GORE-TEX FOUL WEATHER BOMBER JACKET ORANGE

GORE-TEX Fabrics take protective clothing to another level: they're fully waterproof and windproof; and highly breathable to avoid heat build-up. They can also withstand high water pressure and severe mechanical stresses

- Outer fabric is fully seam sealed for maximum protection against the elements whilst remaining breathable to allow wearer to work in comforrt
- The collar is shaped and contoured for compatibility with hard hats and can be combined with a detachable hood HV161 when necessary. Please note the hood is available to order separately.
- Approved to BS EN ISO 20471: 2003 Class 3, EN343: 2003 3:3, RIS-3279-TOM, EN ISO 13688: 2013
- Outer fabric 100% polyester with ePTFE membrane fully seam sealed
- Washable at 40° and industrial laundering

Sizes: S - 3XL

TBA



CORPORATE CLOTHING Ladies Trousers



2301269

Ritz Tailored Fit Jacket

3 button tailored fit jacket, peaked lapels, 1 inside pocket, tailored back panels, centre vent. Centre back length at size 12R = 58cm.

Material:


65% Polyester, 35% Wool with Shape Memory Stretch Technology

Sizes: 6-16 - petite 6-24 - regular 8-18 - long Colours Available:

After Care: Machine Washable and Dry Clean

navy charcoal black

mid arev







2301325 Connaught Classic Fit Jacket

2 button classic fit jacket with slanted pocket flaps, 1 inside pocket, centre vent. Centre back length at size 12R = 65.5cm

Material: 65% Polyester, 35% Wool with Shape Memory Stretch Technology

Sizes: 6-18 - petite 6 - 30 - regular* 8-24 - long

*Colour Mid-Grey available up to size 24.

Colours Available:



After Care: Machine Washable and Dry Clean

2301296 Ariel Slim Fit Jacket


Short, 'slim fit', 1 button jacket, notch lapel, centre vent. Centre back length at size 12R = 55.5cm.


black

Material: 64% Polyester, 34% Viscose, 2% Elastane

| Sizes: | | | |
|--------------------|---------------|------|-------------------|
| 6-16 - petite | | | |
| 4-24 - regular | | | |
| 6-16 - long | | | |
| Colours Available: | | | |
| | navy p/dot | navy | charcoal p/dot |

After Care: Machine Washable and Dry Clean





2301296

33

2301318 **Grosvenor Straight Leg Trouser**

Straight leg trouser, single button front fastening, key card pocket, half lined, belt loops. Half hem width at size 12 = 22cm

Material:

65% Polyester, 35% Wool with Shape Memory Stretch Technology

Sizes:

6-30* - waist in leg lengths 27" 29", 31", 33" & 36" unfinished

*Colour Mid-Grey available up to size 24.

Colours Available:

navy charcoal black mid grey

After Care: Machine Washable and Dry Clean

2301320 **Bianca Tailored Fit Trouser**

Straight leg, plain front, side pockets, mock hip pockets. Half hem width at size 12 - 21cm.

Material: 64% Polyester, 34% Viscose, 2% Elastane



After Care: Machine Washable

2301322 Houston Slim Leg Chinos

Slim leg, side pockets, twin hip jett pockets, stretch waistband. Half hem width at size 12 = 21 cm

Material: 97% Cotton, 3% Elastane

Sizes: 6 - 24 waist in leg lengths S - 27" R - 29″ L-31″ XL - 33″ & 36" unfinished Colours Available: navy beige grey black

After Care: Machine Washable

CORPORATE CLOTHING Mens Trousers



2301324



2301326



2301324

Langham Classic Fit Jacket

Single breasted classic fit jacket, 3 button front, centre vent, 3 inside pockets, mobile phone pocket. Centre back length at size 40R = 78cm.

Material: 65% Polyester, 35% Wool with Shape Memory Stretch Technology

Sizes: 36-48 - short 36-60 - regular 38-48 - long



After Care: Machine Washable and Dry Clean

2301326 Phoenix Tailored Fit Jacket

Tailored fit, two button, notch lapel, side vents Centre back length at size 40R = 77cm

Material: 64% Polyester, 34% Viscose, 2% Elastane

Sizes: 36-48 short 34-56 regular 38-48 long

Colours Available: navy charcoal black navy p/dot p/dot

Sleeve: Short Sleeve

After Care: Machine Washable

2301327 Pegasus Slim Fit Jacket


Slim fit, peaked lapel, 1 button, twin rear vents Centre back length at size 40R = 76cm


Material: 64% Polyester, 34% Viscose, 2% Elastane

Sizes: 34-44 short 34-46 regular 34-44 long Colours Available: navy navy charcoal black p/dot p/dot


Sleeve: Short Sleeve

After Care: Machine Washable









2301319 Langham Single Pleat Trouser

Single pleat classic fit trouser, 2 side pockets, 1 rear pocket. Half hem width at waist size 34'' = 22 cm

Material:

65% Polyester, 35% Wool with Shape Memory Stretch Technology

Sizes: 28-56 - waist in leg lengths 29.5", 31.5", 33" & 36" unfinished

Colours Available:

navy charcoal black

After Care: Machine Washable and Dry Clean

2301321 **Phoenix Tailored Fit Trouser**

Tailored fit, flat front. Half hem width at waist size 34'' = 21cm

Material: 64% Polyester, 34% Viscose, 2% Elastane



After Care: Machine Washable


2301323 **Denver Classic Fit Chino**

Classic fit, Flat front, side pockets, twin hip jett pockets with button, telephone pocket, stretch waistband.

Material: 97% Cotton 3% Elastane

Sizes: 32" - 46" waist in leg lengths S - 29.5" R - 31.5" L - 33" & 36" Unfinished Colours Available: navy beige grey

After Care: Machine Washable



Larissa Ladies Waistcoat

4 button front, 2 welt pockets, cloth backed.

Material: 64% Polyester, 34% Viscose, 2% Elastane

Sizes: 6 - 24 Regular

Colours Available:



After Care: Machine Washable



2301332 Nashville Ladies Waistcoat

Notch lapel, 5 button front, 2 welt pockets, cloth back with vent detail and adjuster.

Material: 40% Wool, 40% Polyester 20% Mixed fibres with

| Sizes: |
|---------------|
| XS (4 - 6) |
| S (8 - 10) |
| M (12 - 14) |
| L (16 - 18) |
| XL (20 - 22) |
| 2XL (24 - 26) |

Colours Available:



After Care: Dry Clean Only



Teflon finish 460g

2301332

37

2301331 **Capital Mens Waistcoat**

5 button front, 2 welt pockets, cloth backed

Material: 65% Polyester, 35% Wool with Shape Memory Stretch Technology

Sizes: 36" - 54" Regular

Colours Available:



After Care: Machine Washable

2301333 Memphis Men's Waistcoat

Notch lapel, 5 button front, 2 welt pockets, cloth back with vent detail and adjuster.

Material: 40% Wool, 40% Polyester 20% Mixed fibres with Teflon finish 460g


Sizes: S (34 - 36) M (38 - 40) L (42 - 44) XL (46 - 48) 2XL (50 - 52)

Colours Available:



After Care: Dry Clean Only

CORPORATE CLOTHING Ladies Blouses



2301308

Capri Crepe De Chine Blouse

Long sleeve ladies' blouse, with fly front & button detail, central back pleat, metallic button cuff easy care - machine washable at 30 degrees.

| Material: 94% Polyester, 6% Elas | tane | Sizes: 6 - 30 regular |
|----------------------------------|------|-----------------------|
| After Care: Machine Washable. | Easy | Care: Yes |
| Colours Available: | | |



2301309 Siena Crepe De Chine Blouse

Short sleeve ladies' blouse, with fly front & button detail, central back pleat, easy care - machine washable at 30 degrees.

| Material: 94% Polyeste | Sizes: 6 - 30 regular | |
|------------------------|-----------------------|--------------|
| After Care: Machine Wa | ashable. Eas | sy Care: Yes |
| Colours Available: | | |



2301206 Riola Crepe De Chine Blouse


Long sleeve ladies' blouse, round neck, front pleat detail, bust darts, single gold button cuff, rear gold zip detail, easy care - machine washable at 30 degrees.

Material: 94% Polyester, 6% Elastane

Sizes: 6 - 30 regular

After Care: Machine Washable Easy Care: Yes









2301279

Felina Crepe De Chine Blouse

Short sleeve ladies' blouse, round neck, front pleat detail, bust darts, rear gold zip detail, easy care - machine washable at 30 degrees.

Material: 94% Polyester, 6% Elastane crepe de chine

Sizes: 6 - 30 regular

After Care: Machine Washable Easy Care: Yes





2301311 Roma Crepe De Chine Blouse

Long sleeve ladies' blouse, round neck, front pleat detail, bust darts, single gold button cuff, rear gold zip detail, easy care - machine washable at 30 degrees.

Material: 100% Polyester with mechanical stretch Sizes: 6 - 30 regular

After Care: Machine Washable. Easy Care: Yes





2301313

2301313

Parma Blouse

Cotton rich, long sleeve ladies blouse, easy care and easy iron practicality. Single Cuff.

Material: 55% Cotton, 45% Polyester Sizes: 6 - 24 regular

After Care: Machine Washable.





2301305

Verona Crepe De Chine Blouse


Short sleeve ladies' blouse, round neck, front pleat detail, bust darts, rear gold zip detail, easy care - machine washable at 30 degrees.

Material: 100% Polyester with mechanical stretch Sizes: 6 - 30 regular

After Care: Machine Washable. Ea

Easy Care: Yes





2301314

Modena Blouse

Cotton rich, short sleeve ladies blouse, easy care and easy iron practicality.

Material: 55% Cotton, 45% Polyester Sizes: 6 - 24 regular

After Care: Machine Washable.

Colours grey blue white

CORPORATE CLOTHING Ladies Skirts



2301316


Lugano Blouse

Cotton rich, semi-fitted, long sleeve ladies blouse, single cuff, Fly front, Button up collar, cutaway collar. Matches Napoli blouse & Monza shirt.

black

htooth

Material: 60% Cotton / 40% Polyester Sizes: 6 - 24 Regular



After Care: Machine Washable



2301317 Napoli Blouse

Cotton rich, semi-fitted, short sleeve ladies blouse, Fly front, Button up collar, cutaway collar. Matches Lugano blouse & Monza shirt.

Material: 60% Cotton / 40% Polyester Sizes: 6 - 24 Regular



After Care: Machine Washable



2203562

2203562

Perano Blouse

Cotton-rich business blouse, matches Pescara blouse and Rufina & Roccella shirts. Easycare and easy iron practicality. Long sleeve, single cuff.

Material: 60% Cotton / 40% Polyester Sizes: 6 - 24 Regular

Colours Available:



After Care: Machine Washable



2203563

2203563

Pescara Blouse


Cotton-rich business blouse, matches Perano blouse and Rufina & Roccella shirts. Easycare and easy iron practicality. Short Sleeve.

Material: 60% Cotton / 40% Polyester Sizes: 6 - 24 Regular

Colours Available:



After Care: Machine Washable







41

2301272 Wyndham Straight Skirt

Straight skirt, centre vent, shaped back panels, full stretch lining.

Material: 65% Polyester, 35% Wool with Shape Memory Stretch Technology

Sizes: 4 - 24 regular (22") 8 - 30 long (25") 8 - 24 x-long (27")

*Colour Mid-Grey only available up to size 24.

Colours Available:



After Care: Machine Washable and Dry Clean

2301328 Juliet Straight Skirt

Rear panel detail with centre vent, full stretch lining

Material: 64% Polyester, 34% Viscose, 2% Elastane

Sizes: 4 - 24 Regular - 22" 8 - 30 Long - 25"

Colours Available:



After Care: Machine Washable

2301329 Austin Chino Skirt

Belt loops, side pockets, twin hip jett pockets Material: 97% Cotton, 3% Elastane

Sizes: 6 - 24 - regular (22") 8 - 18 - long (25")

Colours Available:



After Care: Machine Washable



Rapino Classic Fit Shirt

Cotton-rich long sleeve business shirt. Effortlessly stylish, contemporary tailoring. Easy-care and easy-iron practicality. Matches Rosello shirt and Palena & Paduli blouses.

Material: 55% Cotton, 45% Polyester


Sizes: 14.5" - 20"

Sleeve: Long Sleeve, Single Cuff





After Care: Machine Washable



<image><image><image><image><image><image><image><image><image><image><image><image><image><image><image><image><image><image><image><image><image><image><image><image><image><image><image><image><image>

2301301 Rosello Classic Fit Shirt

Cotton-rich short sleeve men's business shirt. A smart choice for the modern business man. Easy-care and easy-iron practicality. Matches Rapino shirt and Palena & Paduli blouses.

Material: 55% Cotton, 45% Polyester.


Sizes: 14.5" - 20"

Sleeve: Short Sleeve





After Care: Machine Washable



2301301

2301300

2301310 Monza Slim Fit Shirt

Easy-to-iron slim fit shirt, Effortlessly stylish, twin rear darts for a defined silhouette, Semi cutaway collar, Long sleeve, Houndstooth pattern.

Matches ladies Lugano & Napoli

Material: 60% Cotton, 40% Polyester

Sizes: 14" - 18"

Sleeve: Long Sleeve, Single Cuff

Colours Available:



After Care: Machine Washable

2301312 Alba Slim Fit Shirt

Easy-to-iron slim fit shirt. Effortlessly stylish, twin rear darts for a defined silhouette. Semi cutaway collar looks fantastic with or without a tie! Long sleeve, white only. Matches Rapino classic fit men's shirt.

Material: 55% Cotton, 45% Polyester

Sizes: 14" - 18"

Sleeve: Long Sleeve, Single Cuff

Colours Available:



After Care: Machine Washable

2301315 Pisa Slim Fit Shirt

Slim fit men's shirt in a superb stretch fabric, Single 2 button cuff. Twin rear darts for a defined silhouette. Easy to iron.

Material: 57% polyester, 39% cotton, 4% elastane

Sizes: 14.5" - 18"

Sleeve: Long Sleeve, Single Cuff

Colours Available:

white sky blue black


After Care: Machine Washable

CORPORATE CLOTHING Accessories



2203668 Palette Scarf Pink & Navy Chiffon scarf pink and navy

Colours Available:





2010233 'Colours' Scarf Gold

Width 10". Length 55". Suitable for screenprinting.

Material: 100% polyester. Size: One Size

Colours Available:





2301334 Silver Blue Twill 100% Silk Tie

In traditional styles and seasonal updates, each one of our ties is made to the highest standard. Timeless designs will complement any shirt and look marvellous no matter what the occasion.

Material: 100% Silk

Colour: Silver Blue Twill



2601311 Satin Scarf Sunflower

Satin finish. Hand stitched. Width 10". Length 47". Machine washable. Individually packed in presentation box.

Material: 100% woven polyester. Size: One Size

Colours Available:

| black | bottle | brown | burgundy | fuchsia | gold | grey | light blue | lemon | lilac | lime | magenta |
|-------|--------|-------|----------|---------|------|------|------------|-------|-------|------|---------|
| | | | | | | | | | | | |

natural navy olive orange pink purple red royal silver sunflower white turquoise



2301246

'Colours' Chiffon Scarf Lemon Width 6.5". Length 38.5". Material: 100% polyester chiffon weave.

Size: One Size Other Colours Available:





2010228

Horizontal Stripe Tie Gold

Lined to tip. Blade width 4". Length 57".

Material: 100% woven polyester.

Size: One Size



44

45



2010238

2010238

'Colours' Satin Tie Sunflower

Narrow blade width 3.34". Length 57". Material: 100% woven polyester satin weave. Size: One Size

| Material. 10070 Woven polyester satin weave. Size. One Size | | | | | |
|---|--|-----------------------------------|--|--|--|
| Colours Available: | terracotta olive turquoise sapphire si | ilver steel strawberry white red | | | |
| apple aqua aubergine blac | c bottle brown burgundy emerald che | estnut fuchsia dark grey hot pink | | | |
| lukaki linkaku laman lila | line widely weeks weighted | | | | |
| khaki light blue lemon lilac | ime mid blue mocha marine blue na | itural navy oasis green teal | | | |
| orange pink purple red | royal rich violet sage | | | | |



2203313

Micro Waffle Tie Sunflower

Blade width 3". Length 57". WRAP Certified Production.

Material: 100% polyester.

Size: One Size

Colours Available:

| aubergine | black | brown | dark grey | lime | navy | purple | red | royal | sunflower | silver | turquoise |
|-----------|-------|-------|-----------|------|------|--------|-----|-------|-----------|--------|-----------|

CBRE QHSE Approved PPE Kit



1601242 CBRE QHSE Approved PPE Kit

This kit contains:

- Saturn Yellow High Visibility Vest
- White Helmet
- Clear Lens Spectacles
- Stockinette Knitwrist
- Yellow Folding Ear Defender
- Fold Flat Disposable Mask P3 (Pack of 5)
- Snow & Ice Grips Size 7-10
- Black Composite Filament Fibre Level 5 Cut-Resistant Knit Glove with Foam Nitrile Palms Large
- Grey PU Coated Gloves Large
- Black Safety Bump Cap

Where You See This Image The Item Is Included In The PPE Kit





1103314

CBRE Branded 1100 FP S/RATCHET Helmet White HDPE general purpose safety helmet fitted with a 6-point plastic cradle.

• Conforms to EN 397:2012+A1:2012



2211645

CBRE Branded Saturn Yellow High Visibility Vest

Hi visibility vest with velcro fastening. Retro-reflective tape. 2 x body bands. 2 x braces. Material: 100% polyester. Sizes: M - 7XL Colour: Saturn Yellow

Branding: Green CBRE logo heat applied transfer to the FLB and rear of garment.

Standard: EN ISO 20471 Class 2 high visibility.



47



6220109

QHSE Approved CBRE Branded Holdall (supplied empty)

Detachable adjustable shoulder strap. Front zip pocket. Internal baseboard. Protective base feet. Capacity 34 litres. Colour: Black

Material: 420D polyester Size: One Size Dimensions: 50 x 25 x 25 cm

Features:

- Detachable / adjustable
- shoulder strap.
- Zipped side pocket.
- Internal baseboard.
- Protective base feet.
- Capacity 34 litres.

Branding: White CBRE logo with text 'Personal Protective Equipment' beneath, all transfers heat applied to the front of item (one side).



2212286

Safety Bump Cap

Bump cap with ventilation holes. Fitted over a plastic shell providing lightweight head protection.

Material: 100% Cotton Colour: Black

Size: One Size Fits 53cm - 62cm Circumference

Standard: EN812 - 2012.

Branding: White CBRE logo is a heat applied transfer to the front of item



Yellow Folding Ear Defender

Premium quality ear defender. Adjustable fold away headband. Self aligned earcups.

SNR 30dB, H=36, M=28, L=18

Standard: EN352-1:2002



1401413

Fold Flat Disposable Mask P3 (Pack of 5)

FFP3 Dust Mask. Horizontal Fold Flat. Latex free synthetic head band. Comfortable Face fit. Low Breathing resistance. Pack of 5.

| Туре: | Disposable | Charcoa |
|--------------|------------|---------|
| Mask: | Half Mask | Brand: |
| Filter: | No | CE CAT: |
| Valve: | Non-Valved | |
| Mask Design: | Foldflat | |
| Powered: | No | |
| | | |

Charcoal No **B-Brand** CE CAT: No



8200119

Snow and Ice Grips

Boot grips. Improves traction in slippery conditions. Increased stability. Reduces slipping or falling. Available Sizes: S - XXL



1301136

Clear Yale Spectacles

Ultra lightweight. Wrap around design. Contoured shape. Polycarbonate lens (PC lens). Soft nose bridge. Non slip coloured rubber tips.

Standard: EN166:

Optical Class:1 F - (Low impact energy) 2C-1.2 - UV Filter







49

1010103 **Stockinette Knitwrist Super**

Mens and ladies stockinette knitwrist glove.

Colour: As Shown

1010106 PU Coated Gloves Grey

Nylon Glove. Polyurethane palm coated. Machine Knitted. Integral elasticated wrist. Ideal for handling light components.

Sizes: S - XL

Standard: EN388: 2003

- Level 4 Abrasion
- Level 1 Cut Resistance
- Level 3 Tear Resistance
- Level 1 Puncture

1010326

Composite Filament Fibre Level 5 Cut-Resistant Knit Glove with Foam Nitrile Palms Black

Composite Filament Fibre Level 5 Cut-Resistant Knit Glove with Foam Nitrile Palms. High-strength fibre is incorporated in a way that it cannot come through to the hand for total comfort and extended glove life. TenActiv gloves feature lint-free, continuouse filament yarn that is stronger than steel on an equal-weight basis. Size: 5 - 11

Features:

- Touch Screen Compatible •
- 1617 grams of cut protection. •
- Fine, bare hand free. •
- Nitrile palm for excellent grip.

Applications: Handling sharp objects, glass plants, construction, automotive industry, aerospace industry, metal fabrication, metal stamping.

Standard: EN388 4542. 4 - Abrasion. 5 - Cut Resistance. 4 - Tear Resistance. 2 - Puncture Resistance

Silicone free. •

- Fine-gauge EN388 cut-level 5 protection.

PERSONAL PROTECTIVE EQUIPMENT **Head Protection**

PERSONAL PROTECTIVE EQUIPMENT **Head Protection**



2212286

Black Safety Bump Cap 100% cotton baseball cap with ventilation holes. Fitted over a

plastic shell providing lightweight head protection.

Standard: EN812 - 2012



TBA

Black Urbanwear 6 Panel Cap 6 panel. Structured front panels. Stitched ventilation eyelets. Semicurved peak. Self fabric size adjuster with silver effect buckle. Tear out label.

Material: 85% polyester / 15% cotton.

Size: One Size







CBRE 2212318

2212318 Black Beanie Safety Bump Cap

Elasticated knitted acrylic beanie cap. Flexible ABS protective shell guards against bumps and lacerations to the head. Fleece lined inner. High performance sweatband absorbs and wicks moisture away. Short peak (50mm) design enhances upwards vision. Sides can cover the ear for warmth or can be folded up for ventilation. Provides a universal fit to a wide range of head sizes (52-65cm).

Standard: CE Marked to EN812:1998 A1. EN812 :A1, including -30 o C. EN812:1998 A1. GOST - ROCTP 12.4.245-2007



2212317 Green First Base Safety Bump Cap

The Protector® FirstBase 3 is approved in accordance with EN812 including A1.

Standard: EN812 including A1.

50

2212310

White Vented Safety Helmet

Modern Stylish Design. ABS Shell. Vents to crown. Lightweight. Plastic harness c/w sweatband. Slots for attachments.

Standard: EN397.

2212311 Green Vented Safety Helmet

Modern Stylish Design. ABS Shell. Vents to crown. Lightweight. Plastic harness c/w sweatband. Slots for attachments.

Standard: EN397.

2212312 White Premium Vented Safety Helmet

Modern Stylish Design. ABS Shell. Vents to crown. Lightweight. 6 point webbing harness. Slip-ratchet headband adjustment. Slots for attachments. Complete with terry towelling sweatband.

Standard: EN397.



<image><section-header>



1700104

White & Black Poly Ridged Knee Pads

Deluxe model offering excellent protection.Made using non marking material. Rubber-like surface with grip ridges help prevent sliding and slipping. Velcro Adjustable straps.

1700105

Heavy Duty Gel Knee Pads

Heavy duty nylon construction to resist abrasion and tear. Adjustable clip buckle closure for ease of fitting. Hard shell cap to ease swivelling. Gel foam centre to cap for even weight distribution when worn for long periods. An all round superior Knee Pad.

Type 1 Level 1

Standard: EN 14404:2004

1700108

Foldable Knee Pads

Universal sizing. Ergonomic design. Easily moulds around knee and can be trimmed to size. For use with all knee pad type work trousers.

Cat 1 - Minimal Risk

PERSONAL PROTECTIVE EQUIPMENT **High Visibility**

morethansafety

PERSONAL PROTECTIVE EQUIPMENT **High Visibility**



2212710

Saturn Yellow Jacket

Concealed hood. Two-way heavy duty zip front with storm flap and security pocket. 2 Lower pockets with flaps. In side breast pocket. Knitted storm cuffs. Internal 'Wicking' strip. Fully taped seams. Reflective Material.

Logo is a heat applied transfer to the FLB and rear of garment.

Material: PU coated polyester. Quilted lining with heavy weight (160qsm) polyester filling.

Sizes: S M L XL XXL 3XL 4XL 5XL 6XL

Standard: EN471 Class 3.



2212878

Saturn Yellow Bomber Jacket

Weather Proof Constructor Bomber Jacket. Press stud flap. Quilted lining. Fully taped seams. 2 Lower front pockets with flaps. Internal breast pocket. Concealed hood/drawcord in collar.

Logo is a heat applied transfer to the FLB and rear of garment.

Material: Heavyweight 300D Polyester Oxford outer shell with PU coating.

Sizes: S M L XL XXL 3XL 4XL 5XL 6XL

Standard: EN471 Class 3.







2212285

Orange High Visibility Vest

Hi visibility vest with velcro fastening. 100% polyester. Reflective material.

Logo is a heat applied transfer to the FLB and rear of garment.

Material: 100% polyester.

Sizes: M L XL XXL 3XL 4XL 5XL

Standard: EN471 Class 2.

2212295

Saturn Yellow High Visibility Executive Vest

Saturn yellow polyester executive waistcoat. Front zip fastening. Retro reflective bands & braces. Two large front pockets with flaps. Mobile phone pocket with velcro fastening flap. Pen & pencil pockets. Transparent ID pouch pocket. Garment comes with a radio loop. Logo is a heat applied transfer to the FLB and rear of garment.

Material: Polyester

Sizes: M L XL XXL 3XL 4XL 5XL 6XL

Standard: EN ISO20471 Class 2.

2501183 Saturn Yellow High Visibility Trousers


Heavyweight PVC coated polyester. Elasticated waist. 2 position stud adjustment to legs. 2 Side pockets with storm flaps. Fully taped seams. Reflective Material.

Sizes: S M L XL XXL 3XL 4XL 5XL 6XL

Standard: EN471 Class 1.

PERSONAL PROTECTIVE EQUIPMENT

PERSONAL PROTECTIVE EQUIPMENT Disposable





2210108

Black Regular Polycotton Boilersuit Poly Cotton. Concealed stud front. 2 breast pockets. Elasticated waist. 2 swing hip pockets with side access. 1 rear pocket. 1 rule pocket.

Sizes: 36"-58"



2011374

Microporous Disposable Coverall

Protective coverall CE Type 5 & 6. For fine dust particles. Reduced spray and limited splash. 2 way zip front with storm flap. Elasticated cuffs, ankles, waist and hood. Breathable fabric. Individually packaged. Very economical. Sizes: S - 3XL

Standard:

EN13034:2005+A1:2009 EN13982-1:2004+A1:2010 EN1149-5:2008



2400115

2400115 **Tyvek Overshoes**

L = 40 cm, with elastic on the ankle. Antistatic Treatment

42" long by 36" wide. Eyeleted.

2011391


The apron design is bib front style with metal eyelets & hemmed all round.

Black Rubber Apron complete with ties

Size: 42" x 36"

Minimal Risk

2011391



2212319

Black QHSE Approved CBRE Branded Backpack (Supplied Empty)

Reflective strip. Ergonomic padded back panel. Padded adjustable shoulder straps. Padded back panel. Grab handle. Media pocket and headphone port. Front pocket organiser section. Small zip front pocket. Side pockets with small zip pockets. Water bottle holder. Capacity 16 litres.

Material: 600D micro ripstop polyester

Size: One Size

Dimensions: 48 x 32 x 14 cm



2400125

White Disposable Boilersuit TYPE 5/6

Protective coverall CE Type 5 & 6. For fine dust particles. Reduced spray and limited splash. 2 way zip front with storm flap. Elasticated cuffs, ankles, waist and hood. Breathable fabric. Individually packaged. Very economical. Sizes: S - 3XL

Standard: EN13034 :2005 + A1:2009. EN13982-1:2004 + A1:2010



2400108 **PVC Overshoes**

High quality overshoes. Elasticated for extra grip around shoes Anti-slip textured surface at the bottom. Tear resistant. Waterproof. Ideal for decorating to protect carpets and flooring. Size: 16" / 40CM

PERSONAL PROTECTIVE EQUIPMENT Hand Protection



1010311

PU Coated Cut 5 Glove

High engineered nylon/Spandex yarn glove. Seamless liner. PU coating, palm coated. High quality cut resistance. Excellent dexterity.

Size: S - XXL

Standard:

- EN388: 2003
- Level 4 Abrasion
- Level X Cut Resistance
 - (Glove blunted the blade, ISO 13997 test required)
- Level 4 Tear Resistance
- Level 3 Puncture
- Level C ISO 13997 Cut Resistance

Cat 2 - Intermediate Risk





6810101

Ergodyne 9015 Anti Vibration Glove

Maximum shock, impact, and vibration protection from our exclusive, patented Nu2O2® polymer. Pigskin leather palm and fingers for rugged wear and abrasion resistance. PVC shell for extra protection for the back of the hand. Micro-injected closure for quick cinching. Woven elastic cuff for a perfect fit. Wicked treated. Pull-on tab.

Sizes: M - XXL

Standard: EN ISO 10819: 1996. EN 420: 1994.

2100109

Black Thinsulate Fleece Glove

Fleece glove with 3M Thinsulate Underlayer. Microfibre technology to keep hands warm. Generously sized. One size fits all. Ideal for winter use.

Size: One Size

Minimal risk

PERSONAL PROTECTIVE EQUIPMENT Hand Protection

PERSONAL PROTECTIVE EQUIPMENT Hand Protection



1010128

1010128 **Red Leather Welders Gauntlet** 14" Red Welders Gauntlet. Finger welts. Fully lined hand and cuff.

Standard: EN388 3.2.3.3 and EN407 4.2.3.X.4.X



1010154

Black Industrial Latex Medium Weight 17" Gauntlet

Mediumweight natural rubber industrial glove. Thickness : 1.20 mm. Chemical protection. Mechanical and micro organism hazards. Sizes: M - XXL

Standard: EN388: 4 1 2 1. EN374-2 performance level 3.





1010214

Yellow Quality Lined Gloves

Soft grain leather. Gun pattern design. Half elastication to back of cuff. Fleece lined. Sizes: L - XL

Colour co-ordinated sized cuffs: L - Green Cuff. XL - Blue Cuff

Standard: EN388 2. 1. 4. 3.



1010190

PVC Gauntlet Open Cuff 14 Inch PVC Gauntlet. 14" (36cm) overall length. Liquid proof.

Standard: EN388 3 1 1 1.





1010144

Freezer Gloves One Piece Back

Full grain soft cowhide leather. Gun pattern design. Elasticated cuff with integral vein patch. Fully cotton fleece lined. Robust hard wearing, multi purpose glove ideal for low temperature working.

Standard: EN388 2. 1. 4. 3.



1010108

Canadian Double Palm High Quality Rigger

Heavy duty double palm rigger style glove. Generous hand size. Robust yet supple. Part fleece lined. Cotton drill back. Knuckle strap. Pasted cuff with vein patch.

Standard: EN388 4 2 3 4



1010180 Black Nite Star Gloves

Nite Star Glove, exclusive to Click 2000. 100% Nylon seamless shell with nitrile coated palm and fingers. Ventilated back. Lightweight for maximum dexterity and comfort with sensitivity. Suitable for general assembly handling and engineering applications

Sizes: S - XL

Standard: EN388 3.1.2.1

1010333 **Grey Cut Resistant Gloves**

Cut-Resistant Composite Knit Glove with Grey PU Palms. 1950 grams of cut protection. High-strength Composite fibre; no itching or poking through the hand. Lint-free, continuous filament varn that is stronger than steel on an equal-weight basis. Polyurethane-coating is nonshedding; ideal for applications where contamination is of concern.

Sizes: 5-11

Standard: EN388 4542.

1010332 Black Cut-Resistant Composite Knit Glove with Foam Nitrile Palms

Cut-Resistant Composite Knit Glove with Composite Filament Fibre and Black Foam Nitrile Palms. 1660 grams of cut protection.

High-strength fibre is incorporated in a way that it cannot come through to the hand for total comfort and extended glove life. Gloves feature lint-free, continous filament yarn that is stonger than steel on an equal-weight basis. Nitrile-coating is foamed to increase your grip in oil by displacing oil on surfaces. Nitrile withstands oils and solvents, making these styles ideal for workers handling sharp glass or oily sheet metal

Standard: EN388 4544

PERSONAL PROTECTIVE EQUIPMENT **Hand Protection**

PERSONAL PROTECTIVE EQUIPMENT **Hand Protection**



1010164

Kevlar Latex Gloves

Kevlar knitted glove latex coated palm. High cut resistancy. Comfortable, allows hand to breath through back. Excellent grip.

Size: S - XL

Standard: EN388 3.5.4.4



1010174 **Orange Multi-Purpose Gloves**

Multi-purpose glove. Latex rubber coated palm. Knitted base construction to allow air passage and aid comfort.

Size: S - XXL

Standard: EN388 2 2 4 3.



1010217 Hyflex Foam Glove Grey - Palm coated foam nitrile with a seamleess knitted liner.

Sizes: 7 - 11

Antistatic according to EN1149

Standard: EN388 3.1.3.1



1010288 Multi Purpose Latex Poly Glove

Multi-purpose glove. Polyester knitted base for comfort. Natural latex rubber coating to palm and fingers. Open back to help hand breath and limit moisture.

Size: S - XL

Standard: EN388 2. 1. 2. 1.



1010304

Latex Thermo-Star Fully Dipped Glove

Special reinforcement on fingertips offers added protection and can extend the life of the gloves. Mixed fibre heavyweight knitted liner with Latex coated to palm area. Double dip to fingers. Vented back. Highly visible fleece liner. Ideal for refrigeration, coldstore, general use and winter conditions. Thick latex coating for durability and grip.

Size: 8 - 11

Standard: EN388 2.2.4.1. EN511 1.4.X



1010105

Blue Nitrile Examination Gloves

Powder Free blue Nitrile Gloves. CE category III protective glove for complex risks. CE class I examination glove. Specially developed formulation and innovative production process. Excellent elasticity for good wearing comfort. Tested and certified according to 1935/2004 suitable for food contact. Free from phthalates/softeners and allergenic latex proteins. Textured fingers. Medical device class 1. AQL 1.5

Sizes: S - XL

Standard: EN 420, EN 374, EN455



1010182

Nitrile Gauntlet Flocked Lined

Unsupported nitrile glove. Overall Length 45cm. A high level of resistance to abrasion, solvents and animal fats. Pebble finish to palm Food safe. Silicon and wax free.

Sizes: L

Standard: EN388 4 1 0 2. EN374 CAT 3 J K L



1010346

Contender Para-Aramid Cut-Resistant Knit Sleeves

Soft, comfortable knit provides a sung fit that conforms to your arm contours for stay-in-place comfort. Good resistance to spark, flame and heat; sleeves will not support combustion. Protex® is an advanced FR fibre. 2160 grams of cut protection.

Sizes: 10", 18", 22"

Standard: EN388 142X. EN407 X1XXXX



Grey Colorado Safety Spectacles

Wrap around single lens. Scratch resistant. Nylon frame. Anti-scratch and anti fog polycarbonate lens. Low impact and 99.9% UV protected Adjustable side arms.

Standard: EN166 -1F



1300115

Clear Colorado Safety Spectacles

Wrap around single lens. Scratch resistant. Nylon frame. Anti-scratch and anti fog polycarbonate lens. Low imapct and 99.9% UV protected. Adjustable side arms.

Standard: EN166 -1F







1300152

Grey Contour Spectacles

Bollé shaded lens safety spectacles.

Standard: EN 166. EN 172

1300151

Clear Contour ESP PC Lens

ESP, Extra Sensory Perception. An innovating coating to reduce dazzle and the harmful affects of blue light. ESP is a perfect coating for outdoor/indoor use.

Standard: EN 166. EN 172

1300111

Clear Boston Spectacles

Wraparound clear vistitors spectacle. Polycarbonate lens. Ventilated side arms. Low impact and 99.9% UV protected Width 157mm.

Standard: EN166 and ANSI Z87.1

PERSONAL PROTECTIVE EQUIPMENT **Eye Protection**

PERSONAL PROTECTIVE EQUIPMENT **Eye Protection**




1300149

Clear Lens Wide Vision Goggles

1mm Acetate anti fog lens. Wide vision anti scratch lens. Comfortable soft PVC frame. All round ventilation. Wide contoured face seal. Fits over spectacles. Comfortable wide head band.

Standard: EN166 I.F.N






1300146

Ventilation.

Size: One Size

Clear Lens Universal Google

Standard: EN166 1.B.3.4.9




1300105

Blast Goggle Clear Polycarbonate Lens

An exceptionally wide field of vision. Fits over prescription spectacles. Anti-scratch. Anti-fog. Fits with respiratory half mask. Ventilated. 113q.

Polycarbonate Anti-Scratch / Anti-Mist Lens. Ideal for wearing over spectacles. Complete Contoured Face Seal. Indirect Four Point

Standard: EN166, EN170.



64

63

1301160 Clear Ultravision Goggle

Anatomical shape and soft material allow close, yet comfortable fit. Fits comfortably over most prescription spectacles. Nose bridge works well with respirators. Frosted top to reduce glare. High-quality, easily adjustable headband.

Lens does not distort view or cause headaches. Simple lens replacement reduces cost. Optical Class 1. Impact Resistance B (120m/s) according to EN166.

Standard: EN166 class 1 (Optically correct lens)

1300122 Green Flip Front Welding Goggles

Green soft PVC frame. Green polycarbonate lens shade 5. 4 indirect vents. Black ABS lens holder.

Standard: EN175.

PERSONAL PROTECTIVE EQUIPMENT **Eye Protection**

morethansafety

PERSONAL PROTECTIVE EQUIPMENT **Eye Protection**



1300101

Head Gear Fully adjustable. Ratchet fastening. Soft nylon padded browguard.

To use with the Standard Face Visor 7.5" 1300124

Standard: CE EN166. CE EN1731.






1300124 Standard Face Visor 7.5" - VISOR ONLY

Transparent Visor 7.5".

To be used in conjunction with the Head Gear 1300101.

Standard: EN166



1301176

Head Gear 1300101 and Visor 1300124

Head Gear and Visor.

Standard: EN166





1100112 **Visor Carrier**

This Visor Carrier can be used with the B-Brand Safety Helmets. The IC900Z carrier is attached to the helmet by using the 25mm Fixing Posts 1100104.

Suitable for use in both light and heavy industrial applications and can also by used in high heat environments.

Lightweight design Durable Nylon construction.

To buy the visor carrier and fixing posts together use order code 1102086.

Standard: EN166

1100114

235mm Polycarbonate Visor

This visor has been developed to provide maximum protection and simplicity for the user. Designed to give maximum protection, freedom of movement and comfort. Simple to attach and remove.

Use this visor with carrier 1100112 to fit the B-Brand Safety Helmets.

Standard: EN166


1300171 Clear 185mm Visor & Chinguard (requires carrier)

Designed to give maximum protection, freedom of movement and comfort. Simple to attach and remove, integrated chin-guard.

Use this visor with carrier 1100112 to fit the B-Brand Safety Helmets.

Standard: EN166


PERSONAL PROTECTIVE EQUIPMENT Ear Protection



1201195

Zone 1 Yellow Helmet Mounted Muff + 25mm Fixing Posts


Universal 25mm attachment posts. Maintains optimum and even cushion pressure. Twin stirrup design maintains stability and attenuation cushion pressure. Twin stirrup design maintains stability and attenuation performance. Airing and park positions. Low profile - reduces snagging risk. Lightweight design. Simple head size adjustment. Impact resistant ABS ear cups. Suitable for working with electricity (Dielectric). Approved to global hearing protection standards (CE, ANSI, AUS/NZ). Universal maintenance and hygiene kits. SNR Rating 27. Sold with 25MM Fixing Posts 1100104 to suit Vented Standard and Premium Safety Helmets. Standard: EN352-3



1201196 Zone 2 Orange Helmet Mounted Muff + 25MM Fixing Posts

Universal 25mm attachment posts. Maintains optimum and even performance. Airing and park positions. Low profile - reduces snagging risk. Lightweight design. Simple head size adjustment. Impact resistant ABS ear cups. Suitable for working with electricity (Dielectric). Approved to global hearing protection standards (CE, ANSI, AUS/NZ). Universal maintenance and hygiene kits. SNR 29. Sold with 25MM Fixing Posts 1100104 to suit Vented Standard and Premium Safety Helmets. Standard: EN352-3









1201197

1201197

Zone 3 Red Helmet Mounted Muff + 25mm Fixing Posts

Universal 25mm attachment posts. Maintains optimum and even cushion pressure. Twin stirrup design maintains stability and attenuation performance. Airing and park positions. Low profile - reduces snagging risk. Lightweight design. Simple head size adjustment. Impact resistant ABS ear cups. Suitable for working with electricity (Dielectric). Approved to global hearing protection standards (CE, ANSI, AUS/NZ).

SNR RATING 32. Sold with 25MM Fixing Posts 1100104 to suit Vented Standard and Premium Safety Helmets. Standard: EN352-3

1100104

1100104 25mm Fixing Posts 25mm Fixing Posts (Pair)

This item is sold as a set with Ear Defenders where you see this image

To purchase on it's own use order code 1100104



1200142 **Optime II Headband**

Optime II has been developed for demanding noise-hazard environments and muffles even extremely low frequencies to a maximum degree.

The sealing rings are filled with a unique combination of liquid and foam. The result is an optimum seal with low contact pressure, which provides snug comfort even during long-time use. The sealing rings have ventilation channels and are covered with soft, patterned, hygienic foil.

Optime II is a suitable choice for environments with substantial industrial noise or construction machinery, airports and agricultural work.

SNR 31db. Standard: EN352-1

1200144 **Optime III Headband**

Optime III is a super-muff, and has been developed for use in extremely noisy environments. The protection is based on a technology with a double casing that minimises resonance in the holder casing. This results in maximum high-frequency muffling, while at the same time its still easy to understand speech and signals. An acoustic connection between the inner volume and the volume between the casings in its turn provides maximum low-frequency muffling.

The sealing rings are broad and filled with soft plastic foam for the best fit and low contact pressure.

SNR 35db.

Standard: EN352-1

1200103

Premium Ear Defender

Premium foldable ear defender. Extremely comfortable with extra large foam pads. Padded adjustable headband allows easy fitting. Good attenuation performance.

SNR - 33db

H: 34, M: 31, L: 24

Standard: EN352-1

PERSONAL PROTECTIVE EQUIPMENT **Ear Protection**



1200112



1200113

1200111

Ear Plugs Foam disposable ear plugs. SNR 37db.

It is found to be in conformity with council directive 89/686/EEC relating to PPE.

H=36 M=34 L=33

Standard: EN352-2





Ear Plug Dispenser 500

Foam disposable ear plugs. SNR 37db

It is found to be in conformity with council directive 89/686/EEC relating to PPE.

H=36 M=34 L=33

Standard: EN352-2

1200113 Ear Plug Refill Pack 500

Foam disposable ear plugs. SNR 37db

Tested by Inspec in accordance with EN352-2:1993. It is found to be in conformity with council directive 89/686/EEC relating to PPE.

H=36 M=34 L=33

Standard: EN352-2





1200146 Laser Lite Uncorded

LASER-LITE (NRR 32) is the multi-color earplug that workers love to use. The non-irritating, non-allergenic self-adjusting foam recovers to fit virtually any ear canal. LASER-LITE is ideal for that portion of the population with smaller ear canals. Attenuation tested in accordance with ANSI S3.19-1974. Magenta/Yellow color, packed in poly bags.

Ratings: NRR 32, SNR 35, SLC80 (corded) 27.5, SLC80 (uncorded) 28.5, CSA A(L)

Standard: EN352-2

1200147

Laser Lite Dispenser Refill

LASER-LITE (NRR 32) is the multi-color earplug that workers love to use. The non-irritating, non-allergenic self-adjusting foam recovers to fit virtually any ear canal. LASER-LITE is ideal for that portion of the population with smaller ear canals. Attenuation tested in accordance with ANSI S3.19-1974. Magenta/Yellow color, packed in poly bags.

Ratings: NRR 32, SNR 35, SLC80 (corded) 27.5, SLC80 (uncorded) 28.5, CSA A(L) • 3301271

Pack Size: 500

Standard: EN352-2

1200149

Laser Lite Refill Pack 200

LASER-LITE (NRR 32) is the multi-color earplug that workers love to use. The non-irritating, non-allergenic self-adjusting foam recovers to fit virtually any ear canal. LASER-LITE is ideal for that portion of the population with smaller ear canals. Attenuation tested in accordance with ANSI S3.19-1974. Magenta/Yellow color, packed in poly bags.

Ratings: NRR 32, SNR 35, SLC80 (corded) 27.5, SLC80 (uncorded) 28.5, CSA A(L)

Standard: EN352-2

PERSONAL PROTECTIVE EQUIPMENT **Respiratory Protection**







1400196

Sari Full Face Mask

Sari full face mask is renowned for its high standards of safety, reliability and comfort. Sari is approved for use with Pro2000 filters, with Autoflow and Proflow PAPR powered units and with constant flow compressed airline.

Wide sealing edge for comfort and excellent fit. Comfortable to wear even for long periods. Adjustable five-point rubber head harness. Large distortion-free visor. Speech diaphragm affords clear communication.

Use with the Sari Filter 1400197 and the Pro 2000 CF32 ABEK 2P3 Filter.

Standard: EN136

1400197

Sari Filter PF10 P3 Sari Filter PF10 P3

For use with the Sari Full Face Mask 1400196

Standard: EN143

1400193 Pro 2000 CF32 ABEK 2P3 Filter

Pro 2000 CF32 ABEK 2P3 Filter

For use with the Sari Full Face Mask 1400196

Standard: EN14387



1400185







1400181

1400185 Twin Filter Mask

Face piece produced from soft non-allergic TPE material. Provides excellent fit to aid with protection. Low profile design offers improved field of vision. Soft adjustable strap ensures a perfect fit to wide range of contours. Can be fitted with A1, ABEK, and P3 filter cartridges. Gas filters can be fitted with replaceable pre-filters and retainer adapters.

Use with Filters 1400181 and P3R Filters 1400187

As the CBRE business consolidates, a decision has been made to use these half masks. When you place your first order to include masks and filters MTS will issue the masks as free issue so that there is no loss to your contract regarding masks and filters. When ordering for the first time please provide MTS with the user / wearer's name for your Divisional QHSE Directors' records.

Standard: EN140

1400187

P3R Filters (Pair) P3 Filters for BB3000 Respirators

Used in conjunction with Twin Filter Mask 1400185.

Standard: EN143

1400181 ABEK1 Filters (Pair)

For protection against organic gases and vapours with a boiling point > 65 deg c. Inorganic gases and vapours, Sulphur Dioxide and other acidic gases and vapours as well as against ammonia and organic ammonia derivatives.

Filter type and Class : ABEK1

Used in conjunction with Twin Filter Mask 1400185

Standard: EN14387



1400106 A2 P3 Organic

3M 4255 Maintenance Free Gas/Vapour and Particulate Respirator. Maintenance free design for maximum safety and simplicity. No maintenance records are required if disposed of within one month.

- Replace after 28 days or when damaged, breathing resistance increases or breakthrough occurs, whichever occurs first.
- 2 large bonded carbon filters for low breathing resistance.
- Low profile design for better peripheral vision.
- Low resistance parabolic valve to reduce heat build-up.
- Soft/Non-allergenic face piece material.
- Lightweight and well balanced design.
- Cradle head harness.
- Easy to fasten neck strap.

Approval: CE marked 3M 4255 Organic Vapour and Particulate Respirator: FFA1P3R D. Gases/Vapours :10xWEL or 5000ppm whichever is lower; Particulates:20xWEL.

Standard: EN405

PERSONAL PROTECTIVE EQUIPMENT **Fall Arrest & Prevention**

PERSONAL PROTECTIVE EQUIPMENT Fall Arrest & Prevention



1500126 0.5m Restraint Lanyard 0.5m Restraint Lanyard

Standard: EN358

1500126



1500127

1500127 1m Restraint Lanyard 1m Restraint Lanyard

Standard: EN358








1500128 1.5m Restraint Lanyard 1.5m Restraint Lanyard


Standard: EN358





1500129 **2m Restraint Lanyard** 2m Restraint Lanyard

Standard: EN358






1500130 Fall Arrest Lanyard

Energy Absorbing Fall Arrest Lanyard for use with Full Body Fall Arrest Harness.


Suitable for average person users up to 100Kg. For Users of more than 115Kg please refer to our Atlas 140 Range 3.65mtr Total Length.

Standard: BSEN355: 2002



1500132

T-Pak 3 Loop Fall Arrest Lanyard 2m (3.75m Unfurled Length) Clip-back Lanyard for Fall Arrest and Work. Restraint applications. Steel autolock karabiner complete with captive pin at each end 2m in length including fittings, 1.75m of webbing unfurls during fall. Total unfurled length 3.75m long. The colour coded loops allow the user to set the lanyard to four different lengths. Alternatively the lanyard can be anchored to structural elements such as beams by passing it around and clipping back to one of the loops. Supplied with clear instructions and individually serial numbered certification. Suitable for Facilities Maintenance and Powered Access. Standard: EN 355.



1500116 **QHSE Approved 2 Point Safety Harness Upto 100KG** (15.5 Stone)

Front and Rear Fall Arrest Attachments. Adjustable at leg loops, shoulders and chest. Designed for users up to 140kg. Stainless Steel buckles and fittings. Re-inforced with substantial construction to provide support for larger users. Pocket Inspection Guide. Supplied with clear instructions and individually serial numbered certification. Suitable for steel erection and scaffolding.

Standard: EN361

1501182

QHSE Approved 2 Point Safety Harness Upto 140KG (22 Stone)

2 Point Safety Harness. Lightweight Full Body Work Restraint and Fall Arrest Harness. Attachment points at front and rear. Adjustable at leg loops, shoulders and chest. Available in standard size. Steel attachment points and shoulder adjustment buckles. Pocket Inspection Guide. Supplied with clear instructions and individually serial numbered certification. Suitable for industrial rope access and tower crane erection and maintenance.

Standard: EN361

1501204 Gotcha Original Kit

Suitable for Rescue from Fall Arrest Lanyards and Fall Arrest Blocks. This is a no-cut kit. The casualty is raised to release their original attachment. Rescue direction. You can raise or lower the casualty with this kit. Pre-assembled. No assembly is required by the user. Remote attachment. The casualty can be attached from a point of safety. Single person use. The Gotcha is for raising or lowering a single person. Maximum Working Length. Colour coding. The kit is colour coded for simplicity. Suitable for scaffolding and oil and gas.

| Item | Order Code | Rescue Distance in High Anchor Mode | Rescue Distance in Low Anchor Mode | Weight |
|------------|--------------|--|---------------------------------------|--------|
| Gotcha 50 | 1501204H55F | Up to 55 feet | Up to 40 feet | 15lbs |
| Gotcha 100 | 1501204H110F | Up to 110 feet | Up to 85 feet | 24lbs |
| Gotcha 150 | 1501204H165F | Up to 165 feet | Up to 125 feet | 42lbs |
| Gotcha 200 | 1501204H220F | Up to 220 feet | Up to 170 feet | 42lbs |

The Gotcha kit is available in four lengths:

Standard: EN: 1496.

PERSONAL PROTECTIVE EQUIPMENT Special Hazard PPE



1010290

White Electrician Gauntlet Glove, Class 0

Class 0 Electrician glove for installation rated at 1000 volts or less. Insulating gloves made from non-conductive natural rubber. They are anatomically shaped ,flexible and durable offering maximum comfort and superior performance.

Leather Protection Gauntlet can be worn over the top to provide mechanical protection.

Sizes: 9 & 10

Standard: EN60903



1010296

1010296 Electrician Glove Bag Glove Bag for the Electrician Gauntlet Glove, Class 0.



1010141 White Electrician Glove Cover

Leather Protection Gauntlet which can be worn over the top of the 'Electrician Gauntlet Glove' to provide mechanical protection.

Only to be used with the Electrician Gauntlet Glove, Class 0

Sizes: 9 & 10

Standard: ISO 9001:2008 EN420:2003 EN388:2003 / 3121



1751166

Arc Flash Safety Boot

Full leather, non-metallic, safety half boot with laces, lining and padded collar. Comfortable modern design with energy absorbing heel, non-slip, oil resistant, light weight, removable insole, puncture resistant midsole. Sole system heat resistant to 300°C and sole system electric shock resistant up to 20kV. Sizes: 36 - 48 (Eur); 3- 13 (UK)

Standard:

Half boot: EN ISO 20345:2007 E P FO WRU HRO; CE0339 Outsole: Electric shock resistant to 20kV (test method ASTM F2412-05 :2005 mod.)

Notes: Only the outsole has been material tested to ASTM F2412-05:2005 mod. to withstand electric shock up to 20kV (dry conditions).

PERSONAL PROTECTIVE EQUIPMENT **Special Hazard**



2212316

Red Fire Retardant Anti-Static Boilersuit

300 gram 100% cotton drill fabric with flame retardant treatment. FR reflective tape. (Nordic Pattern). Anti Static. Concealed stud front to neck. One left breast pocket with flap. Two front hip pockets. Knee pad pockets. Plain back and hips.

Embroidered CBRE logo to the FLB of the garment and Date of Issue embroidered on the Left Sleeve.

Standard:

EN ISO 11611: 2007 Class 1 A1+ A2 EN ISO 11612: 2008 A1 + A2, B1, C1 EN 1149-5: 2008 (EN 1149-3: 2004)



2212113RED

Red Fire Retardant Boilersuit

300 gram 100% cotton drill fabric with flame retardant treatment. Concealed stud front to neck. One left breast pocket with flap. Two front hip pockets. Plain back and hips. Embroidered 'FR' logo to upper left sleeve

Embroidered CBRE logo to the FLB of the garment and Date of Issue embroidered on the Left Sleeve.

Standard: ISO 11611:2007 Class 1 A1 ISO 11612:2008 A1, B1, C1



Sizes:

| UK | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| EU | 35 | 36 | 37 | 39 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 49 | 50 |
| US | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |

Electrical Protection:

Complete boot: 20 kV......8 hours no damage. 5 kV......<5mA Leakage current 35 kV......3 minutes no damage Sole:

Certification:

Safety Footwear: Electrically Insulating Footwear: EN 50321 Class 0 **Dieletric Footwear:** Personal Protective Equipment: PPE DIR 89/686/EEC

EN ISO 20345 I E HRO SRA CI **ASTM F1117**

For other special hazards where different PPE may be required, such as Arc Flash protection, please contact your divisional QHSE director for specific risk advice and guidance.

2212113RED

8011708 **Dielectric Boots**

Electrically insulating dielectric boot with an integral steel toe cap and vulcanized rubber sole for superior slip resistance. The dielectric boot provides protection of up to 20kV over the complete boot for over 8 hours, and 35kV over the sole for 3 minutes.

Boot Shaft:

Yellow dielectric compound shaft. 200 Joule Epoxy coated Steel toe cap to EN ISO 20345. Seamlesss construction. Kick off lug. Extra shin protection. Adjustable height. Ankle guard. Non-wicking knitted nylon lining. Comfort insole (removable and machine washable). REACH Compliant.

Boot Sole:

Blue vulcanized rubber sole for maximum grip - 30% better than a conventional safety boot sole. Slip resistance performance twice that required by EN 13287 SRA and SATRA TM144 standards. Cleated outsole for maximum grip. Two to three times the wear resistance of conventional soles. Fuel and oil resistant. Greater cut resistance than conventional soles. Resistance to hot contact 60 seconds 300°. Energy absorbing tunnel system conforms to EN 20345 E. Cold insulation to EN ISO 20345.

Care:

Machine washable at up to 40°. Shelf life of over 10 years.

| Type of Isolation Pu | L | Safety ock Number | Permit Reference | Comments | |
|----------------------|---|----------------------|---------------------|----------|--|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| _ | | | | | |

| C | BRE | Contractor | Daily Attenda | nce Board | | Date: | | | |
|---------|---------------|-------------------------|----------------------|------------|----------------|------------------------|------------------------|----------|--|
| Time In | Contractor | Description of Works | Location of Works | Permit No. | CEWA No. | Dynamic RA Engineer | Monitoring Engineer | Time Out | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Approve | d Access Perm | nit and Contractor RAMS | | Du | ity Shift Tear | n Comments | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

9270017 - LIFE SAFETY ISOLATIONS BOARD

Orientation: Landscape

Size: 1200 x 900mm

Design printed onto 100 micron white gloss self-adhesive vinyl, laminated with dry wipe film, and applied to 5mm PVC white foam board.

9270001 - CONTRACTOR DAILY ATTENDANCE BOARD

Orientation: Landscape

Size: 1200 x 900mm

Design printed onto 100 micron white gloss self-adhesive vinyl, laminated with dry wipe film, and applied to 5mm PVC white foam board.

| CBR | | | <u>Permit To Work</u> | | | | |
|---------------|-----------|---------------|-----------------------------------|--|----------|--------------------|--|
| Permit Number | Issued by | Date of Issue | Work description (Isolations Etc) | Company to whom permit is issued | Location | Completion date | Responsible person for work effort |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | _ | | | |
| | | | | | | | |
| | | | | _ | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | _ | | | |
| | | | | | | | |
| | | + | | | | | |
| | | | | | | | |

| | | | Work Description | MS/RA Yes/No | Permit Number | CEWA Number | Company Contact | Engineer Escort | Complet |
|-----------|--|----------|------------------|-----------------|------------------|----------------|-----------------|--------------------|---------|
| Monday | | | | | | | | | |
| | | Call out | | | | | | | |
| Tuesday | | | | | | | | | |
| | | Call out | | | | | | | |
| Wednesday | | | | | | | | | |
| | | Call out | | | | | | | |
| Thursday | | | | | | | | | |
| | | Call out | | | | | | | |
| Friday | | | | | | | | | |
| | | Call out | | | | | | | |
| Saturday | | | | | | | | | |
| | | Cal out | | 1 | | | | | |

9270002 - PERMIT TO WORK BOARD

Orientation: Landscape

Size: 1500 x 1000mm

Design printed onto 100 micron white gloss self-adhesive vinyl, laminated with dry wipe film, and applied to 5mm PVC white foam board.

9270003 - WEEKLY WORK PLANNER BOARD

Orientation: Landscape

Size: 1500 x 1000mm

Design printed onto 100 micron white gloss self-adhesive vinyl, laminated with dry wipe film, and applied to 5mm PVC white foam board.

| | C | BRE L | .oc | k Out Isol | ati | on | Boa | ard | | |
|---|---|-------|-----|------------|-----|----|-----|---------------------------|----------|-------------------------------|
| | | |] (| | | | _ | lact fat - tay lagtest | | lact fat - by Of Procedure |
| Image: state of the state o | | | | | 0 | | | | | |
| Image: state of the state | | | | | | | | | | |
| Image: state of the state | | | | | | | | | | |
| Image: sector of the sector | | | | | | | | | | |
| Image: state of the state | | | | | | | | | | |
| | | | | 1 | 1 | 1 | 1 | | 1 | |
| Image: state of the s | L | | | | | | | | <u> </u> | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

9270004 - LOTO BOARD


Size: 1804 x 1204mm **Orientation:** Landscape

Design printed onto 100 micron white gloss self-adhesive vinyl, laminated with dry wipe film, and applied to 5mm PVC white foam board and mounted onto 10mil black PVC foam.

Supplied with:

- 2 Key cabinets.
- 32 Red padlocks. •
- 2 x A4 Transparent Document Holders •
- 3 x A6 Transparent Document Holders •
- Self tapping screws for use with document holders and key cabinets •
- Cup hooks for use with padlocks for lock out stations •

Notes: Artwork not to size. Please allow 7 - 10 working days for production. Items may also vary due to changes in QHSE Approved LOTO.



9270005 - QHSE 5 C's NOTICEBOARD

Orientation: Landscape Size: 1350 x 925mm

Design printed onto 100 micron white gloss self-adhesive vinyl, laminated with dry wipe film, and applied to 5mm PVC white foam board and mounted onto 10mm black PVC foam.

Applied to board:

Monthly magnetic calendar square and 3 x blank magnetic parts of key.

Supplied with:

- 6 of each red, blue and green magnetic squares
- 6 x A4 transparent document holders (sticker for wording applied)
- Self tapping screws for use with document holders

Notes: Artwork not to size. Please allow 7 - 10 working days for production. Items may vary.

We can make a bespoke board to meet your specific needs. Here's what we need from you...

1. Orientation - Portrait or Landscape **2.** Size

3. Either send us a sketch or image of what you would like, or let us know if you would like an existing board changed to suit your needs.

To make life easier...

Your board will be laminated with dry wipe film.

We can pre-drill the holes for hooks and screws for you if there are additional items to be attached to the board, but please let us know upon ordering.

Just so you know ...

It will take us 7 - 10 working days to produce your board from the time you place your order.

We will supply the additional items individually, these will not be fitted to the board, to avoid damage to your items during transit.

See below a range of items we provide with specific boards





5972077 - 48 Key Cabinet Size: TBA


5970184 - 20 Key Cabinet Size: TBA





9400322 - A4 Document Holder Size: 242H x 230W x 52D mm

Size: 110 x 32mm



Magnetic Squares

TBA

Blue - 9400230, size: 40 x 40mm Red - 9400229, size: 40 x 40mm Green - 9400228, size: 40 x 40mm Magnetic White Squares (applied to board)

Size: 60 x 60mm

9400325

85

9400323 - A6 Document Holder





6030002 - Red Padlocks

Size: 40 x 93mm



TBA - Acrylic Sleeves Size: various sizes available


01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

9400231

Monthly Calendar Square (applied to board) Size: 388 x 215mm

We supply a wide range of CBRE bespoke tags, single and double sided.





6011702

Eyewash Station Inspection Record

Size: 50 x 158mm Single Sided



6011708

Do Not Turn Off Essential / Critical Circuit

Size: 80 x 142mm Single Sided Pack of 10

۲ **CBRE** DANGER LIVE EQUIPMENT DO NOT TOUCH Possibility of DEATH

6011707

Record

Single Sided

Spill Kit Inspection

Size: 50 x 158mm

6011703

Danger Live Equipment Do Not Touch

Size: 80 x 142mm Single Sided Pack of 10



6011706

Ladder Tag - Do Not Use This Equipment / **Equipment Inspection Record**

Size: 50 x 158mm Double Sided - Pack of 20



6011704

Caution Locked Out for Safety / Do Not Touch

Size: 80 x 142mm Double Sided Pack of 10








6011712

Gas Safe Immediate Danger Tag Size: 161 x 142mm Double Sided - Pack of 10

87

We can even offer double sided CBRE Bespoke Tags - Gas Safe

Gas Safe at Risk Tag



We supply various stickers, bespoke branded for CBRE, please contact our customer services team for more information.

We can provide bespoke self adhesive or rigid signs. Let us know if you need the CBRE logo or your client specific logo added to a new or existing design.



SERVICING EQUIPMENT Equipment Inspection Record Asset ID Number RECORD EXPIRY DATE INSPECTED ON

RE-ORDER CODE 9250153 at

01489 780255

CBRE

9250153 Equipment

Do Not Use

Self Adhesive

This Equipment

Size: 50 x 158mm

Inspection Record Self Adhesive Size: 50 x 158mm Pack of 20



9250055

Eyewash Station Inspection Record Self Adhesive Size: 121 x 119mm




9250168

Danger Safety Warning Do Not Use Gas Safe Self Adhesive Size: 150 x 140mm



Spill Kit Sign - Size: 210 x 297mm Company logo to be added



Reception - Size: 600 x 440mm Company logo to be added

90



Spill Kit Located At Sign - Size: 200 x 300mm CBRE logo added to design



Keep out / Authorised Personnel Only Size: 400 x 300mm CBRE logo added to design

COMMONLY USED SAFETY SIGNS Hazard





9250033 - Self Adhesive Size: 400 x 600mm



9250160 - Self Adhesive Size: 300 x 100mm **9204674** - 1mm Rigid Plastic Size: 300 x 100mm



9250049 - Self Adhesive Size: 200 x 300mm



9250145 - Self Adhesive Size: 100 x 100mm



Size: 200 x 300mm

9250114 - Self Adhesive 9206513 - 1mm Rigid Plastic Size: 75x50mm



9250177 - Self Adhesive Size: 50 x 50mm



9250066 - Self Adhesive Size: 200 x 300mm

9250061 - Self Adhesive Size: 200 x 300mm



Fire Escape Keep Clear Size: 300 x 100mm



Size: 200 x 300mm

PPE must be worn beyond this point

9250008 - Self Adhesive Size: 200 x 300mm



9250181 - Self Adhesive Size: 200 x 300mm



Ear protection must be worn

9250030 - Self Adhesive Size: 300 x 100mm





9250135 - Self Adhesive Size: 200 x 300mm



9250161 - Self Adhesive Size: 600 x 200mm **9204047** - 1mm Rigid Plastic Size: 600 x 200mm



9250048 - Self Adhesive Size: 300 x 100mm 9203027 - 1mm Rigid Plastic Size: 300 x 100mm



9250134 - Self Adhesive Size: 600 x 200mm **9204152** - 1mm Rigid Plastic Size: 600 x 200mm



9250164 - Self Adhesive Size: 100 x 100mm 9204160 - 1mm Rigid Plastic Size: 100 x 100mm



9250162 - Self Adhesive Size: 300 x 100mm **9205463** - 1mm Rigid Plastic Size: 300 x 100mm



9250044 - Self Adhesive 9204184 - 1mm Rigid Plastic Size: 200 x 300mm



9250142 - Self Adhesive Size: 200 x 300mm



9250099 - Self Adhesive 9204267 - 1mm Rigid Plastic Size: 200 x 300mm





9250006 - Self Adhesive 9204491 - 1 mm Rigid Plastic Size: 100 x 150mm

9250007 - Self Adhesive 9204489 - 1 mm Rigid Plastic Size: 100 x 150mm



9250003 - Self Adhesive Size: 300 x 100mm **9204497** - 1mm Rigid Plastic Size: 300 x 100mm



9250051 - Self Adhesive Size: 300 x 100mm 9204350 - 1mm Rigid Plastic Size: 300 x 100mm

94



9250173 - Self Adhesive 9204485 - 1 mm Rigid Plastic Size: 100 x 150mm



9250115 - Self Adhesive Size: 75 x 75mm



9250138 - Self Adhesive Size: 100 x 100mm





9250040 - Self Adhesive Size: 400 x 150mm **9204425** - 1mm Rigid Plastic Size: 400 x 150mm



9250150 - Self Adhesive Size: 400 x 150mm **9204415** - 1mm Rigid Plastic Size: 400 x 150mm



9250095 - Self Adhesive Size: 450 x 200mm **9204352** - 1mm Rigid Plastic Size: 450 x 200mm



9250149 - Self Adhesive Size: 400 x 150mm **9204437** - 1mm Rigid Plastic Size: 400 x 150mm



9250170 - Self Adhesive Size: 400 x 150mm 9204471 - 1mm Rigid Plastic Size: 400 x 150mm



9250093 - Self Adhesive Size: 450 x 200mm **9204467** - 1mm Rigid Plastic Size: 450 x 200mm



9250172 - Self Adhesive 9202755 - 1mm Rigid Plastic Size: 200 x 300mm



Dry Riser Inlet



Dry Falling Main







9250031 - Self Adhesive 9202642 - 1mm Rigid Plastic Size: 82 x 202mm



9250108 - Self Adhesive 9202761 - 1 mm Rigid Plastic Size: 200 x 300mm

9250014 - Self Adhesive 9202777 - 1mm Rigid Plastic Size: 200 x 300mm


Let us know if you would like us to send you a copy of our full range of signage

95

9250086 - Self Adhesive 9202639 - 1mm Rigid Plastic Size: 82 x 202mm







9250032 - Self Adhesive 9202648 - 1mm Rigid Plastic Size: 82 x 202mm



9250122 - Self Adhesive 9202771 - 1mm Rigid Plastic Size: 200 x 300mm