



CBRE

MECHANICAL TOOLKIT **GSK**



5900064
250mm Heavy Duty Waterpump Pliers
 Heavy-duty waterpump pliers. Manufactured from hardened and tempered chrome vanadium steel, with hardened jaws, achieving excellent gripping performance. The jaws have our multi position feature and comfort is delivered from the dipped handles, achieving greater user comfort and less hand fatigue.

A great pair of everyday waterpump pliers for a host of plumbing tasks around the home.

Capacity: 53mm **Length:** 250mm

59088968
250mm Push Button Heavy Duty Waterpump Pliers
 Push button, heavy-duty waterpump pliers. Manufactured chrome vanadium steel hardened and tempered with chemically blacked finish, featuring multi position adjustments operated by a simple push button and 'no-nip' PVC dipped handles, which prevent the handles from locking together at their largest capacity and nipping the users hands.

A great pair of everyday waterpump pliers for professional plumbers and for plumbing tasks around the home.


Capacity: 53mm **Length:** 250mm



5904604
Soft Grip Curved Jaw Self Grip Pliers (230mm)
 Heavy duty pliers made from chrome vanadium steel that's hardened and tempered. With serrated gripping surfaces, adjustable opening and a quick-release lever. Attached with soft grips for added user comfort. Display packed.

5904435
Heavy Duty Soft Grip Pliers Set (3 Piece)
 Drop forged from chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Lacquered finish for corrosion protection with heavy duty, soft grip handles with slip guards. Display packed in blow mould case with see-through lid.

Contents: 180mm Combination Pliers
 160mm Long Nose Pliers
 160mm Diagonal Side Cutters



5903565

5903565

Internal and External Circlip Pliers Set (4 Piece)

Industrial quality, chrome nickel steel hardened and tempered with a polished finish, chemically blacked tips and special non slip cushion-grip handles. Display packed in blow mould storage tray.

Capacity 19-60mm

Contents:

- 180mm straight tip internal circlip pliers
- 170mm 90° tip internal circlip pliers
- 180mm straight tip external circlip pliers
- 170mm 90° tip external circlip pliers



5950452

5950452

Supercut® 375mm/15" Soft Grip Hardpoint Tool Box Handsaw - 7tpi/8ppi

Japanese high carbon steel hardened, tempered, straightened and stress relieved to ensure blade straightness. Fine ground blade surface coated in ultra-tough lacquer to prevent corrosion and ease friction during sawing. Triple ground tooth design to allow fast cutting and sawdust removal in both forward and reverse action. Each tooth is hardened to prevent tooth snap. Shock-absorbing, ergonomic soft grip handle. Display packed.

Pitch 7/8 First Fix




5903482

5903482

250mm Straight Tinman's Shears

Forged from selected tool steel with blades induction hardened and accurately ground. The curvature along the cutting edge improves performance by gripping the material being cut. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Display packed.

Length: 250mm



5903303

5903303

Metric Combination Spanner Set (14 Piece)

Generally in accordance with DIN3113 Specifications

Forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Draper HI-TORQ® ring end offset at 15°. Jaw offset at 15°. Supplied in Tetron divided wallet with tie cord. Display packed.

Contents: 8, 9, 10, 11, 12, 13, 14, 17, 19, 22, 24, 27, 30 and 32mm.



5931101

5931101
20 Blade Metric Feeler Gauge Set

Super accurate, metric feeler gauge set with twenty 100mm long tapered blades. All blades are hardened and polished for a longer life. Each feeler blade is marked with its size and folds into a polished steel case with thumbscrew. An invaluable feeler gauge set, designed for accurate precision work.

Contents:

Blade sizes:
 20 metric blades size: 0.05, 0.10, 0.15, 0.20, 0.25, 0.30, 0.35, 0.40, 0.45, 0.50, 0.55, 0.60, 0.65, 0.70, 0.75, 0.80, 0.85, 0.90, 0.95 and 1.0mm.



5905896

5905896
Knipex Twin Key

Magnetic utility key. Manufactured with 13 essential utility key shapes and a double ended screwdriver bit this utility key is an essential addition for all service personnel. Display packed.

Contents:

Finned Key: 3.5mm
 Half Moon: 6mm
 Four Squares: 5, 6-7, 8-9 and 10-11mm
 Stepped Square: 6-9mm
 Three Triangles: 7-8, 9-10 and 11-12mm
 Double-ended 7mm plain/No.2 cross slot insert bit 55mm long



59010736

59010736
'Pound Thru' Plain Slot 10 x 250mm Soft Grip Screwdrivers

Screwdrivers with hardened SVCM satin chrome plated hexagonal blades. Attached to a soft grip, oil and solvent resistant handle with integrated toughened 'Pound Thru' metal cap designed for receiving hammer blows.

Blade Length: 250mm **Blade Tip:** 10mm



5900038

5900038
Soft Grip Screwdriver Set (8 Piece)

SVCM+ blades which are hardened and satin chrome plated with sand blasted tips. Attached to a soft grip, oil and solvent resistant colour coded handle. Supplied in PVC storage case.

Contents: Plain Slot; 3.5 x 75, 5.5 x 100, 6.5 x 100, 8 x 150
 Cross Slot; No.1 x 75, No.2 x 100mm
 PZ Type; No.1 x 75, No.2 x 100mm



6800164

6800164

150mm Engineers Precision Square

Manufactured to BS 939 Workshop Grade B for squareness tolerance only.

Made with solid steel stock with a hardened, tempered and finely polished blade. The squareness of the blade edges and the stock working face falls within $\pm 0.016\text{mm}/0.0064''$ tolerance. Display packed.

Size: 150mm




6800165

6800165

230mm Double Ended Engineers Scriber

Double ended hardened scriber with straight and 90° hardened points. Display packed.




5906020

5906020

300mm 12" Stainless Steel Rule

Precision rules manufactured from hardened stainless steel matt chrome plated. The clear black graduations of 0.5mm, mm, 0.5cm, cm and 1/64", 1/50", 1/32", 1/20", 1/16", 1/10", 1/2", and inches on the reverse are permanently etched for long service life. Packed into vinyl wallets. Display packed.

Length: 300mm & 12"




5906019

5906019

150mm / 6" Stainless Steel Rule

Precision rules manufactured from hardened stainless steel matt chrome plated. The clear black graduations of 0.5mm, mm, 0.5cm, cm and 1/64", 1/50", 1/32", 1/20", 1/16", 1/10", 1/2", and inches on the reverse are permanently etched for long service life. Packed into vinyl wallets. Display packed.

Length: 150mm & 6"




5610102

5610102

155mm Household Scissors

Forged from selected steel, fully chrome plated and polished. Display packed.



6800452

6800452

3mm x 100mm Centre Punch


Square section striking head with knurled body and polished ends. Manufactured from carbon steel hardened and tempered. Display packed.

Diameter: 3mm

Length: 100mm

**6800136****6800136****2 x 300mm 18tpi Bi-Metal Hacksaw Blades****Conforms to BS 1919**

Saw edge, manufactured from high speed steel strip, electron beam welded to high quality carbon steel backing. Display packed two blades per card.

Pitch 18**6800419****6800419****10 x Junior Hacksaw Blades****Manufactured to BS6271**

General purpose cutting blades with pinned ends. Will fit all junior hacksaw frames. Packed ten blades on display card or in bags of 100 blades.

Quantity: 10 blades per card.

**7200104****7200104****310mm Heavy Duty 4 Row Wire Scratch Brush**

Industrial wire scratch brushes with wooden stock incorporating a hang hole. Sold loose.

Rows of Wire 4 x 15**6800277****6800277****200mm Soft Grip Engineers File and Rasp Set (8 Piece)**

High carbon steel, hardened and tempered with soft grip handles incorporating hang hole. Supplied in tool roll. Display packed.

Contents: flat, hand, half round, round, square, three square files, half round rasp and round rasp.**5900061****5900061****Heavy Duty Soft Grip Hacksaw 300mm**

Manufactured aluminium frame with a soft grip handle. Frame has two sets of blade spigots which allows straight or 45° cutting. Supplied with a 300mm bi-metal blade.

**5902363****5902363****Junior Hacksaw with Powder Coated Frame**

Plated steel frame with powder coating and finger guard. Supplied with blade. Display packed.

**5950563****5950563****450mm Wrecking Bar**

For dismantling timber work, case opening, etc. and removing nails. Forged high grain steel with chisel end and swan neck. Sold loose.

Length: 450mm

**5904258****5904258****450g (16oz) Fibreglass Shafted Ball Pein Hammer**

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing PP/TPR grip. Sold Loose.

Weight: 450g (16oz)

**5903528****5903528****1kg (2.2lb) Dead Blow Hammer**

Manufactured from high quality SBR material which is oil and cold resistant. Hollow head has steel particles helping to prevent rebound. Sold loose.

**5903138****5903138****680g (24oz) Copper/Rawhide Faced Hammer**

Copper/rawhide faced hammer with a heavy malleable iron head fitted with a copper and a rawhide face. The copper face is especially suitable for dismantling and assembly work where it will help to avoid damaging component parts. The rawhide face is ideal for use on materials where bruising needs to be avoided. An excellent dual purpose hammer. Shaped wood shaft. Sold loose. **Weight:** 680g (24oz)

**5902352****5902352****Automatic Pipe Cutter (15mm)**

For cutting copper and plastic pipes. Ideal for work in confined areas. Display packed.

**5902353****5902353****Automatic Pipe Cutter (22mm)**

For cutting copper and plastic pipes. Ideal for work in confined areas. Display packed.

59010601**59010601****Metric Hexagon Key Set (10 Piece)**

Manufactured from chrome vanadium steel that's hardened and tempered. Held in plastic storage holder.

Contents: 2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0, 7.0, 8.0 and 10.0mm

59010602**59010602****Imperial Hexagon Key Set (10 Piece)**

Manufactured from chrome vanadium steel that's hardened and tempered. Held in plastic storage holder.

Contents: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16 and 3/8"

5902380**5902380****450mm Adjustable Pipe Wrench**

Traditional pattern wrench. Handle drop forged hardened and tempered. Jaws additionally induction hardened to 55-60 HRC for durability and long life. Frame and handle electrostatically painted. Display packed.

Capacity 65mm **Length** 450mm

5902372**5902372****250mm Adjustable Pipe Wrench**

Traditional pattern wrench. Handle drop forged hardened and tempered. Jaws additionally induction hardened to 55-60 HRC for durability and long life. Frame and handle electrostatically painted. Display packed.

Capacity 40mm **Length** 250mm

5903950**5903950****250mm Crescent-Type Adjustable Wrench with Phosphate Finish**

Crescent-type wrenches manufactured from chrome vanadium steel hardened and tempered with black phosphate finish, polished profile and jaws. Jaws offset at 22°. The 150, 200, 250 and 300mm sizes have a graduated scale on the fixed jaws. Suitable for use in areas where chemicals and chrome plate can give off poisonous fumes. Display packed. **Capacity** 33mm **Length** 250mm

5903948**5903948****150mm Crescent-Type Adjustable Wrench**

Crescent-type wrench manufactured from chrome vanadium steel hardened and tempered with black phosphate finish, polished profile and jaws. Jaws offset at 22°. The 150, 200, 250 and 300mm sizes have a graduated scale on the fixed jaws. Suitable for use in areas where chemicals and chrome plate can give off poisonous fumes. Display packed. **Capacity:** 24mm. **Length:** 150mm.

**5901095****5901095****5m / 16ft x 27mm Measuring Tape**

Manufactured to EC Class II Accuracy. Tough impact resistant ABS case with belt clip and TPR soft grip jacket fitted with 'bump-stop' prolonging the life of the tape. The tape lock button can be operated from the side and bottom and when finished the braked return mechanism ensures a smooth return. The nylon-coated tape has metric and imperial graduations on both sides and stud centre markings every 16" and 19.2" and is fitted with a self-aligning, double ended, magnetic end-hook providing easy attachment and measuring from both sides of the tape. Display packed. Length: 5m / 16ft. Width: 27mm.

**5900037****5900037****1/2" Sq. Dr. Metric Socket Set (30 Piece)**

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Twelve point sockets made from chrome vanadium steel that's hardened and tempered with a polished finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible ratchet and accessories. Packed in a tough plastic storage case with soft grip handle.

Contents:

- 23 sockets size 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm
- 3 spark plug sockets size 10, 12, 14mm
- 72 tooth reversible ratchet with "quick release" button
- wobble extension bar 125mm
- sliding 'T' bar
- universal joint

**5210520****5210520****Inspection Lamp with Rechargeable 4W COB LED & UV LED**

COB (Chip On Board) inspection lamp perfectly suited for a host of industries especially the automotive sector.

Fitted with COB face-plate LED producing an impressive 350 lumens and the 1W LED on the end plate delivers 80 lumens. The end plate is also fitted with three Ultra Violet LEDs transforming the lamp into torch. The UV LEDs enable detection of leaks on cooling systems and air-con systems.

Powered by a rechargeable Li-ion battery, delivering enhanced battery efficiency, while the base is manufactured with an integrated magnet and the swivel joint permits the light to be used in any 360 degree position.

Supplied with two hang hooks, 240V charger and 12V charging adaptor.

A universally essential inspection lamp-torch perfect for a host of industries, especially useful in the automotive sector as the UV capabilities enable leak detection.

Colour: Blue

**6200250****6200250****Mobile Contractors 640mm Chest and 560mm Tool Box**

Professional's tool chest and box in one unit on wheeled trolley with telescopic handle and kick plate. Each box is manufactured from tough durable plastic construction with steel locking latches. The chest has handles to facilitate lifting and rubber feet for protection. The tool box has a full size carrying handle and removable top organizer with 11 compartments. For safety when using the trolley, the tool chest and tool box can be locked together. Carton packed.

Contents:

Configuration:

tool box (external): 560 x 280 x 250mm

tool box tote tray (internal): 515 x 225 x 50mm

tool box organiser (external): 390 x 170 x 33mm

chest (external): 640 x 400 x 445mm

chest tote tray (internal): 559 x 290 x 90mm

**5950623****5950623****ABS Plastic Torpedo Level with Side View Vial and Magnetic Base (250mm)**

ABS plastic magnetic 'V' groove level especially useful when levelling pipework. Fitted with three vials: horizontal, 45° and vertical with an accuracy 1.75mm per 1M = 0.1° in standard position. Display packed.

**6200217****6200217****420mm Solid Base Tool Bag**

Manufactured from water repellent polyester with PVC backing, nylon zip with framed opening and heavy duty plastic base. 13 internal pockets and eight external pockets. Sold loose with display card.

Dimensions 420 x 230 x 290mm



CBRE

PLUMBING TOOLKIT

GSK



5900068

5900068

'Pound Thru' Soft Grip Screwdriver Sets (6 Piece)

Screwdrivers with hardened SVCM+ satin chrome plated hexagonal blades. Attached to a soft grip, oil and solvent resistant handle with integrated toughened 'Pound Thru' metal cap designed for receiving hammer blows. Supplied in a PVC storage case.

Contents: Plain Slot; 5.5 x 75, 6.5 x 100mm
Cross Slot; No.1 x 75, No.2 x 100mm
PZ Type; No.1 x 75, No.2 x 100mm



59010736

59010736

'Pound Thru' Plain Slot 10 x 250mm Soft Grip Screwdrivers

Screwdrivers with hardened SVCM satin chrome plated hexagonal blades. Attached to a soft grip, oil and solvent resistant handle with integrated toughened 'Pound Thru' metal cap designed for receiving hammer blows.

Blade Length: 250mm **Blade Tip:** 10mm



5950201

5950201

245mm Waterpump Plier with Soft Jaws

Designed for use on decorative or bright plated fittings that can be easily damaged using conventional steel jaws. The jaws are adjustable for securing a variety of shapes to a maximum of 40mm with eight positions. Manufactured from chrome vanadium steel hardened, tempered and chemically blacked. 'Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Cushion-grip handles. Supplied with replacement set of soft jaws. Display packed.



5903297

5903297

Metric Tubular Box Spanner Set (6 Piece)

Manufactured in accordance with BS2558 Specifications

Double ended, manufactured from high quality carbon steel, zinc plated for corrosion protection. Sets include tommy bars. Display packed.

Contents:

8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17 and 18 x 19mm, with two tommy bars 100mm and 150mm long.

5902372**5902372****250mm Adjustable Pipe Wrench**

Traditional pattern wrench. Handle drop forged hardened and tempered. Jaws additionally induction hardened to 55-60 HRC for durability and long life. Frame and handle electrostatically painted. Display packed.

Capacity 40mm **Length** 250mm

5902380**5902380****450mm Adjustable Pipe Wrench**

Traditional pattern wrench. Handle drop forged hardened and tempered. Jaws additionally induction hardened to 55-60 HRC for durability and long life. Frame and handle electrostatically painted. Display packed.

Capacity: 65mm

Length: 450mm

5902379**5902379****600mm Adjustable Pipe Wrench**

Traditional pattern wrench. Handle drop forged hardened and tempered. Jaws additionally induction hardened to 55-60 HRC for durability and long life. Frame and handle electrostatically painted. Display packed.

Capacity 75mm **Length** 600mm

5950490**5950490****Adjustable Basin Wrench (40mm Capacity)**

Swivel action adjustable basin wrench. The universal gripping head with their serrated faces provide excellent gripping capability. Manufactured from chrome plated solid steel for added strength and the handle is fitted with a sliding tommy bar, perfect when extra leverage is required. Great professional tool for all plumbers toolboxes.

Capacity: 40mm

5900061**5900061****Heavy Duty Soft Grip Hacksaw 300mm**

Manufactured aluminium frame with a soft grip handle. Frame has two sets of blade spigots which allows straight or 45° cutting. Supplied with a 300mm bi-metal blade.

5950563**5950563****450mm Wrecking Bar**

For dismantling timber work, case opening, etc. and removing nails. Forged high grain steel with chisel end and swan neck. Sold loose.

Length: 450mm

**5901095**

5901095

5m / 16ft x 27mm Measuring Tape

Manufactured to EC Class II Accuracy. Tough impact resistant ABS case with belt clip and TPR soft grip jacket fitted with 'bump-stop' prolonging the life of the tape. The tape lock button can be operated from the side and bottom and when finished the braked return mechanism ensures a smooth return. The nylon-coated tape has metric and imperial graduations on both sides and stud centre markings every 16" and 19.2" and is fitted with a self-aligning, double ended, magnetic end-hook providing easy attachment and measuring from both sides of the tape. Display packed. Length: 5m / 16ft. Width: 27mm.

**5900069**

5900069

Opti-Vision™ Torpedo Level with Magnetic Base (250mm)

Heavy duty cast aluminium level torpedo level with highly visible horizontal 'Opti-Vision' solid acrylic UV resistant vial set into the angles surface, one solid acrylic vertical vial and one angle finder solid acrylic vial all set within tough red housings for maximum visibility. Electrostatically epoxy powder coated and baked for maximum protection, shock absorbing end caps. The base has a finely milled surface, a V-groove for levelling pipework and two inset rare earth magnets. Accuracy 0.5mm per 1M = 0.029° in standard position.

**5210520**

5210520

Inspection Lamp with Rechargeable 4W COB LED & UV LED

COB (Chip On Board) inspection lamp perfectly suited for a host of industries especially the automotive sector.

Fitted with COB face-plate LED producing an impressive 350 lumens and the 1W LED on the end plate delivers 80 lumens. The end plate is also fitted with three Ultra Violet LEDs transforming the lamp into torch. The UV LEDs enable detection of leaks on cooling systems and air-con systems.

Powered by a rechargeable Li-ion battery, delivering enhanced battery efficiency, while the base is manufactured with an integrated magnet and the swivel joint permits the light to be used in any 360 degree position.

Supplied with two hang hooks, 240V charger and 12V charging adaptor.

A universally essential inspection lamp-torch perfect for a host of industries, especially useful in the automotive sector as the UV capabilities enable leak detection.

Colour: Blue


5902346**5902346****Plumb Bob with 5m (approx) Nylon Line**

Precision machined solid brass plumb bob with 5M (approx.) of nylon line.

5950246**5950246****135mm Diameter Sink Plunger**

Beech handle 22mm diameter with rubber plunger. Sold loose.

Length: 370mm

5950219**5950219****9m Polypropylene Drain Rod Set (12 Piece)**

Comprising ten rods each 915mm long, double worm screw and plunger. 9M long when fully assembled. Manufactured from polypropylene with brass plated end connections. Display packed.

5903138**5903138****680g (24oz) Copper/Rawhide Faced Hammer**

Copper/rawhide faced hammer with a heavy malleable iron head fitted with a copper and a rawhide face. The copper face is especially suitable for dismantling and assembly work where it will help to avoid damaging component parts. The rawhide face is ideal for use on materials where bruising needs to be avoided. An excellent dual purpose hammer. Shaped wood shaft. Sold loose. **Weight:** 680g (24oz)

5900070**5900070****Canvas Toolbag**

Manufactured from water repellent canvas with PVC backing, rope reinforced handles, nylon zip and wood base. Packed in polythene bag with display card.

Dimensions 600 x 170 x 180mm

5305777**5305777****150g Wire Wool Medium Grade 1**

Wire wool manufactured from steel. Ideal for buffing, cleaning, cutting, and removing. Select the grade required. Display packed.

Grade: #1 Medium



5902352

5902352

Automatic Pipe Cutter (15mm)

For cutting copper and plastic pipes. Ideal for work in confined areas. Display packed.



5902353

5902353

Automatic Pipe Cutter (22mm)

For cutting copper and plastic pipes. Ideal for work in confined areas. Display packed.



5902360

5902360

Automatic Pipe Cutter (28mm)

For cutting copper and plastic pipes. Ideal for work in confined areas. Display packed.



CBRE

ELECTRICAL TOOLKIT

GSK




5906184

5906184
Metric Hexagon and Ball End Hexagon Key Set (10 Piece)

Hexagon keys with ball end on the long arm and conventional ends on short arm. The ball type hexagon tip allows the hexagon key to be used up to 30° angle from the screwhead recess. Manufactured from chrome vanadium steel that's hardened and tempered. Held in plastic storage holder. Display packed.

Contents

2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0, 7.0, 8.0 and 10.0mm



5900064

5900064
250mm Heavy Duty Waterpump Pliers

Heavy-duty waterpump pliers. Manufactured from hardened and tempered chrome vanadium steel, with hardened jaws, achieving excellent gripping performance. The jaws have our multi position feature and comfort is delivered from the dipped handles, achieving greater user comfort and less hand fatigue. A great pair of everyday waterpump pliers for a host of plumbing tasks around the home.

Capacity: 53mm **Length:** 250mm



5903494

5903494
Metric / Imperial Combined Long Pattern Hexagon Key Set (30 Piece)

Manufactured from chrome vanadium steel that's hardened and tempered. The long arm is particularly useful when working in confined spaces and varies in length from 65mm on the 0.7mm/0.028" through to 170mm on the 10mm/ 3/8" size. Display packed in plastic case.

Contents

0.7, 0.9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0 and 10.0mm; 0.028, 0.035, 0.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16 and 3/8"



5903303

5903303
Metric Combination Spanner Set (14 Piece)
Generally in accordance with DIN3113 Specifications

Forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Draper HI-TORQ® ring end offset at 15°. Jaw offset at 15°. Supplied in Tetron divided wallet with tie cord. Display packed.

Contents: 8, 9, 10, 11, 12, 13, 14, 17, 19, 22, 24, 27, 30 and 32mm.



5916501

5916501

8m / 26ft x 27mm Measuring Tape

Manufactured to EC Class II Accuracy

Tough impact resistant ABS case with belt clip and TPR soft grip jacket fitted with 'bump-stop' prolonging the life of the tape. The tape lock button can be operated from the side and bottom and when finished the braked return mechanism ensures a smooth return. The nylon-coated tape has metric and imperial graduations on both sides and stud centre markings every 16" and 19.2" and is fitted with a self-aligning, double ended, magnetic end-hook providing easy attachment and measuring from both sides of the tape. Display packed. **Length:** 8M / 26ft **Width:** 27mm



5906215

5906215

7 piece VDE Screwdriver Set

Individually tested protective insulation 1,000 V AC, VDE and GS tested. Manufactured acc. to IEC 60900:2012. Blade made from high quality chrome-vanadium-molybdenum steel hardened with black finish. Protective insulation moulded directly onto the blade and completely integrated into the blade in the lower area. SoftFinish multi-component handle with roll-off protection. The integrated protective insulation enables low-lying fastening and spring elements to be reached and manipulated. Slim blades. Unique concept of screwdriver handle sizes for an optimum balance between torque and control.



59010736

59010736

'Pound Thru' Plain Slot 10 x 250mm Soft Grip Screwdrivers

Screwdrivers with hardened SVCM satin chrome plated hexagonal blades. Attached to a soft grip, oil and solvent resistant handle with integrated toughened 'Pound Thru' metal cap designed for receiving hammer blows.

Blade Length: 250mm **Blade Tip:** 10mm



5900038

5900038

Soft Grip Screwdriver Set (8 Piece)

SVCM+ blades which are hardened and satin chrome plated with sand blasted tips. Attached to a soft grip, oil and solvent resistant colour coded handle. Supplied in PVC storage case.

Contents: Plain Slot; 3.5 x 75, 5.5 x 100, 6.5 x 100, 8 x 150
Cross Slot; No.1 x 75, No.2 x 100mm
PZ Type; No.1 x 75, No.2 x 100mm

**5920149****No. 2 x 100mm Fully Insulated PZ Type Screwdriver (Display Packed)**

Manufactured and individually certified to EN 60900
PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems

VDE approved fully insulated soft grip PZ type screwdrivers tested to 10kV, suitable for working on live circuits up to 1kV AC and 1.5kV DC. Chrome molybdenum steel blades hardened, tempered and chemically blacked. Fully insulated soft grip handle with deep set blade sheath for total safety. Display packed in individual storage hanger with barcode on reverse.

*Pozidriv®/Supadriv® are registered trademarks of Trifast Plc.

**5900066****Ergo Plus® VDE No. 0 x 60mm PZ Slot Screwdriver**

Manufactured and individually certified to EN 60900
PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems.

No.0 x 60mm PZ Slot VDE screwdriver, individually tested to ensure it fulfils the EN 60900 requirements. The EN 60900 requirements compel all tools to be tested to 10kV, making them suitable for working on live AC circuits of up to 1kV and DC circuits of up to 1.5kV. The blades on the screwdrivers are manufactured from SVCM+ alloy steel, hardened, tempered and chemically blackened, with a deep-set blade sheath providing total safety and peace of mind. All blades are fitted to a fully insulated, ergonomic soft grip handle delivering user comfort even when used for prolonged periods. A great VDE screwdriver for professional electricians. *Pozidriv®/Supadriv® are registered trademarks of Trifast Plc. **Blade Length:** 60mm **Blade Tip:** No. 0

**5900067****Ergo Plus® VDE No. 1 x 80mm Cross Slot Screwdriver**
Manufactured and individually certified to EN 60900

No.1 x 80mm Cross Slot VDE screwdriver, individually tested to ensure it fulfils the EN 60900 requirements. The EN 60900 requirements compel all tools to be tested to 10kV, making them suitable for working on live AC circuits of up to 1kV and DC circuits of up to 1.5kV. The blades on the screwdrivers are manufactured from SVCM+ alloy steel, hardened, tempered and chemically blackened, with a deep-set blade sheath providing total safety and peace of mind. All blades are fitted to a fully insulated, ergonomic soft grip handle delivering user comfort even when used for prolonged periods. A great VDE screwdriver for professional electricians.

Blade Length: 80mm **Blade Tip:** No. 1



5904384

160mm VDE Combination Pliers

Manufactured to DIN Standard and individually certified to EN 60900

Drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed. **Length:** 160mm

Cut Hard Wire Dia. 1.8mm **Cut Med/Hard Wire Dia.** 3.1mm

5903204

185mm Ergo Plus® Fully Insulated VDE Pliers

Manufactured to DIN Standard and individually certified to EN 60900

Special steel hardened and tempered with cutting edges separately induction hardened. Ergonomic shape of head and handles allow user to access difficult working areas and still keep a tight grip on the workpiece. The pliers have following functions: flat cutter on the tip of the head for use on cable ties; wire stripper 1.5 and 2.5mm² wire; diagonal cutter for medium hard wire (3.5mm²), hard wire (2.5mm²) and piano wire (2mm²); crimper for terminals 1.5 and 2.5mm²; pattress screw cutter for M3.5 and M4 screws and wire looping device on underside of pliers for looping wire for plug screws/terminals. Display packed.



5904389

200mm VDE Long Nose Pliers

Manufactured to DIN Standard and individually certified to EN 60900.

Drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed. **Cuts hard wire:** 1.6mm.

Cuts med hard wire: 3.6mm. **Length:** 200mm

5904386

200mm VDE Combination Pliers

Manufactured to DIN Standard and individually certified to EN 60900

Drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed.

Cut Hard Wire Dia. 2.3mm **Cut Med/Hard Wire Dia.** 3.8mm
Length: 200mm

**5904393****5904393**

180mm VDE Hi-Leverage Diagonal Side Cutter
Manufactured to DIN Standard and individually certified to EN 60900

Drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed.

Cut Hard Wire Dia. 2.5mm

Cut Med/Hard Wire Dia. 3.8mm

Cut Piano Wire 1.8mm

Length 180mm

**5904390****5904390**

140mm VDE Diagonal Side Cutter
Manufactured to DIN Standard and individually certified to EN 60900

Drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed.

Cut Hard Wire Dia. 1.6mm

Cut Med / Hard Wire Dia. 2.5mm

Cut Soft Wire Dia. 4.0mm

Length: 140mm

**5904395****5904395**

160mm VDE Wire Stripper
Manufactured to DIN Standard and individually certified to EN 60900

Drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed.

**5905896****5905896****Knipex Twin Key**

Magnetic utility key. Manufactured with 13 essential utility key shapes and a double ended screwdriver bit this utility key is an essential addition for all service personnel. Display packed.

Contents:

Finned Key: 3.5mm

Half Moon: 6mm

Four Squares: 5, 6-7, 8-9 and 10-11mm

Stepped Square: 6-9mm

Three Triangles: 7-8, 9-10 and 11-12mm

Double-ended 7mm plain/No.2 cross slot insert bit 55mm long

**5900063****5900063****Nut Spinner with Soft-Grip (7mm)**

7mm Nut spinner manufactured with chrome vanadium steel blades that have been hardened and tempered for added strength. Each nut spinner socket is fitted with a hex on the base delivering extra grip, ideal for when more torque is required and attached to a ergonomic soft grip handle for added user comfort. A great addition to most toolboxes and for a host of trades.

Blade Length: 150mm **Socket Size:** 7mm

**6800176****6800176****Bar Type Tap Wrench 2.50 - 12.00mm**

Hardened and tempered jaws, knurled handle with black enamelled finish. Display packed.

Capacity: 2.0 - 12mm

**5904287****5904287****Wire Stripping Electricians Pocket Knife**

For wire stripping and various heavy duty cutting applications. Reinforced nylon handle. Two wire strippers are located on the stainless steel spear blade. Display packed.

Size: 106mm

6800278**6800278****200mm Soft Grip Engineers File Set (4 Piece)**

High carbon steel, hardened and tempered with soft grip handles incorporating hang hole. Display packed.

Contents: flat, half round, round and three square

5904258**5904258****450g (16oz) Fibreglass Shafted Ball Pein Hammer**

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing PP/TPR grip. Sold Loose.

Weight: 450g (16oz)

5900061**5900061****Heavy Duty Soft Grip Hacksaw 300mm**

Manufactured aluminium frame with a soft grip handle. Frame has two sets of blade spigots which allows straight or 45° cutting. Supplied with a 300mm bi-metal blade.

5900071**5900071****Folding Tote with Tubular Steel Handle**

Folding tubular frame with soft grip handle and covered in a rigid waterproof fabric. Incorporated with 8 external pockets and 18 internal tool loops. Fitted with shoulder strap and protective bumpers on the base. Display packed.

Dimensions: 610 x 250 x 300mm

5903949**5903949****200mm Crescent-Type Adjustable Wrench with Phosphate Finish**

Crescent-type wrenches manufactured from chrome vanadium steel hardened and tempered with black phosphate finish, polished profile and jaws. Jaws offset at 22°. The 150, 200, 250 and 300mm sizes have a graduated scale on the fixed jaws. Suitable for use in areas where chemicals and chrome plate can give off poisonous fumes. Display packed. **Capacity** 29mm **Length** 200mm

5902372**5902372****250mm Adjustable Pipe Wrench**

Traditional pattern wrench. Handle drop forged hardened and tempered. Jaws additionally induction hardened to 55-60 HRC for durability and long life. Frame and handle electrostatically painted. Display packed.

Capacity 40mm **Length** 250mm



6800329

6800329

3mm x 150mm Octagonal Parallel Pin Punch

Special air hardened chrome vanadium steel for long life. The tips are accurately ground, with specially tempered heads. Sold loose.

Diameter 3.0mm **Length:** 150mm



6800334

6800334

8mm x 150mm Octagonal Parallel Pin Punch

Special air hardened chrome vanadium steel for long life. The tips are accurately ground, with specially tempered heads. Sold loose.

Diameter 8.0mm **Length:** 150mm



5950270

5950270

3.5mm x 0.6 Re-Threading Tool

For cleaning out and cutting damaged or malformed threads in electrical boxes and other similar jobs. Manufactured from high speed steel with precision ground threads and an impact resistant PVC handle. Display packed.

Size: 3.5 x 0.6




5900065

5900065

Automatic Centre Punch

Heavy duty spring-loaded hardened steel point. Adjustable striking force. Display packed.




5610102

5610102

155mm Household Scissors

Forged from selected steel, fully chrome plated and polished. Display packed.



5906019

5906019

150mm / 6" Stainless Steel Rule

Precision rules manufactured from hardened stainless steel matt chrome plated. The clear black graduations of 0.5mm, mm, 0.5cm, cm and 1/64", 1/50", 1/32", 1/20", 1/16", 1/10", 1/2", and inches on the reverse are permanently etched for long service life. Packed into vinyl wallets. Display packed.

Length: 150mm & 6"



6200250

6200250

Professional's tool chest and box in one unit on wheeled trolley with telescopic handle and kick plate. Each box is manufactured from tough durable plastic construction with steel locking latches. The chest has handles to facilitate lifting and rubber feet for protection. The tool box has a full size carrying handle and removable top organizer with 11 compartments. For safety when using the trolley, the tool chest and tool box can be locked together. Carton packed.

Contents:

Configuration:

- tool box (external): 560 x 280 x 250mm
- tool box tote tray (internal): 515 x 225 x 50mm
- tool box organiser (external): 390 x 170 x 33mm
- chest (external): 640 x 400 x 445mm
- chest tote tray (internal): 559 x 290 x 90mm



5900062

5900062

**1/2" Sq. Dr. Metric Socket Set in Metal Case (28 Piece)
Manufactured and tested generally in accordance with
DIN3122 and ISO3315 Specifications**

Six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Each socket has a knurled ring for extra grip. Packed in a steel carrying case with EVA foam inserts.

Contents

- 20 sockets size 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
- 2 spark plug sockets size 10, 14mm
- 72 tooth reversible ratchet with soft grip handle and "quick release" button
- 3 wobble extension bars size 75, 125, 250mm
- *T' bar head 1/2" (M) x 3/8" (F)
- universal joint. *T' bar head/converter when used with wobble extension bar forms a sliding 'T' bar



5210520

5210520

Inspection Lamp with Rechargeable 4W COB LED & UV LED

COB (Chip On Board) inspection lamp perfectly suited for a host of industries especially the automotive sector.

Fitted with COB face-plate LED producing an impressive 350 lumens and the 1W LED on the end plate delivers 80 lumens. The end plate is also fitted with three Ultra Violet LEDs transforming the lamp into torch. The UV LEDs enable detection of leaks on cooling systems and air-con systems.

Powered by a rechargeable Li-ion battery, delivering enhanced battery efficiency, while the base is manufactured with an integrated magnet and the swivel joint permits the light to be used in any 360 degree position.

Supplied with two hang hooks, 240V charger and 12V charging adaptor.

A universally essential inspection lamp-torch perfect for a host of industries, especially useful in the automotive sector as the UV capabilities enable leak detection.

Colour: Blue



5551188

5551188 2 Pole LED Voltage Tester

Key Benefits

- Clear oversize luminous LEDs shine through voltage level
- Clear audible tone
- UK Specific GS38 Slender probe tips NO NEED to swap ends
- Bright torch light - gives ample illumination
- Fits into recessed terminals such as RCBOs without unscrewing any caps
- Phase Rotation - Bright green LEDs show left or right rotation.

Indicates actual voltage if no batteries fitted

Two pole testers that use batteries should indicate a live circuit if the batteries die or have not been inserted into the tester.

This is normally indicated by a single LED but this does not indicate the actual voltage present.

The KT1780 & KT1790 have a separate circuit so they operate with no batteries or dead batteries and still indicate the actual voltage present.

Key Features

- AC & DC Voltage tests up to 690V
- Clear Oversize luminous LED indication
- Soft to touch overmoulded rubber body
- Continuity Test
- Self diagnostic test
- Single Pole phase test
- Phase Rotation test
- Polarity indication
- Auto power on/off
- IP65 rating protects against Dust & Water ingress
- Designed to the new international safety standards IEC 61243-3 & IEC 61010-1
- Cat IV 600V

Included: Built in test leads, Batteries
Instruction manual with Certificate of Conformity

Weights & Dimensions: Boxed Weight: 242g
Boxed Dimensions: 300(H)mm x 40(H)mm x 70(D)mm



5551233

5551233 Kewstick DUO (Non-Contact Voltage Detector) ITEM USED FOR INDICATION ONLY

Unique dual sensitive non-contact voltage detector - just press and hold the desensitising button and you can differentiate between live and earthed cables approximately 10mm apart.

Key Benefits:

- Dual sensitivity
- Heartbeat - green LED indicates that the unit is on and working correctly
- Red LED indicates presence of voltage
- Audible tone also indicates the presence of voltage

Key Features:

- Clearly detects 90 - 600 volts AC without metal contact
- Two colour LEDs - Green for correct working and Red for Voltage detection
- Two tone buzzer, one for correct working and one for voltage detection
- Pocket-size for handy use anywhere
- Low power consumption circuits means long life batteries
- Cat IV rated
- 2 year unconditional guarantee (excluding batteries)

**5551284**

5551284 1000A Ultra Slim Clamp Meter

Ultra slim and lightweight 1000A clamp with 0.01A resolution

Key Benefits

Slim, lightweight high capacity clamp meter from the world leaders in clamps.

DMM functionality

G7 test leads

Key Features

10mm Jaw thickness

Tear drop jaw shape for easy access in to distribution boards

1000A Current measurement

0.01 A resolution

AC Voltage measurement up to 600V

1mV Resolution AC V

DC Voltage measurement up to 600V

0.1mV Resolution DCV

Resistance measurement

Continuity buzzer

Fuseless electronic protection on up continuity up to 600V

Comes with popular G7 test leads

Includes carry case with belt loop

Safety: IEC 61010-1 CAT.III 600V Pollution degree 2 (AC A),
CAT.III 300V / CAT.II 600V Pollution degree 2 (AC/DC V)

IEC 61010-031, IEC 61010-2-032, IEC 61326 (EMC)

Included:

Test leads

Carry pouch with belt loop

Batteries

Manual

**5551377**

5551377 Kitbag 3 for 2 Pole LED Voltage Tester

Carrying case for 2 Pole LED Voltage Tester. Branded zip kit bag with clear window. Case has 2 holes in proving unit storage section for testing without removal. Item CBRE branded.

Dimensions: Length 31cm Width: 13cm Depth: 9cm

Material - cloth with carrying strap

**6202161**

6202161 Branded Kitbag 4 (MFT Padded Bag)

Kitbag 4 (MFT Padded Bag)

Width: 30cm

Height: 18cm

Depth: 18cm



5551618

5551618

Digital 8-in-1 Multifunction Tester

Proven multifunction tester combining the latest anti-trip technology, phase rotation, earth resistance & advanced memory, with easy to use functionality. Specifically designed for the UK market.



5551217

5551217

Socket Tester

Checks correct socket outlet wiring. Checks the quality of the earthing that is essential for safe installations. Checks for the polarity of the mains supply. Checks RCDs with measured current. Bright LEDs Easy to use - anything other than green needs checking out.



1751238

1751238

Arc Flash Glove 8.2 Cal

18-gauge flame-resistant arc flash glove with neoprene palm. 1125 Grams of Cut protection. World's first 18g Arc Flash Glove. 18g Kevlar® composite filament fiber shell of protection. Arc-flash tested for level 2, rated ATPV = 8.2 cal/cm2. Flame-resistant neoprene palm coating for better grip. Touchscreen compatible.

Sizes: 5 - 11 Applications: Petro Chemical, Utilities, Oil and Gas



1301136

1301136

Yale Spectacles Clear

Ultra lightweight, wrap around design, contoured shape, polycarbonate lens (PC lens), soft nose bridge, non slip coloured rubber tips

Conform to EN166:

- Optical Class:1
- F - (Low impact energy)
- 2C-1.2 - UV Filter

**5551215****5551215****690V AC/DC Proving Unit**

Essential for proving circuits are dead before commencing work. The high output will drive low impedance testers such as traditional test lamps as well as modern two pole testers - the one to have to be confident that it will work with your tester. It even steps down through the voltage stages to prove each stage as well.

High output will drive even the most high current voltage detector. Instant ramp up and then step down will prove several voltage levels.

Essential for proving that circuits are not live when working on electrical circuits.

Includes: Built in test leads, Batteries, Instruction manual, Certificate of Conformity

**5551617**

Image: Non Contact Proving Unit plus Duo

5551617**Non Contact Proving Unit**

Portable proving unit for use on / off site that instantly proves the function of non-contact voltage testers before and after use.

Simple to use, just press the button and tests.

Belt clip for hands-free use.

Visual LED indication of function.

Robust and drop-proof from 1 metre.


Comes installed with a 9V battery.



CBRE

CIVILS TOOLKIT

GSK



5913666

5913666

Screwdriver Set

Parallel / Flared / Phillips / Pozi Set of 12

The Screwdriver sets have a chrome vanadium steel bar allows high torque and reduces the risk of tip breakage and the handle is moulded directly to shaft for a virtually unbreakable bond - gives long life and durability.

The soft-grip handle gives a perfect combination of great grip and reduced fatigue in use and is colour coded for easy identification of the right tip type for the application. The smooth domed end offers fast, comfortable spinning action and the large diameter handle offers higher torque when driving wood screws.

Contents:

Parallel: 2.5 x 50mm, 4.0 x 100mm, 5.5 x 150mm, 6.5 x 30mm (stubby).

Flared: 5.5 x 100mm, 8.0 x 150mm.

Phillips: PH0 x 75mm, PH1 x 100mm, PH2 x 125mm.

Pozidriv: PZ0 x 75mm, PZ1 x 100mm, PZ2 x 125mm.

Box Content:

Parallel: 2.5 x 50mm, 4.0 x 100mm, 5.5 x 150mm, 6.5 x 30mm (stubby).

Flared: 5.5 x 100mm, 8.0 x 150mm.

Phillips: PH0 x 75mm, PH1 x 100mm, PH2 x 125mm.

Pozidriv: PZ0 x 75mm, PZ1 x 100mm, PZ2 x 125mm.



5913144

5913144

Screwdrivers Torx Tip

The Torx tip screwdrivers have a chrome vanadium steel bar which allows high torque and reduces the risk of tip breakage, and the handle is moulded directly to the shaft for a virtually unbreakable bond which gives long life and durability.

The soft-grip handle gives a perfect combination of great grip and reduced fatigue in use and is colour coded for easy identification of the right tip type for the application. The smooth domed end offers fast, comfortable spinning action and the large diameter handle offers higher torque when driving wood screws.

Technical Specs


Type - Tamperproof Torx

Tip Size T10

Blade Length 75mm (3 in)

Box Content

1 x Screwdrivers T10 Torx Tip



5912432

5912432

Screwdriver Pozidriv PZ2 250mm Long Reach

The Pozidriv Screwdrivers have blades made from S2 steel, which has been hardened and tempered. It has a magnetic tip and a triple injected soft grip handle. For easy identification, the screwdrivers handles have the size and type clearly written on the handle, with a larger graphic at the end of the handle. This long reach screwdriver has the specifications: Tip type: Pozidriv. Size: PZ2 x 250mm.

**5913289****5913289****200mm Adjustable Wrench**

The MaxSteel adjustable wrenches have a narrow head design for limited space applications and Laser-marked SAE and metric jaw scale for easy fastener size. The forged alloy-steel body increases strength and the extra wide jaw capacity opens wider than standard adjustable wrenches.

They have a bi-material handle for a comfortable grip. Ideal for automotive maintenance and repair, plumbing and general assembly tasks.

Size: 200mm (8 in).
Jaw capacity: 29mm.

**5913288****5913288****150mm Adjustable Wrench**

The MaxSteel adjustable wrenches have a narrow head design for limited space applications and Laser-marked SAE and metric jaw scale for easy fastener size. The forged alloy-steel body increases strength and the extra wide jaw capacity opens wider than standard adjustable wrenches.

They have a bi-material handle for a comfortable grip. Ideal for automotive maintenance and repair, plumbing and general assembly tasks.

Size: 150mm (6 in).
Jaw capacity: 24mm.

**5915340****5915340****Pro Pliers 3 Piece Set**

Protouch pliers, set of three, they have an induction hardened chromium nickel steel cutting face that stay sharper for longer.

The pliers also feature machined jaws for maximum gripping strength and the moulded ProTouch handles for added comfort and less hand fatigue.

Diagonal Cutting Pliers: 150mm (6in).
Combination Plier: 175mm (7in).
Long Nose Pliers: 200mm (8in).

Diagonal Cutting Pliers: Length: 150mm (6in)
Combination Plier Length: 175mm (7in)
Long Nose Pliers: Length: 200mm (8in)

**5913569****5913569****Brick Bolster 100mm (4in)**

Forged from quality chrome vanadium steel, for increased strength and durability. The brick bolster is used for cutting or shaping bricks and blocks in the construction industry. Quenched and tempered to precise specifications for added safety.

Size: 100mm (4in).

**5210438****5210438****Aluminium Torch (1-95-152)**

The aluminium torch has a specially designed reflector for a strong, focused beam. Made from heavy-duty anodised aluminium for strength and durability, it features a textured handle for a firm grip. The hi-vis yellow band means it can easily be seen in the toolbox. It is weather resistant for outdoor use and has a shatter resistant lens. Batteries NOT included. This product has a WEEE code of W52 associated with it.

Max Power: 135 Lumens.

Batteries: 3 x AAA Cell (NOT included).

Size: 123mm.

Weight: 189g.

**5909024****5909024****One Piece All Steel Claw Hammer**

All-steel curved claw hammer highly polished of a one-piece construction. The narrow shaft helps weight distribution and balance. Fitted with a moulded vinyl grip that is bonded to the hammer shaft for cushioning and user comfort. Manufactured in accordance to BS876.

Weight: 570g (1 1/4 lb) (20oz)

**5912565****5912565****Club Hammer - Fibre Glass Handle**

Club Hammer with a fibreglass handle manufactured from drop forged alloy steel hardened and tempered with a black painted head with polished faces and chamfered edges, epoxy bonded for added strength.

Solid core fibreglass handle with polypropylene jacket. Unique treble injected TPR soft grip handle for comfort during use and reduced fatigue.

Weight: 1130g (2.1/2lb).



6800158

6800158
300mm Hacksaw Frame and Blade


Traditional pattern with an adjustable chrome plated tubular frame for 300mm blades. Frame has two sets of blade spigots which allows straight or 45° cutting. Can be used as a rod saw. Enamelled aluminium handle. Supplied with a 300mm HSS blade. Display packed.



5640304

5640304
Soft Grip Mini Saw with Powder Coated Frame

Specially designed for small cutting jobs on metal, wood, plastics etc., where space is limited. Powder coated metal frame with shaped soft grip handle for user comfort and control and blade tensioner. Supplied with blade. Display packed.



5913055

5913055
1912 Combination Square 300mm (12in)

This combination square has a cast iron stock and is therefore more robust for heavy-duty use. It is fitted with a level and scribe. Has graduations on both sides of blade in mm, 8th's and 16th's inches.


Size: 300mm/12in.



5904032

5904032
Heavy Duty Retractable Trimming Knife with Quick Change Blade Facility


Retractable pattern with heavy duty aluminium diecast handle. Blade can be changed by a simple twist of the handle end (no screw). Supplied with plastic belt holder. Display packed.



5950237

5950237
355mm Pry Bar / Nail Puller

Flat section with nail puller and chisel ends 35mm wide. Forged from good quality carbon steel hardened, tempered and painted black. Sold loose.



6800277

6800277
8 Piece 200mm Soft Grip Engineers File and Rasp Set

High carbon steel, hardened and tempered with soft grip handles incorporating hang hole. Supplied in tool roll. Display packed.

Contents:

Flat, hand, half round, round, square, three square files, half round rasp and round rasp.



5906184

5906184
Metric Hexagon and Ball End Hexagon Key Set (10 Piece)

Hexagon keys with ball end on the long arm and conventional ends on short arm. The ball type hexagon tip allows the hexagon key to be used up to 30° angle from the screwhead recess. Manufactured from chrome vanadium steel that's hardened and tempered. Held in plastic storage holder. Display packed.

Contents:

2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0, 7.0, 8.0 and 10.0mm



5902390

5902390
Imperial Hexagon and Ball End Hexagon Key Set

Hexagon keys with ball end on the long arm and conventional ends on short arm. The ball type hexagon tip allows the hexagon key to be used up to 30° angle from the screwhead recess. Blades manufactured from chrome vanadium steel hardened and tempered with a chemically blacked finish. Supplied in fold-out easy release holder which can be wall-mounted. Display packed. Quantity: 12 piece set.

Contents:

1/16, 5/64, 7/64, 9/64, 5/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8".




6201599

6201599
Backpack on Wheels 54cm (21in)

The Backpack combines a mix of on wheels and on back carriage for easy and convenient tool transporting. Made from heavy-duty 600 denier fabric for long-lasting durability and has an extendable metal handle for easy transportation. The backpack has removable internal divider with multiple pockets for a variety of tools, a laptop compartment and multiple loop and external pockets for additional storage.

PLEASE NOTE TOOLS ARE NOT INCLUDED!

Dimensions: 54 x 23 x 36cm.



5913268

5913268
Socket Set of 15 Metric 1/4in Drive

1/4in drive sockets and accessories are ideal for small appliances such as motorcycles, bicycles, electronic and domestic appliances.

Contents:

11 Sockets 6 pt 4,5,6,7,8,9,10,11,12,13,14mm
 1 Ratchet Handle 150 mm / 6in
 2 Extensions 75, 150mm
 1 T Bar

**5913794**

5913794

81S - 10ml Magnetic Torpedo Level 25cm Loose

The 81S Torpedo Level has a strong cast aluminium T profile making it easy to hold. The particularly slender trapezoidal bevelled shape makes it suitable for working in cramped spaces. The die-cast frame has 1 milled measuring face and protecting noses to prevent damage to milled face. Additional magnets mounted in the milled measuring surface securely hold this level to scaffolding or beams.

2 Vials: 1 plumb & 1 horizontal.

Accuracy: Normal Position: $0.029^\circ=0.5\text{mm/m}$.

Accuracy: Overhead Position: $0.043^\circ=0.75\text{mm/m}$.

This 81S-10ML Magnetic Torpedo Level is supplied loose.

Technical Specs

Length: 25cm (10in).

2 Vials: 1 plumb & 1 horizontal.

Accuracy: Normal Position: $0.029^\circ=0.5\text{mm/m}$.

Accuracy: Overhead Position: $0.043^\circ=0.75\text{mm/m}$.

ALSO SUPPLIED AS PACKS OF 10 (SKU 5913795)

**5107569**

5107569

Impact Screwdriver Driver Bit Set of 10

Pozi / Phillips / Torx

The Impact Screwdriver Bits are specifically designed for use in high torque impact drivers. They are manufactured from heavy-duty, high-grade steel and have a 3 times increased life compared to standard screwdriver bits. Their precision tip geometry delivers superior fitment, reducing stripping and cam-out.

The bits are Power Groove designed for compatibility with IRWIN® Impact Performance Series™ magnetic screw-hold attachment.

This set contains the following:

4 x PZ2 screwdriver bits.

4 x PH2 screwdriver bits.

1 x T20 screwdriver bit.

1 x Bit holder.

Supplied in a moulded ABS resin case.

**5101316**

5101316

Professional Set 18V GSB 18 V-LI DYNAMICseries Combi Drill + GDR 18 V-LI Impact Driver + 2 x 4.0 Batteries + AL 1860 CV Charger, in an L-BOXX

GSB 18 V-LI Professional

- Extremely compact due to short design (only 195 mm) and low weight (only 1.9 kg) for perfect handling.
- Integrated impact drilling function for drilling in masonry up to 13 mm.
- Powerful 67 Nm due to newly developed gearbox design and new 4-pole Bosch high-performance motor – for up to 75 holes (6 x 50 mm) in masonry (test concrete in accordance with EN 60745-2-1-) with only one battery charge (18 V – 4.0 Ah).

GDR 18 V-LI Professional

- Unique choice between the “Premium” (longer battery runtime) and “Compact” (less weight for even more comfortable work) batteries.
- High torque and high impact rate (3,200 bpm) for fast work progress when driving screws in metal (up to M 14) and wood.
- Very short design for perfect handling, even in the tightest spaces and overhead.