



MECHANICAL TOOLKIT IBM





250mm Heavy Duty Waterpump Pliers

Heavy-duty waterpump pliers. Manufactured from hardened and tempered chrome vanadium steel, with hardened jaws, achieving excellent gripping performance. The jaws have our multi position feature and comfort is delivered from the dipped handles, achieving greater user comfort and less hand fatigue.

A great pair of everyday waterpump pliers for a host of plumbing tasks around the home.

Capacity: 53mm Length: 250mm



5904604

Soft Grip Curved Jaw Self Grip Pliers (230mm)

Heavy duty pliers made from chrome vanadium steel that's hardened and tempered. With serrated gripping surfaces, adjustable opening and a quick-release lever. Attached with soft grips for added user comfort. Display packed.



59088968

250mm Push Button Heavy Duty Waterpump Pliers

Push button, heavy-duty waterpump pliers. Manufactured chrome vanadium steel hardened and tempered with chemically blacked finish, featuring multi position adjustments operated by a simple push button and 'no-nip' PVC dipped handles, which prevent the handles from locking together at their largest capacity and nipping the users hands.

A great pair of everyday waterpump pliers for professional plumbers and for plumbing tasks around the home.

Capacity: 53mm Length: 250mm



5904435

Heavy Duty Soft Grip Pliers Set (3 Piece)

Drop forged from chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Lacquered finish for corrosion protection with heavy duty, soft grip handles with slip guards. Display packed in blow mould case with see-through lid.

Contents: 180mm Combination Pliers 160mm Long Nose Pliers 160mm Diagonal Side Cutters





Internal and External Circlip Pliers Set (4 Piece)

Industrial quality, chrome nickel steel hardened and tempered with a polished finish, chemically blacked tips and special non slip cushiongrip handles. Display packed in blow mould storage tray.

Capacity 19-60mm

Contents:

180mm straight tip internal circlip pliers

170mm 90° tip internal circlip pliers

180mm straight tip external circlip pliers

170mm 90° tip external circlip pliers



5903482

250mm Straight Tinman's Shears

Forged from selected tool steel with blades induction hardened and accurately ground. The curvature along the cutting edge improves performance by gripping the material being cut. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Display packed.

Length: 250mm



5950452

Supercut® 375mm/15" Soft Grip Hardpoint Tool Box Handsaw - 7tpi/8ppi

Japanese high carbon steel hardened, tempered, straightened and stress relieved to ensure blade straightness. Fine ground blade surface coated in ultra-tough lacquer to prevent corrosion and ease friction during sawing. Triple ground tooth design to allow fast cutting and sawdust removal in both forward and reverse action. Each tooth is hardened to prevent tooth snap. Shock-absorbing, ergonomic soft grip handle. Display packed.

Pitch 7/8 First Fix



5903303

Metric Combination Spanner Set (14 Piece)

Generally in accordance with DIN3113 Specifications

Forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Draper HI-TORQ® ring end offset at 15°. Jaw offset at 15°. Supplied in Tetron divided wallet with tie cord. Display packed.

Contents: 8, 9, 10, 11, 12, 13, 14, 17, 19, 22, 24, 27, 30 and 32mm.





20 Blade Metric Feeler Gauge Set

Super accurate, metric feeler gauge set with twenty 100mm long tapered blades. All blades are hardened and polished for a longer life. Each feeler blade is marked with its size and folds into a polished steel case with thumbscrew. An invaluable feeler gauge set, designed for accurate precision work.

Contents:

Blade sizes:

20 metric blades size: 0.05, 0.10, 0.15, 0.20, 0.25, 0.30, 0.35, 0.40, 0.45, 0.50, 0.55, 0.60, 0.65, 0.70, 0.75, 0.80, 0.85, 0.90, 0.95 and 1.0mm.



59010736

'Pound Thru' Plain Slot 10 x 250mm Soft Grip Screwdrivers

Screwdrivers with hardened SVCM satin chrome plated hexagonal blades. Attached to a soft grip, oil and solvent resistant handle with integrated toughened 'Pound Thru' metal cap designed for receiving hammer blows.

Blade Length: 250mm Blade Tip: 10mm



5905896

Knipex Twin Key

Magnetic utility key. Manufactured with 13 essential utility key shapes and a double ended screwdriver bit this utility key is an essential addition for all service personnel. Display packed.

Contents:

Finned Key: 3.5mm Half Moon: 6mm

Four Squares: 5, 6-7, 8-9 and 10-11mm

Stepped Square: 6-9mm

Three Triangles: 7-8, 9-10 and 11-12mm

Double-ended 7mm plain/No.2 cross slot insert bit 55mm long



5900038

Soft Grip Screwdriver Set (8 Piece)

SVCM+ blades which are hardened and satin chrome plated with sand blasted tips. Attached to a soft grip, oil and solvent resistant colour coded handle. Supplied in PVC storage case.

Contents: Plain Slot; 3.5 x 75, 5.5 x 100, 6.5 x 100, 8 x 150


Cross Slot; No.1 x 75, No.2 x 100mm PZ Type; No.1 x 75, No.2 x 100mm



150mm Engineers Precision Square

Manufactured to BS 939 Workshop Grade B for squareness tolerance only.

Made with solid steel stock with a hardened, tempered and finely polished blade. The squareness of the blade edges and the stock working face falls within ± 0.016 mm/0.0064" tolerance. Display packed. **Size:** 150mm



5906020

300mm 12" Stainless Steel Rule

Precision rules manufactured from hardened stainless steel matt chrome plated. The clear black graduations of 0.5mm, mm, 0.5cm, cm and 1/64", 1/50", 1/32", 1/20", 1/16", 1/10", 1/2", and inches on the reverse are permanently etched for long service life. Packed into vinyl wallets. Display packed.

Length: 300mm & 12"



5610102

155mm Household Scissors


Forged from selected steel, fully chrome plated and polished. Display packed.



6800165

230mm Double Ended Engineers Scriber

Double ended hardened scriber with straight and 90° hardened points. Display packed.



5906019

150mm / 6" Stainless Steel Rule

Precision rules manufactured from hardened stainless steel matt chrome plated. The clear black graduations of 0.5mm, mm, 0.5cm, cm and 1/64", 1/50", 1/32", 1/20", 1/16", 1/10", 1/2", and inches on the reverse are permanently etched for long service life. Packed into vinyl wallets. Display packed.

Length: 150mm & 6"



6800452

3mm x 100mm Centre Punch

Square section striking head with knurled body and polished ends. Manufactured from carbon steel hardened and tempered. Display packed.

Diameter: 3mm **Length:** 100mm



2 x 300mm 18tpi Bi-Metal Hacksaw Blades Conforms to BS 1919

Saw edge, manufactured from high speed steel strip, electron beam welded to high quality carbon steel backing. Display packed two blades per card.

Pitch 18



7200104

310mm Heavy Duty 4 Row Wire Scratch Brush

Industrial wire scratch brushes with wooden stock incorporating a hang hole. Sold loose.

Rows of Wire 4 x 15



5900061

Heavy Duty Soft Grip Hacksaw 300mm

Manufactured aluminium frame with a soft grip handle. Frame has two sets of blade spigots which allows straight or 45° cutting. Supplied with a 300mm bi-metal blade.



6800419

10 x Junior Hacksaw Blades

Manufactured to BS6271

General purpose cutting blades with pinned ends. Will fit all junior hacksaw frames. Packed ten blades on display card or in bags of 100 blades.

Quantity: 10 blades per card.



6800277

200mm Soft Grip Engineers File and Rasp Set (8 Piece)

High carbon steel, hardened and tempered with soft grip handles incorporating hang hole. Supplied in tool roll. Display packed.

Contents: flat, hand, half round, round, square, three square files, half round rasp and round rasp.



5902363

Junior Hacksaw with Powder Coated Frame

Plated steel frame with powder coating and finger guard. Supplied with blade. Display packed.



450mm Wrecking Bar

For dismantling timber work, case opening, etc. and removing nails. Forged high grain steel with chisel end and swan neck. Sold loose.

Length: 450mm



5903528

1kg (2.2lb) Dead Blow Hammer

Manufactured from high quality SBR material which is oil and cold resistant. Hollow head has steel particles helping to prevent rebound. Sold loose.



5902352

Automatic Pipe Cutter (15mm)

For cutting copper and plastic pipes. Ideal for work in confined areas. Display packed.



5904258

450g (16oz) Fibreglass Shafted Ball Pein Hammer

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing PP/TPR grip. Sold Loose.

Weight: 450g (16oz)



5903138

680g (24oz) Copper/Rawhide Faced Hammer

Copper/rawhide faced hammer with a heavy malleable iron head fitted with a copper and a rawhide face. The copper face is especially suitable for dismantling and assembly work where it will help to avoid damaging component parts. The rawhide face is ideal for use on materials where bruising needs to be avoided. An excellent dual purpose hammer. Shaped wood shaft. Sold loose. **Weight:** 680g (24oz)



5902353

Automatic Pipe Cutter (22mm)

For cutting copper and plastic pipes. Ideal for work in confined areas. Display packed.



Metric Hexagon Key Set (10 Piece)

Manufactured from chrome vanadium steel that's hardened and tempered. Held in plastic storage holder.

Contents: 2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0, 7.0, 8.0 and 10.0mm



59010602

Imperial Hexagon Key Set (10 Piece)

Manufactured from chrome vanadium steel that's hardened and tempered. Held in plastic storage holder.

Contents: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16 and 3/8"



5902380

450mm Adjustable Pipe Wrench

Traditional pattern wrench. Handle drop forged hardened and tempered. Jaws additionally induction hardened to 55-60 HRC for durability and long life. Frame and handle electrostatically painted. Display packed.

Capacity 65mm Length 450mm



5902372

250mm Adjustable Pipe Wrench

Traditional pattern wrench. Handle drop forged hardened and tempered. Jaws additionally induction hardened to 55-60 HRC for durability and long life. Frame and handle electrostatically painted. Display packed.

Capacity 40mm Length 250mm



5903950

250mm Crescent-Type Adjustable Wrench with Phosphate Finish

Crescent-type wrenches manufactured from chrome vanadium steel hardened and tempered with black phosphate finish, polished profile and jaws. Jaws offset at 22°. The 150, 200, 250 and 300mm sizes have a graduated scale on the fixed jaws. Suitable for use in areas where chemicals and chrome plate can give off poisonous fumes. Display packed. **Capacity** 33mm **Length** 250mm



5903948

150mm Crescent-Type Adjustable Wrench

Crescent-type wrench manufactured from chrome vanadium steel hardened and tempered with black phosphate finish, polished profile and jaws. Jaws offset at 22°. The 150, 200, 250 and 300mm sizes have a graduated scale on the fixed jaws. Suitable for use in areas where chemicals and chrome plate can give off poisonous fumes. Display packed. Capacity: 24mm. Length: 150mm.





5m / 16ft x 27mm Measuring Tape

Manufactured to EC Class II Accuracy. Tough impact resistant ABS case with belt clip and TPR soft grip jacket fitted with 'bump-stop' prolonging the life of the tape. The tape lock button can be operated from the side and bottom and when finished the braked return mechanism ensures a smooth return. The nylon-coated tape has metric and imperial graduations on both sides and stud centre markings every 16" and 19.2" and is fitted with a self-aligning, double ended, magnetic end-hook providing easy attachment and measuring from both sides of the tape. Display packed. Length: 5m / 16ft. Width: 27mm.



5900037

1/2" Sq. Dr. Metric Socket Set (30 Piece)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Twelve point sockets made from chrome vanadium steel that's hardened and tempered with a polished finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible ratchet and accessories. Packed in a tough plastic storage case with soft grip handle.

Contents:

- 23 sockets size 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm
- 3 spark plug sockets size 10, 12, 14mm
- 72 tooth reversible ratchet with "quick release" button
- wobble extension bar 125mm
- sliding 'T' bar
- universal joint



5210520

Inspection Lamp with Rechargeable 4W COB LED & UV LED

COB (Chip On Board) inspection lamp perfectly suited for a host of industries especially the automotive sector.

Fitted with COB face-plate LED producing an impressive 350 lumens and the 1W LED on the end plate delivers 80 lumens. The end plate is also fitted with three Ultra Violet LEDs transforming the lamp into torch. The UV LEDs enable detection of leaks on cooling systems and air-con systems.

Powered by a rechargeable Li-ion battery, delivering enhanced battery efficiency, while the base is manufactured with an integrated magnet and the swivel joint permits the light to be used in any 360 degree position.

Supplied with two hang hooks, 240V charger and 12V charging adaptor.

A universally essential inspection lamp-torch perfect for a host of industries, especially useful in the automotive sector as the UV capabilities enable leak detection.

Colour: Blue





Mobile Contractors 640mm Chest and 560mm Tool Box

Professional's tool chest and box in one unit on wheeled trolley with telescopic handle and kick plate. Each box is manufactured from tough durable plastic construction with steel locking latches. The chest has handles to facilitate lifting and rubber feet for protection. The tool box has a full size carrying handle and removable top organizer with 11 compartments. For safety when using the trolley, the tool chest and tool box can be locked together. Carton packed.

Contents:

Configuration:

tool box (external): 560 x 280 x 250mm tool box tote tray (internal): 515 x 225 x 50mm tool box organiser (external): 390 x 170 x 33mm

chest (external): 640 x 400 x 445mm

chest tote tray (internal): 559 x 290 x 90mm

6200250



5950623

ABS Plastic Torpedo Level with Side View Vial and Magnetic Base (250mm)

ABS plastic magnetic 'V' groove level especially useful when levelling pipework. Fitted with three vials: horizontal, 45° and vertical with an accuracy 1.75mm per $1M = 0.1^{\circ}$ in standard position. Display packed.



6200217

420mm Solid Base Tool Bag

Manufactured from water repellent polyester with PVC backing, nylon zip with framed opening and heavy duty plastic base. 13 internal pockets and eight external pockets. Sold loose with display card.

Dimensions 420 x 230 x 290mm





PLUMBING TOOLKIT IBM



Automatic Pipe Cutter (15mm)


For cutting copper and plastic pipes. Ideal for work in confined areas. Display packed.



5902353

Automatic Pipe Cutter (22mm)

For cutting copper and plastic pipes. Ideal for work in confined areas. Display packed.



5903297

Metric Tubular Box Spanner Set (6 Piece)

Manufactured in accordance with BS2558 Specifications

Double ended, manufactured from high quality carbon steel, zinc plated for corrosion protection. Sets include tommy bars. Display packed.

Contents:

8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17 and 18 x 19mm, with two tommy bars 100mm and 150mm long.



5900068

'Pound Thru' Soft Grip Screwdriver Sets (6 Piece)

Screwdrivers with hardened SVCM+ satin chrome plated hexagonal blades. Attached to a soft grip, oil and solvent resistant handle with integrated toughened 'Pound Thru' metal cap designed for receiving hammer blows. Supplied in a PVC storage case.

Contents: Plain Slot; 5.5 x 75, 6.5 x 100mm Cross Slot; No.1 x 75, No.2 x 100mm PZ Type; No.1 x 75, No.2 x 100mm



59010736

'Pound Thru' Plain Slot 10 x 250mm Soft Grip Screwdrivers

Screwdrivers with hardened SVCM satin chrome plated hexagonal blades. Attached to a soft grip, oil and solvent resistant handle with integrated toughened 'Pound Thru' metal cap designed for receiving hammer blows.

Blade Length: 250mm **Blade Tip:** 10mm



5950201


245mm Waterpump Plier with Soft Jaws

Designed for use on decorative or bright plated fittings that can be easily damaged using conventional steel jaws. The jaws are adjustable for securing a variety of shapes to a maximum of 40mm with eight positions. Manufactured from chrome vanadium steel hardened, tempered and chemically blacked. 'Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Cushion-grip handles. Supplied with replacement set of soft jaws. Display packed.



Heavy Duty Soft Grip Hacksaw 300mm

Manufactured aluminium frame with a soft grip handle. Frame has two sets of blade spigots which allows straight or 45° cutting. Supplied with a 300mm bi-metal blade.



5950563

450mm Wrecking Bar

For dismantling timber work, case opening, etc. and removing nails. Forged high grain steel with chisel end and swan neck. Sold loose.

Length: 450mm



5902379

600mm Adjustable Pipe Wrench

Traditional pattern wrench. Handle drop forged hardened and tempered. Jaws additionally induction hardened to 55-60 HRC for durability and long life. Frame and handle electrostatically painted. Display packed.

Capacity 75mm Length 600mm



5950490

Adjustable Basin Wrench (40mm Capacity)

Swivel action adjustable basin wrench. The universal gripping head with their serrated faces provide excellent gripping capability.

Manufactured from chrome plated solid steel for added strength and the handle is fitted with a sliding tommy bar, perfect when extra leverage is required. Great professional tool for all plumbers toolboxes.

Capacity: 40mm



5902372

250mm Adjustable Pipe Wrench

Traditional pattern wrench. Handle drop forged hardened and tempered. Jaws additionally induction hardened to 55-60 HRC for durability and long life. Frame and handle electrostatically painted. Display packed.

Capacity 40mm Length 250mm



5902380

450mm Adjustable Pipe Wrench

Traditional pattern wrench. Handle drop forged hardened and tempered. Jaws additionally induction hardened to 55-60 HRC for durability and long life. Frame and handle electrostatically painted. Display packed.

Capacity: 65mm Length: 450mm



Plumb Bob with 5m (approx) Nylon Line

Precision machined solid brass plumb bob with 5M (approx.) of nylon line.



5950246

135mm Diameter Sink Plunger

Beech handle 22mm diameter with rubber plunger. Sold loose.

Length: 370mm



5950219

9m Polypropylene Drain Rod Set (12 Piece)

Comprising ten rods each 915mm long, double worm screw and plunger. 9M long when fully assembled. Manufactured from polypropylene with brass plated end connections. Display packed.



5903138

680g (24oz) Copper/Rawhide Faced Hammer

Copper/rawhide faced hammer with a heavy malleable iron head fitted with a copper and a rawhide face. The copper face is especially suitable for dismantling and assembly work where it will help to avoid damaging component parts. The rawhide face is ideal for use on materials where bruising needs to be avoided. An excellent dual purpose hammer. Shaped wood shaft. Sold loose. **Weight:** 680g (24oz)



5900070

Canvas Toolbag

Manufactured from water repellent canvas with PVC backing, rope reinforced handles, nylon zip and wood base. Packed in polythene bag with display card.



5305777

150g Wire Wool Medium Grade 1

Wire wool manufactured from steel. Ideal for buffing, cleaning, cutting, and removing. Select the grade required. Display packed.

Grade: #1 Medium





5m / 16ft x 27mm Measuring Tape

Manufactured to EC Class II Accuracy. Tough impact resistant ABS case with belt clip and TPR soft grip jacket fitted with 'bump-stop' prolonging the life of the tape. The tape lock button can be operated from the side and bottom and when finished the braked return mechanism ensures a smooth return. The nylon-coated tape has metric and imperial graduations on both sides and stud centre markings every 16" and 19.2" and is fitted with a self-aligning, double ended, magnetic end-hook providing easy attachment and measuring from both sides of the tape. Display packed. Length: 5m / 16ft. Width: 27mm.



5900069

Opti-Vision™ Torpedo Level with Magnetic Base (250mm)

Heavy duty cast aluminium level torpedo level with highly visible horizontal 'Opti-Vision' solid acrylic UV resistant vial set into the angles surface, one solid acrylic vertical vial and one angle finder solid acrylic vial all set within tough red housings for maximum visibility. Electrostatically epoxy powder coated and baked for maximum protection, shock absorbing end caps. The base has a finely milled surface, a V-groove for levelling pipework and two inset rare earth magnets. Accuracy 0.5mm per 1M = 0.029° in standard position.



5210520

Inspection Lamp with Rechargeable 4W COB LED & UV LED

COB (Chip On Board) inspection lamp perfectly suited for a host of industries especially the automotive sector.

Fitted with COB face-plate LED producing an impressive 350 lumens and the 1W LED on the end plate delivers 80 lumens. The end plate is also fitted with three Ultra Violet LEDs transforming the lamp into torch. The UV LEDs enable detection of leaks on cooling systems and air-con systems.

Powered by a rechargeable Li-ion battery, delivering enhanced battery efficiency, while the base is manufactured with an integrated magnet and the swivel joint permits the light to be used in any 360 degree position.

Supplied with two hang hooks, 240V charger and 12V charging adaptor.

A universally essential inspection lamp-torch perfect for a host of industries, especially useful in the automotive sector as the UV capabilities enable leak detection.

Colour: Blue





ELECTRICAL TOOLKIT IBM





Metric Hexagon and Ball End Hexagon Key Set (10 Piece)

Hexagon keys with ball end on the long arm and conventional ends on short arm. The ball type hexagon tip allows the hexagon key to be used up to 30° angle from the screwhead recess. Manufactured from chrome vanadium steel that's hardened and tempered. Held in plastic storage holder. Display packed.

Contents

2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0, 7.0, 8.0 and 10.0mm



5900064

250mm Heavy Duty Waterpump Pliers

Heavy-duty waterpump pliers. Manufactured from hardened and tempered chrome vanadium steel, with hardened jaws, achieving excellent gripping performance. The jaws have our multi position feature and comfort is delivered from the dipped handles, achieving greater user comfort and less hand fatigue. A great pair of everyday waterpump pliers for a host of plumbing tasks around the home.

Capacity: 53mm Length: 250mm



5903494

Metric / Imperial Combined Long Pattern Hexagon Key Set (30 Piece)

Manufactured from chrome vanadium steel that's hardened and tempered. The long arm is particularly useful when working in confined spaces and varies in length from 65mm on the 0.7mm/0.028" through to 170mm on the 10mm/ 3/8" size. Display packed in plastic case.

Contents

0.7, 0.9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0 and 10.0mm; 0.028, 0.035, 0.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16 and 3/8"



5903303

Metric Combination Spanner Set (14 Piece)

Generally in accordance with DIN3113 SpecificationsForged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Draper HI-TORQ® ring end offset at 15°. Jaw offset at 15°. Supplied in Tetron divided wallet with tie cord. Display packed.

Contents: 8, 9, 10, 11, 12, 13, 14, 17, 19, 22, 24, 27, 30 and 32mm.






8m / 26ft x 27mm Measuring Tape

Manufactured to EC Class II Accuracy

Tough impact resistant ABS case with belt clip and TPR soft grip jacket fitted with 'bump-stop' prolonging the life of the tape. The tape lock button can be operated from the side and bottom and when finished the braked return mechanism ensures a smooth return. The nylon-coated tape has metric and imperial graduations on both sides and stud centre markings every 16" and 19.2" and is fitted with a self-aligning, double ended, magnetic end-hook providing easy attachment and measuring from both sides of the tape. Display packed. **Length:** 8M / 26ft **Width:** 27mm



59010736

'Pound Thru' Plain Slot 10 x 250mm Soft Grip Screwdrivers

Screwdrivers with hardened SVCM satin chrome plated hexagonal blades. Attached to a soft grip, oil and solvent resistant handle with integrated toughened 'Pound Thru' metal cap designed for receiving hammer blows.

Blade Length: 250mm Blade Tip: 10mm



5906215

7 piece VDE Screwdriver Set

Individually tested protective insulation 1,000 V AC, VDE and GS tested. Manufactured acc. to IEC 60900:2012. Blade made from high quality chrome-vanadium-molybdenum steel hardened with black finish. Protective insulation moulded directly onto the blade and completely integrated into the blade in the lower area. SoftFinish multi-component handle with roll-off protection. The integrated protective insulation enables low-lying fastening and spring elements to be reached and manipulated. Slim blades. Unique concept of screwdriver handle sizes for an optimum balance between torque and control.



5900038

Soft Grip Screwdriver Set (8 Piece)

SVCM+ blades which are hardened and satin chrome plated with sand blasted tips. Attached to a soft grip, oil and solvent resistant colour coded handle. Supplied in PVC storage case.

Contents: Plain Slot; 3.5 x 75, 5.5 x 100, 6.5 x 100, 8 x 150

Cross Slot; No.1 x 75, No.2 x 100mm PZ Type; No.1 x 75, No.2 x 100mm





No. 2 x 100mm Fully Insulated PZ Type Screwdriver (Display Packed)

Manufactured and individually certified to EN 60900 PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems

VDE approved fully insulated soft grip PZ type screwdrivers tested to 10kV, suitable for working on live circuits up to 1kV AC and 1.5kV DC. Chrome molybdenum steel blades hardened, tempered and chemically blacked. Fully insulated soft grip handle with deep set blade sheath for total safety. Display packed in individual storage hanger with barcode on reverse

*Pozidriv®/Supadriv® are registered trademarks of Trifast Plc.



5900066

Ergo Plus® VDE No. 0 x 60mm PZ Slot Screwdriver Manufactured and individually certified to EN 60900 PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems.

No.0 x 60mm PZ Slot VDE screwdriver, individually tested to ensure it fulfils the EN 60900 requirements. The EN 60900 requirements compel all tools to be tested to 10kV, making them suitable for working on live AC circuits of up to 1kV and DC circuits of up to 1.5kV. The blades on the screwdrivers are manufactured from SVCM+ alloy steel, hardened, tempered and chemically blackened, with a deep-set blade sheath providing total safety and peace of mind. All blades are fitted to a fully insulated, ergonomic soft grip handle delivering user comfort even when used for prolonged periods. A great VDE screwdriver for professional electricians. *Pozidriv®/Supadriv® are registered trademarks of Trifast Plc. **Blade Length:** 60mm **Blade Tip:** No. 0



5900067

Ergo Plus® VDE No. 1 x 80mm Cross Slot Screwdriver Manufactured and individually certified to EN 60900

No.1 x 80mm Cross Slot VDE screwdriver, individually tested to ensure it fulfils the EN 60900 requirements. The EN 60900 requirements compel all tools to be tested to 10kV, making them suitable for working on live AC circuits of up to 1kV and DC circuits of up to 1.5kV. The blades on the screwdrivers are manufactured from SVCM+ alloy steel, hardened, tempered and chemically blackened, with a deep-set blade sheath providing total safety and peace of mind. All blades are fitted to a fully insulated, ergonomic soft grip handle delivering user comfort even when used for prolonged periods. A great VDE screwdriver for professional electricians.

Blade Length: 80mm Blade Tip: No. 1





160mm VDE Combination Pliers

Manufactured to DIN Standard and individually certified to

Drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed. **Length:** 160mm

Cut Hard Wire Dia. 1.8mm Cut Med/Hard Wire Dia. 3.1mm



5904389

200mm VDE Long Nose Pliers

Manufactured to DIN Standard and individually certified to

Drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed. Cuts hard wire: 1.6mm.

Cuts med hard wire: 3.6mm. Length: 200mm



5903204

185mm Ergo Plus® Fully Insulated VDE Pliers

Manufactured to DIN Standard and individually certified **to EN 60900** Special steel hardened and tempered with cutting edges separately induction hardened. Ergonomic shape of head and handles allow user to access difficult working areas and still keep a tight grip on the workpiece. The pliers have following functions: flat cutter on the tip of the head for use on cable ties; wire stripper 1.5 and 2.5mm² wire; diagonal cutter for medium hard wire (3.5mm²), hard wire (2.5mm²) and piano wire (2mm²); crimper for terminals 1.5 and 2.5mm²; pattress screw cutter for M3.5 and M4 screws and wire looping device on underside of pliers for looping wire for plug screws/terminals. Display



5904386

200mm VDE Combination Pliers

Manufactured to DIN Standard and individually certified to

Drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed.

Cut Hard Wire Dia. 2.3mm Length: 200mm

Cut Med/Hard Wire Dia. 3.8mm







180mm VDE Hi-Leverage Diagonal Side Cutter Manufactured to DIN Standard and individually certified to EN 60900

Drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed.

Cut Hard Wire Dia. 2.5mm Cut Med/Hard Wire Dia. 3.8mm Cut Piano Wire 1.8mm Length 180mm

5904390

140mm VDE Diagonal Side Cutter

Manufactured to DIN Standard and individually certified to EN 60900

Drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed.

Cut Hard Wire Dia. 1.6mm
Cut Med / Hard Wire Dia. 2.5mm
Cut Soft Wire Dia. 4.0mm
Length: 140mm

5904395

160mm VDE Wire Stripper

Manufactured to DIN Standard and individually certified to EN 60900

Drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed.



Knipex Twin Key

Magnetic utility key. Manufactured with 13 essential utility key shapes and a double ended screwdriver bit this utility key is an essential addition for all service personnel. Display packed.

Contents:

Finned Key: 3.5mm Half Moon: 6mm

Four Squares: 5, 6-7, 8-9 and 10-11mm

Stepped Square: 6-9mm

Three Triangles: 7-8, 9-10 and 11-12mm

Double-ended 7mm plain/No.2 cross slot insert bit 55mm long



5900063

Nut Spinner with Soft-Grip (7mm)

7mm Nut spinner manufactured with chrome vanadium steel blades that have been hardened and tempered for added strength. Each nutspinner socket is fitted with a hex on the base delivering extra grip, ideal for when more torque is required and attached to a ergonomic soft grip handle for added user comfort. A great addition to most toolboxes and for a host of trades.

Blade Length: 150mm **Socket Size:** 7mm



6800176

Bar Type Tap Wrench 2.50 - 12.00mm

Hardened and tempered jaws, knurled handle with black enamelled finish. Display packed.

Capacity: 2.0 - 12mm



5904287

Wire Stripping Electricians Pocket Knife

For wire stripping and various heavy duty cutting applications. Reinforced nylon handle. Two wire strippers are located on the stainless steel spear blade. Display packed.

Size: 106mm





200mm Soft Grip Engineers File Set (4 Piece)

High carbon steel, hardened and tempered with soft grip handles incorporating hang hole. Display packed.

Contents: flat, half round, round and three square



5900061

Heavy Duty Soft Grip Hacksaw 300mm

Manufactured aluminium frame with a soft grip handle. Frame has two sets of blade spigots which allows straight or 45° cutting. Supplied with a 300mm bi-metal blade.



5903949

200mm Crescent-Type Adjustable Wrench with Phosphate Finish

Crescent-type wrenches manufactured from chrome vanadium steel hardened and tempered with black phosphate finish, polished profile and jaws. Jaws offset at 22°. The 150, 200, 250 and 300mm sizes have a graduated scale on the fixed jaws. Suitable for use in areas where chemicals and chrome plate can give off poisonous fumes. Display packed. **Capacity** 29mm **Length** 200mm



5904258

450g (16oz) Fibreglass Shafted Ball Pein Hammer

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing PP/TPR grip. Sold Loose.

Weight: 450g (16oz)



5900071

Folding Tote with Tubular Steel Handle

Folding tubular frame with soft grip handle and covered in a rigid waterproof fabric. Incorporated with 8 external pockets and 18 internal tool loops. Fitted with shoulder strap and protective bumpers on the base. Display packed.

Dimensions: 610 x 250 x 300mm



5902372

250mm Adjustable Pipe Wrench

Traditional pattern wrench. Handle drop forged hardened and tempered. Jaws additionally induction hardened to 55-60 HRC for durability and long life. Frame and handle electrostatically painted. Display packed.

Capacity 40mm Length 250mm



3mm x 150mm Octagonal Parallel Pin Punch

Special air hardened chrome vanadium steel for long life. The tips are accurately ground, with specially tempered heads. Sold loose.

Diameter 3.0mm Length: 150mm



6800334

8mm x 150mm Octagonal Parallel Pin Punch

Special air hardened chrome vanadium steel for long life. The tips are accurately ground, with specially tempered heads. Sold loose.

Diameter 8.0mm Length: 150mm



5950270

3.5mm x 0.6 Re-Threading Tool

For cleaning out and cutting damaged or malformed threads in electrical boxes and other similar jobs. Manufactured from high speed steel with precision ground threads and an impact resistant PVC handle. Display packed.

Size: 3.5 x 0.6



5900065

Automatic Centre Punch


Heavy duty spring-loaded hardened steel point. Adjustable striking force. Display packed.



5610102

155mm Household Scissors

Forged from selected steel, fully chrome plated and polished. Display packed.




5906019

150mm / 6" Stainless Steel Rule

Precision rules manufactured from hardened stainless steel matt chrome plated. The clear black graduations of 0.5mm, mm, 0.5cm, cm and 1/64", 1/50", 1/32", 1/20", 1/16", 1/10", 1/2", and inches on the reverse are permanently etched for long service life. Packed into vinyl wallets. Display packed.

Length: 150mm & 6"





Professional's tool chest and box in one unit on wheeled trolley with telescopic handle and kick plate. Each box is manufactured from tough durable plastic construction with steel locking latches. The chest has handles to facilitate lifting and rubber feet for protection. The tool box has a full size carrying handle and removable top organizer with 11 compartments. For safety when using the trolley, the tool chest and tool box can be locked together. Carton packed.

Contents:

Configuration:

- tool box (external): 560 x 280 x 250mm
- tool box tote tray (internal): 515 x 225 x 50mm
- tool box organiser (external): 390 x 170 x 33mm
- chest (external): 640 x 400 x 445mm
- chest tote tray (internal): 559 x 290 x 90mm



5900062

1/2" Sq. Dr. Metric Socket Set in Metal Case (28 Piece) Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Each socket has a knurled ring for extra grip. Packed in a steel carrying case with EVA foam inserts.

Contents

- 20 sockets size 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
- 2 spark plug sockets size 10, 14mm
- 72 tooth reversible ratchet with soft grip handle and "quick release" button
- 3 wobble extension bars size 75, 125, 250mm
- *'T' bar head 1/2"(M) x 3/8"(F)
- universal joint. *'T' bar head/converter when used with wobble extension bar forms a sliding 'T' bar



5210520

Inspection Lamp with Rechargeable 4W COB LED & UV LED

COB (Chip On Board) inspection lamp perfectly suited for a host of industries especially the automotive sector.

Fitted with COB face-plate LED producing an impressive 350 lumens and the 1W LED on the end plate delivers 80 lumens. The end plate is also fitted with three Ultra Violet LEDs transforming the lamp into torch. The UV LEDs enable detection of leaks on cooling systems and air-con systems.

Powered by a rechargeable Li-ion battery, delivering enhanced battery efficiency, while the base is manufactured with an integrated magnet and the swivel joint permits the light to be used in any 360 degree position.

Supplied with two hang hooks, 240V charger and 12V charging adaptor.

A universally essential inspection lamp-torch perfect for a host of industries, especially useful in the automotive sector as the UV capabilities enable leak detection.

Colour: Blue





2 Pole LED Voltage Tester

Key Benefits

Clear oversize luminous LEDs shine through voltage level Clear audible tone

UK Specific GS38 Slender probe tips NO NEED to swap ends Bright torch light - gives ample illumination

Fits into recessed terminals such as RCBOs without unscrewing any caps Phase Rotation - Bright green LEDs show left or right rotation.

Indicates actual voltage if no batteries fitted

Two pole testers that use batteries should indicate a live circuit if the batteries die or have not been inserted into the tester.

This is normally indicated by a single LED but this does not indicate the actual voltage present.

The KT1780 & KT1790 have a separate circuit so they operate with no batteries or dead batteries and still indicate the actual voltage present.

Key Features

AC & DC Voltage tests up to 690V Clear Oversize luminous LED indication Soft to touch overmoulded rubber body **Continuity Test** Self diagnostic test Single Pole phase test Phase Rotation test

Polarity indication

Auto power on/off

IP65 rating protects against Dust & Water ingress

Designed to the new international safety standards IEC 61243-3 & IEC 61010-1

Cat IV 600V

Included: Built in test leads. Batteries

Instruction manual with Certificate of Conformity

Weights & Dimensions: Boxed Weight: 242q Boxed Dimensions: 300(H)mm x 40(H)mm x 70(D)mm



5551233

Kewstick DUO (Non-Contact Voltage Detector) ITEM USED FOR INDICATION ONLY

Unique dual sensitive non-contact voltage detector - just press and hold the desensitising button and you can differentiate between live and earthed cables approximately 10mm apart.

Key Benefits:

Dual sensitivity

Heartbeat - green LED indicates that the unit is on and working correctly Red LED indicates presence of voltage

Audible tone also indicates the presence of voltage

Clearly detects 90 - 600 volts AC without metal contact

Two colour LEDs - Green for correct working and Red for Voltage detection Two tone buzzer, one for correct working and one for voltage detection

Pocket-size for handy use anywhere

Low power consumption circuits means long life batteries Cat IV rated

2 year unconditional guarantee (excluding batteries)





1000A Ultra Slim Clamp Meter

Ultra slim and lightweight 1000A clamp with 0.01A resolution

Key Benefits

Slim, lightweight high capacity clamp meter from the world leaders in

DMM functionality

G7 test leads

Key Features

10mm Jaw thickness

Tear drop jaw shape for easy access in to distribution boards

1000A Current measurement

0.01 A resolution

AC Voltage measurement up to 600V

1mV Resolution AC V

DC Voltage measurement up to 600V

0.1mV Resolution DCV

Resistance measurement

Continuity buzzer

Fuseless electronic protection on up continuity up to 600V

Comes with popular G7 test leads

Includes carry case with belt loop

Safety: IEC 61010-1 CAT.III 600V Pollution degree 2 (AC A), CAT.III 300V / CAT.II 600V Pollution degree 2 (AC/DC V)

IEC 61010-031, IEC 61010-2-032, IEC 61326 (EMC)

Included:

Test leads

Carry pouch with belt loop

Batteries

Manual

5551284





5551377

Kitbag 3 for 2 Pole LED Voltage Tester

Carrying case for 2 Pole LED Voltage Tester. Branded zip kit bag with clear window. Case has 2 holes in proving unit storage section for testing without removal. Item CBRE branded.

Dimensions: Length 31cm Width: 13cm Depth: 9cm

Material - cloth with carrying strap



Branded Kitbag 4 (MFT Padded Bag)

Kitbag 4 (MFT Padded Bag)

Width: 30cm Height: 18cm Depth: 18cm





ITEM COMING SOON

5551618

5551618

Infrared Thermometer



5551217

Socket Tester

Checks correct socket outlet wiring. Checks the quality of the earthing that is essential for safe installations. Checks for the polarity of the mains supply. Checks RCDs with measured current. Bright LEDs Easy to use - anything other than green needs checking out.



1751238

Arc Flash Glove 8.2 Cal



Sizes: 5 - 11 Applications: Petro Chemical, Utilities, Oil and Gas



1301136

Yale Spectacles Clear

Ultra lightweight, wrap around design, contoured shape, polycarbonate lens (PC lens), soft nose bridge, non slip coloured rubber tips

Conform to EN166:

- Optical Class:1
- F (Low impact energy)
- 2C-1.2 UV Filter



ELECTRICAL TOOLKIT



5551215

5551215

690V AC/DC Proving Unit

Essential for proving circuits are dead before commencing work. The high output will drive low impedance testers such as traditional test lamps as well as modern two pole testers - the one to have to be confident that it will work with your tester. It even steps down through the voltage stages to prove each stage as well.

High output will drive even the most high current voltage detector. Instant ramp up and then step down will prove several voltage levels.

Essential for proving that circuits are not live when working on electrical circuits.

Includes: Built in test leads, Batteries, Instruction manual, Certificate of Conformity

5551617

Non Contact Proving Unit

ITEM COMING SOON

5551617