

**GPC**  
Industries



**APOLLO TRUCKS**



# 'APOLLO' HEAVY DUTY SACK TRUCKS WITH PUNCTURE PROOF WHEELS



## REACH COMPLIANT WHEELS

REACH (Registration, Evaluation, Authorisation & Restriction of Chemicals) is a European regulation that addresses the production & use of chemical substances, & their potential impacts on both human health & the environment



GI701R




GI702R



GI703R



GI704R



Folding Toe Plate stays in folded position by the use of a magnet



GI705R



GI706R

## Information

**UNITS COMPLETE WITH PUNCTURE PROOF WHEELS "WILL NOT LET YOU DOWN"**



**Mobile on REACH compliant & puncture proof pneumatic wheels  
High quality steel with a hardwearing aqua blue powder coated finish  
Complete with strong, riveted knuckle guard hand grips**

GI701R - high back unit with wheel guards & robust plastic covered skids

GI702R - extra wide unit with wheel guards

GI703R - standard unit

GI704R - complete with wheel guards. This unit also comes with a fixed (250kg capacity) & folding toe plate (150kg capacity). The folding toe plate stays in the folded position by the use of a magnet

GI705R - complete with wheel guards & 'P' handle.

The 'P' handle allows the unit to be laid horizontally for ease of loading or unloading

GI706R - strong angle iron unit complete with wheel guards

Capacity kg	Overall Size H x W x D mm	Fixed Toe Plate Size W x D mm	Folding Toe Plate Size W x D mm	Wheel Size mm	Weight kg	Model
300	1320 x 510 x 630	285 x 280	-	250	13	GI701R
250	1085 x 610 x 585	475 x 240	-	250	12.5	GI702R
200	1110 x 515 x 490	360 x 250	-	200	8.5	GI703R
up to 250	1240 x 535 x 710	390 x 165	320 x 430	250	11.5	GI704R
250	1310 x 520 x 460	366 x 220	-	250	10	GI705R
300	1185 x 580 x 600	385 x 300	-	250	14.5	GI706R





SBA106R



SBA104R



SBA105R



SBA102R



SBA103R



SBA101R



## TECHNICAL DATA SHEET

# APOLLO® UK HEAVY DUTY SACK TRUCKS WITH PUNCTURE PROOF WHEELS



# 3



DAY DELIVERY

## DESCRIPTION

Our Apollo® Sack Trucks are designed to move large bulky loads (300kg) and be easily manoeuvrable. This range is perfect for a range of environments when wanting to move goods from A to B. Alongside being safe and practical, some of the Apollo® Sack Trucks come with strong, riveted knuckle guard hand grips.

## FEATURES

- ✔ Variety of types including Looped Handle, Mesh Infill Curved back & Folding Toe
- ✔ Fully welded tubular steel construction
- ✔ Models SBA101R, SBA102R, SBA104R & SBA106R all come with strong, riveted knuckle hand grips
- ✔ Maximum load capacity of 300kg



These 260mm puncture proof wheels are tested to withstand sharp objects and un-even terrain without damaging the wheel.



SBA107R

## TECHNICAL DATA

Description	Overall Size H x W x D mm	Fixed Toe Plate Size W x D mm	Folding Toe Plate Size W x D mm	Model
Standard Sack Truck	1150 x 550 x 540	350 x 250	-	SBA101R
Loop Handle, Curved Back Sack Truck	1300 x 550 x 540		-	SBA103R
Angle Iron Sack Truck	1205 x 550 x 590	350 x 300	-	SBA106R
Folding Toe Sack Truck	1205 x 600 x 540	400 x 200	350 x 400	SBA104R
Wide Sack Truck	1205 x 650 x 590	450 x 300	-	SBA102R
Mesh Infil Curved Back Sack Truck	1150 x 550 x 540	350 x 250	-	SBA107R
High Back Sack Truck	1350 x 550 x 540	350 x 250	-	SBA105R

FOR MORE INFORMATION  
PLEASE CONTACT >>>

01790 753835

sales@gpcind.co.uk

www.gpcind.co.uk



*SBA109R as Sack Truck*



*SBA109R as 4 Wheel Sack Truck*



*SBA109R as Platform Truck*



# TECHNICAL DATA SHEET

## APOLLO® UK

### THREE WAY TRUCK



# 10

DAY  
DELIVERY



As  
Sack Truck



As 4  
Wheel Truck

## DESCRIPTION

Our Apollo® Three Way Truck is designed to easily and quickly convert from a basic sack truck into a 4 wheel sack truck or platform truck. Perfect for a range of environments, the three way truck can move large bulky loads (up to 400kg as 4 wheel sack truck) and is easily manoeuvrable. Complete with strong, knuckle guard hand grips.

## FEATURES

- ✔ Can be used as a Sack Truck, a 4 Wheel Sack Truck or a Platform Truck
- ✔ Fully welded tubular steel construction
- ✔ Mobile on 2 x 200mm Fixed and 2 x 125mm Swivel Wheels
- ✔ Maximum load capacity of 300kg as Sack Truck, and 400kg as 4 Wheel Truck



SBA109R

## TECHNICAL DATA

As Sack Truck H x W mm	As 4 Wheel Sack Truck H x L mm	As Platform Truck L x W x H mm	Toe Plate Size mm	Weight kg	Model
1245 x 490	915 x 1190	1245 x 490 x 835	475 x 200	27	SBA109R



## TECHNICAL DATA SHEET

# APOLLO® DOUBLE BAR END AND LONG LOAD PLATFORM TRUCKS



# 3



DAY  
DELIVERY

## DESCRIPTION

These units are available with either double bar ends, or side bars suitable for long loads. They are manufactured from a strong steel frame & timber decks. These platform trucks are designed to carry up to 600kg.



PAPT430Y

## FEATURES

- ✔ Mobile on 2 fixed and 2 swivel braked 200mm rubber castors
- ✔ Maximum load capacity of 600kg




PAPT426Y

## TECHNICAL DATA

Description	1000 x 700mm Platform Size		1200 x 800mm Platform Size	
	Size - H x W x D mm	Model	Size - H x W x D mm	Model
Long Load	1005 x 700 x 1000	PAPT406Y	1005 x 800 x 1200	PAPT426Y
Double Bar End	1055 x 700 x 1120	PAPT410Y	1055 x 800 x 1330	PAPT430Y

FOR MORE INFORMATION  
PLEASE CONTACT >>>

 01790 753835

 sales@gpcind.co.uk

 www.gpcind.co.uk





# TECHNICAL DATA SHEET

# APOLLO® PLATFORM TRUCKS – SINGLE BAR END



# 3



DAY  
DELIVERY

## DESCRIPTION

This unit has a single bar end and is manufactured from a strong steel frame & timber decks. These platform trucks are designed to carry up to 600kg of goods.

## FEATURES


- ✔ Single Bar End with Platform
- ✔ Mobile on 2 fixed and 2 swivel braked 200mm rubber castors
- ✔ Maximum load capacity of 600kg



## TECHNICAL DATA

Description	1000 x 700mm Platform Size		1200 x 800mm Platform Size	
	Size - H x W x D mm	Model	Size - H x W x D mm	Model
Single Bar End	1055 x 700 x 1060	PAPT400Y	1055 x 800 x 1270	PAPT420Y

FOR MORE INFORMATION  
PLEASE CONTACT >>>

 01790 753835

 sales@gpcind.co.uk

 www.gpcind.co.uk



PAPT402Y



PAPT401Y



PAPT403Y



PAPT404Y





# TECHNICAL DATA SHEET

# APOLLO® PLATFORM TRUCKS – MESH



# 3



DAY DELIVERY

## DESCRIPTION

These units are a mixture of single, 2, 3 and 4 sided platform trucks, manufactured from a hardwearing steel structure with mesh (zinc plated) panels. These platform trucks are designed to carry up to 600kg of goods.

## FEATURES

- ✔ Mesh Platforms (1000 x 700mm or 1200 x 800mm)
- ✔ Mobile on 2 fixed & 2 swivel braked 200mm rubber castors
- ✔ Mixture of single, 2, 3 and 4 sided units
- ✔ Maximum load capacity of 600kg



PAPT403Y

## TECHNICAL DATA

Description	Size H x W x D mm	1000 x 700mm Platform		1200 x 800mm Platform	
		Model	Model	Model	Model
Single Mesh End	1055 x 800 x 1270	PAPT401Y	PAPT402Y	PAPT421Y	PAPT422Y
Double Mesh End		PAPT403Y	PAPT404Y	PAPT423Y	PAPT424Y
3 Mesh Sides					
4 Mesh Sides					

FOR MORE INFORMATION  
PLEASE CONTACT >>>

01790 753835

sales@gpcind.co.uk

www.gpcind.co.uk



PAPT431Y



PAPT432Y



PAPT433Y



PAPT434Y



# TECHNICAL DATA SHEET

# APOLLO® PLATFORM TRUCKS – TIMBER



# 3



DAY DELIVERY

## DESCRIPTION

These units are a mixture of single, 2, 3 and 4 sided platform trucks, manufactured from a hardwearing timber structure with timber panels. These platform trucks are designed to carry up to 600kg of goods.

## FEATURES


- ✔ Timber Platforms (1000 x 700mm or 1200 x 800mm)
- ✔ Mobile on 2 fixed & 2 swivel braked 200mm rubber castors
- ✔ Mixture of single, 2, 3 and 4 sided units
- ✔ Maximum load capacity of 600kg



## TECHNICAL DATA

Description	Size H x W x D mm	1000 x 700mm Platform	1200 x 800mm Platform
		Model	Model
Single End	1055 x 700 x 1055	PAPT411Y	PAPT431Y
Double End		PAPT412Y	PAPT432Y
3 Sides		PAPT413Y	PAPT433Y
4 Sides		PAPT414Y	PAPT434Y

FOR MORE INFORMATION  
PLEASE CONTACT >>>

 01790 753835

 sales@gpcind.co.uk

 www.gpcind.co.uk





PWPT402Y



PWPT403Y



PWPT414Y



# TECHNICAL DATA SHEET

# APOLLO® POWERED PLATFORM TRUCKS



# 10



DAY  
DELIVERY

## DESCRIPTION

This range of powered platform trucks are designed to move heavy goods whilst being easily manoeuvrable, suitable for a range of environments. Available in a mixture of single, 2, 3 and 4 sided platform trucks, they are manufactured from a hardwearing steel structure with a powered controller that has easy forward and reverse buttons, adjustable speed, and an emergency stop.

## FEATURES

- ✔ Complete with Steel Back
- ✔ Available in two platform sizes (1000 x 700mm or 1200 x 800mm)
- ✔ Sides available in Timber or Mesh (Zinc Plated)
- ✔ Maximum load capacity of 600kg
- ✔ 6 Full hour charge (2.5 - 6 Miles range depending on load)



PWPT401Y

## TECHNICAL DATA

Description	1000 x 700mm Platform Size	1200 x 800mm Platform Size
	Model	Model
<i>Single Steel End</i>		
Single Steel Handle End	PWPT401Y	PWPT421Y
<i>Mesh</i>		
Single Steel End with Mesh opposite End	PWPT402Y	PWPT422Y
Single Steel End with Mesh opposite End & mesh side	PWPT403Y	PWPT423Y
Single Steel End with Mesh opposite End & 2 x mesh side	PWPT404Y	PWPT424Y
<i>Timber</i>		
Single Steel End with Timber opposite End	PWPT412Y	PWPT432Y
Single Steel End with Timber opposite End & Timber side	PWPT413Y	PWPT433Y
Single Steel End with Timber opposite End & 2 x Timber side	PWPT414Y	PWPT434Y



# TECHNICAL DATA SHEET

# APOLLO® SHELF TRUCKS WITH TIMBER SHELVES



DAY  
DELIVERY

## DESCRIPTION

This range of shelf trucks is designed to move heavy goods whilst being easily manoeuvrable.

## FEATURES

- ✔ Timber Shelves
- ✔ 2 or 3 Shelf model types
- ✔ Maximum load capacity of 600kg



PAST505Y

## TECHNICAL DATA

No of Shelves	Platform Size H x W mm	Overall Size H x W x D mm	Shelf Heights mm	Model
2	1000 x 700	955 x 700 x 1110	240/915	PAST505Y
	1200 x 800			PAST525Y
3	1000 x 700	955 x 800 x 1305	240/580/915	PAST506Y
	1200 x 800			PAST526Y

FOR MORE INFORMATION  
PLEASE CONTACT >>>

01790 753835

sales@gpcind.co.uk

www.gpcind.co.uk



# TECHNICAL DATA SHEET

# APOLLO® SHELF TRUCKS WITH STEEL SHELVES



# 3



DAY  
DELIVERY

## DESCRIPTION

This range of shelf trucks is designed to move heavy goods whilst being easily manoeuvrable.

## FEATURES

- ✔ Steel Shelves
- ✔ Surround lip on the Steel models (Height: 35mm)
- ✔ 2 or 3 Shelf model types
- ✔ Maximum load capacity of 600kg



PAST516Y

## TECHNICAL DATA

No of Shelves	Platform Size H x W mm	Overall Size H x W x D mm	Shelf Heights mm	Model
2	1000 x 700	955 x 700 x 1110	240/915	PAST515Y
	1200 x 800			PAST535Y
3	1000 x 700	955 x 800 x 1305	240/580/915	PAST516Y
	1200 x 800			PAST536Y

FOR MORE INFORMATION  
PLEASE CONTACT >>>

01790 753835


sales@gpcind.co.uk

www.gpcind.co.uk





DT603Y & 2 x DTS06S



DT601Y



DT601Y & 2 x DTS06S

Heavy Duty Distribution Trucks - 1490 high



DT903Y & 3 x DTS09S



DT903Y



DT901Y

Large Heavy Duty Distribution Trucks - 1790 high





# HEAVY DUTY DISTRIBUTION TRUCKS



Scan the QR code above with your smartphone or tablet device to watch the product video.



DT601Y

DT901Y & 3 x DTS09S

Available with or without lockable doors

2 fixed & 2 swivel braked 200mm rubber castors

DT603Y & DT601Y: comes with the base and the unit can hold an additional 2 shelves (available as extras) which can be placed at 690 & 1090mm heights

DT903Y & DT901Y: comes with the base and the unit can hold an additional 3 shelves (available as extras) which can be placed at 630, 1050 & 1440mm heights  
Load capacity per shelf: 30kg

Description	Base / Shelf Size mm	Overall Size L x W x H mm	Weight kg	Model
Heavy Duty Distribution Trucks - 1490 high				
Without Doors	860 x 620	900 x 650 x 1490	54	DT603Y
With Lockable Doors	860 x 620	900 x 650 x 1490	68	DT601Y
Large Heavy Duty Distribution Trucks - 1790 high				
Without Doors	1150 x 750	1270 x 750 x 1790	68	DT903Y
With Lockable Doors	1150 x 750	1270 x 750 x 1790	87	DT901Y
Optional Shelves (must be ordered with the Heavy Duty Distribution Truck)				
Optional Shelves to Suit the DT603Y or DT601Y - Shelf Size: 860 x 620				DTS06S
Optional Shelves to Suit the DT903Y or DT901Y - Shelf Size: 1150 x 750				DTS09S



# HEAVY DUTY SHELF TRUCK

**250kg**  
evenly  
distributed

**SOME  
ASSEMBLY  
REQUIRED**



DT809Y



Heavy Duty Veneer Finish



Heavy Duty Braked Castors



DT809Y with  
2 x DTS08S

Ideal for use in factories, warehouses etc.  
Standard unit comes with 1 x shelf but the unit can hold 2 further shelves (available as extras)

Load capacity per shelf: 30kg

Heavy duty veneer removable shelves

2 fixed & 2 swivel braked castors - 200 x 50mm rubber

Base / Shelf Size mm	Overall Size L x W x H mm	Weight kg	Model
960 x 660	1035 x 705 x 1750	47.5	DT809Y
1160 x 760	1235 x 805 x 1750	49	DT810Y
Optional Shelves (must be ordered with the Heavy Duty Shelf Trucks)			
960 x 660	-	12	DTS08S
1160 x 760	-	13.5	DTS10S





# HEAVY DUTY DISTRIBUTION TRUCKS NOW WITH STEEL SHELVES



Scan the QR code above with your smartphone or tablet device to watch the product video.



DT403Y

DT701Y & 3 x DTS07S

Available with or without lockable doors  
 2 fixed & 2 swivel braked 200mm rubber castors  
 DT403Y & DT401Y: comes with the base and the unit can hold an additional 2 shelves (available as extras) which can be placed at 690 & 1090mm heights  
 DT703Y & DT701Y: comes with the base and the unit can hold an additional 3 shelves (available as extras) which can be placed at 630, 1050 & 1440mm heights  
 Load capacity per shelf: 50kg

Description	Base / Shelf Size mm	Overall Size L x W x H mm	Weight kg	Model
Heavy Duty Distribution Trucks - 1490 high				
Without Doors	860 x 620	900 x 650 x 1490	54	DT403Y
With Lockable Doors	860 x 620	900 x 650 x 1490	68	DT401Y
Large Heavy Duty Distribution Trucks - 1790 high				
Without Doors	1150 x 750	1270 x 750 x 1790	68	DT703Y
With Lockable Doors	1150 x 750	1270 x 750 x 1790	87	DT701Y
Optional Shelves (must be ordered with the Heavy Duty Distribution Truck)				
Optional Shelves to Suit the DT403Y or DT401Y - Shelf Size: 860 x 620				DTS04S
Optional Shelves to Suit the DT703Y or DT701Y - Shelf Size: 1150 x 720				DTS07S



PADT302Y



PADT301Y



PADT308Y





# TECHNICAL DATA SHEET

# APOLLO® HEAVY DUTY DISTRIBUTION TROLLEYS WITH 2 ADJ SHELVES



**3 DAY DELIVERY**    **BASE WITH 2 ADJ SHELVES**

## DESCRIPTION

This range of large heavy duty distribution trolleys are designed to move heavy goods whilst being easily manoeuvrable, suitable for a range of environments. The trucks are manufactured in a robust steel material with strong timber platforms and steel frames, that hold up to 100kg each.

## FEATURES

- ✔ Comes with a mesh infill
- ✔ Adjustable shelf heights of 100mm
- ✔ Maximum load capacity of 600kg
- ✔ 1070mm handle height



Holes to adjust shelves




PADT309Y

## TECHNICAL DATA

Description	Above Base Height mm	1000 x 700mm Platform Size Size: 1100 x 700mm (L x W)	1200 x 800mm Platform Size Size: 1300 x 700mm (L x W)
		Model	Model
Distribution Truck with Sides & Back	1100	PADT302Y	PADT308Y
Distribution Truck with Sides plus 2 Shelves		PADT301Y	PADT307Y
Distribution Truck with Sides & Back plus 2 Shelves		PADT303Y	PADT309Y

**FOR MORE INFORMATION**  
PLEASE CONTACT >>>





PADT311Y



PADT310Y



PADT312Y





# TECHNICAL DATA SHEET

# APOLLO® HEAVY DUTY DISTRIBUTION TROLLEYS WITH 3 ADJ SHELVES



**DAY DELIVERY**    **BASE WITH 3 ADJ SHELVES**

## DESCRIPTION

This range of large heavy duty distribution trolleys are designed to move heavy goods whilst being easily manoeuvrable, suitable for a range of environments. The trucks are manufactured in a robust steel material with strong timber platforms and steel frames, that hold up to 100kg each.

## FEATURES

- ✔ Comes with a mesh infill
- ✔ Adjustable shelf heights of 100mm
- ✔ Maximum load capacity of 600kg
- ✔ 1070mm handle height



Holes to adjust shelves



PADT306Y

## TECHNICAL DATA

Description	Above Base Height mm	1000 x 700mm Platform Size Size: 1100 x 700mm (L x W)	1200 x 800mm Platform Size Size: 1300 x 700mm (L x W)
		Model	Model
Distribution Truck with Sides & Back	1500	PADT305Y	PADT311Y
Distribution Truck with Sides plus 3 Shelves		PADT304Y	PADT310Y
Distribution Truck with Sides & Back plus 3 Shelves		PADT306Y	PADT312Y

**FOR MORE INFORMATION**  
PLEASE CONTACT >>>

01790 753835

sales@gpcind.co.uk

www.gpcind.co.uk





Easy forward and reverse buttons, with adjustable speed controller and emergency stop.





# TECHNICAL DATA SHEET

# APOLLO® HEAVY DUTY POWERED DISTRIBUTION TROLLEYS



DAY  
DELIVERY

## DESCRIPTION

This range of large heavy duty distribution Trolleys are designed to move heavy goods whilst being easily manoeuvrable, suitable for a range of environments. The Trolleys are manufactured in a robust steel material with strong timber platforms and shelves with steel frames, that hold up to 100kg each.

## FEATURES

- ✔ Timber platforms & shelves with steel frames
- ✔ Comes with a mesh infill
- ✔ Adjustable shelf heights of 100mm
- ✔ Options of sides only or sides & back
- ✔ Maximum load capacity of 600kg
- ✔ 1070mm handle height



## TECHNICAL DATA

Description	Side/Back Height mm	1000 x 700mm Platform Size Size: 1100 x 700mm (L x W)	1200 x 800mm Platform Size Size: 1300 x 700mm (L x W)
		Model	Model
<i>Powered Heavy Duty Distribution Trolleys</i>			
Powered Distribution Trolley with Sides & Back	1100	PWDT302Y	PWDT308Y
Powered Distribution Trolley with Sides plus 2 Shelves		PWDT301Y	PWDT307Y
Powered Distribution Trolley with Sides & Back plus 2 Shelves		PWDT303Y	PWDT309Y
<i>Powered Large Heavy Duty Distribution Trolleys</i>			
Powered Distribution Trolley with Sides & Back	1500	PWDT305Y	PWDT311Y
Powered Distribution Trolley with Sides plus 3 Shelves		PWDT304Y	PWDT310Y
Powered Distribution Trolley with Sides & Back plus 3 Shelves		PWDT306Y	PWDT312Y

FOR MORE INFORMATION  
PLEASE CONTACT >>>

01790 753835

sales@gpcind.co.uk

www.gpcind.co.uk





**400kg**  
evenly  
distributed

**SOME  
ASSEMBLY  
REQUIRED**

# A FAMILY OF INDUSTRIAL USE GENERAL PURPOSE TRUCKS

**i Information**

**UNITS AVAILABLE  
WITH PUNCTURE  
PROOF WHEELS  
"WILL NOT LET  
YOU DOWN"**



**i Information**

**FOR HEAVY DUTY  
USE WITH A  
MASSIVE  
400KG  
LOAD CAPACITY**



TI212R



TI216R

REACH compliant wheels  
Platform size: 1200 x 600mm & 2 x 275mm drop down mesh sides & ends.  
TI212R - mesh base diamond pattern  
TI216R - strong exterior grade plywood base  
Mobile on 340mm pneumatic steel centred wheels

Description	Platform Size L x W x H mm	Weight kg	REACH Compliant Wheels	REACH Compliant Puncture Proof Wheels
			Model	Model
General Purpose Trucks				
Mesh Base	1200 x 600 x 360	26	TI212R	TI222R
Plywood Base		30	TI216R	TI226R
Industrial General Purpose Trucks (Larger Size)				
Mesh Base	1500 x 750 x 360	27	TI552R	TI592R
Plywood Base		33	TI556R	TI596R



# A FAMILY OF INDUSTRIAL USE GENERAL PURPOSE TRUCKS

**400kg**  
evenly  
distributed



TI201R



TI205R

**Information**

**UNITS AVAILABLE  
WITH PUNCTURE  
PROOF WHEELS  
"WILL NOT LET  
YOU DOWN"**



**Information**

**FOR HEAVY DUTY  
USE WITH A  
MASSIVE  
400KG  
LOAD CAPACITY**

REACH compliant wheels  
Platform size: 1200 x 600mm & 2 x 275mm drop down mesh sides & ends.  
TI201R - mesh base diamond pattern  
TI205R - strong exterior grade plywood base  
Mobile on 340mm pneumatic steel centred wheels  
Sides & ends interlock together

Description	Platform Size L x W x H mm	Weight kg	REACH Compliant Wheels	REACH Compliant Puncture Proof Wheels
			Model	Model
<b>General Purpose Trucks with Mesh Sides &amp; Ends</b>				
Mesh Base	1200 x 600 x 360	32	TI201R	TI231R
Plywood Base		36	TI205R	TI235R
<b>Industrial General Purpose Trucks (Larger Size)</b>				
Mesh Base	1500 x 750 x 360	34.5	TI541R	TI581R
Plywood Base		40.5	TI545R	TI585R





## TECHNICAL DATA SHEET

# APOLLO® PICKING TROLLEYS



10  
DAY  
DELIVERY

## DESCRIPTION

Our Apollo® Picking Trolleys are designed to move large bulky loads (approx. 300kg) in an easily manoeuvrable way, with 2 x 125mm swivel & braked castors and ergonomically designed handles. Manufactured in a strong tubular steel with a clipboard tray. This range is perfect for use in a range of environments.

## FEATURES

- ✔ Fitted with a Clipboard Tray within the handle
- ✔ Maximum load capacity of 300kg




PAOP202Y

## TECHNICAL DATA

Overall Size H x W x D mm	Shelf Heights mm	Shelf Size L x W mm	Weight kg	Model
1170 x 515 x 1250	200/840	895 x 495	40	PAOP202Y

FOR MORE INFORMATION  
PLEASE CONTACT >>>





## TECHNICAL DATA SHEET

# APOLLO® PICKING TROLLEYS



DAY  
DELIVERY

## DESCRIPTION

Our Apollo® Picking Trolleys are designed to move large bulky loads (approx. 300kg) in an easily manoeuvrable way, with 2 x 125mm swivel & braked castors and ergonomically designed handles. Manufactured in a strong tubular steel with a clipboard tray. This range is perfect for use in a range of environments.

## FEATURES

- ✔ Fitted with a Clipboard Tray within the handle
- ✔ Cantilever for ease
- ✔ Maximum load capacity of 300kg




PAOP201Y

## TECHNICAL DATA

Overall Size H x W x D mm	Shelf Heights mm	Shelf Size L x W mm	Weight kg	Model
1170 x 605 x 1400	205/815	1010 x 605	40	PAOP201Y

FOR MORE INFORMATION  
PLEASE CONTACT >>>









## TECHNICAL DATA SHEET

# APOLLO<sup>®</sup> CONTAINER TROLLEY



DAY  
DELIVERY

## DESCRIPTION

The Apollo<sup>®</sup> Container Trolley is designed to carry 2 600 x 400mm containers and is easily manoeuvrable. The Container Trolley is very lightweight and easy to use, making them most suitable for light duty picking & packing. This range is perfect for use in a range of environments, when wanting to move and/or contain goods from one destination to another.

## FEATURES


- ✔ Lightweight making it easy to move around and transport goods efficiently
- ✔ Manufactured from a strong steel frame
- ✔ Carries 2 of 600 x 400mm containers (Supplied with Trolley)
- ✔ Maximum load capacity of 100kg



## TECHNICAL DATA

Overall Size H x W x D mm	Shelf Heights mm	Shelf Size L x W mm	Model
1080 x 440 x 1000	505/1070	600 x 400	PATT808Y

FOR MORE INFORMATION  
PLEASE CONTACT >>>





## TECHNICAL DATA SHEET

# APOLLO® PICKING TROLLEY WITH STEPS - STEEL SHELVES



# 10



DAY  
DELIVERY

## DESCRIPTION

Our Apollo® Picking Trolleys are designed to move large bulky loads (approx. 300kg) whilst being easily manoeuvrable. This range is perfect for use in a range of environments, when wanting to move goods from one destination to another.

## FEATURES


- ✔ Spring loaded steps to easily pick higher items
- ✔ Maximum load capacity of 300kg



## TECHNICAL DATA

No of Shelves	No of Steps	Overall Size H x W x D mm	Shelf Heights mm	Shelf Size L x W mm	Model
2	3	1380 x 600 x 1440	180/1000	800 x 500	PAOP204Y
3	4	1570 x 600 x 1750	180/710/1240	1000 x 500	PAOP206Y

FOR MORE INFORMATION  
PLEASE CONTACT >>>





## TECHNICAL DATA SHEET

# APOLLO® PICKING TROLLEY WITH STEPS – TIMBER SHELVES



DAY  
DELIVERY

## DESCRIPTION

Our Apollo® Picking Trolleys are designed to move large bulky loads (approx. 300kg) whilst being easily manoeuvrable. This range is perfect for use in a range of environments, when wanting to move goods from one destination to another.

## FEATURES


- ✔ Spring loaded steps to easily pick higher items
- ✔ Maximum load capacity of 300kg



## TECHNICAL DATA

No of Shelves	No of Steps	Overall Size H x W x D mm	Shelf Heights mm	Shelf Size L x W mm	Model
2	3	1380 x 600 x 1440	180/1000	800 x 500	PAOP203Y
3	4	1570 x 600 x 1750	180/710/1240	1000 x 500	PAOP205Y

FOR MORE INFORMATION  
PLEASE CONTACT >>>







## TECHNICAL DATA SHEET

# APOLLO® CYLINDER TROLLEYS WITH SOLID RUBBER WHEELS



10  
DAY  
DELIVERY

## DESCRIPTION

Our Apollo® Cylinder Trolleys are designed to move and store heavy cylinders (up to 300kg & 400kg) in an easily manoeuvrable way, operating with solid rubber 2 x 350mm puncture proof wheels and an ergonomically designed lip/handle. Some models are also fitted with supporting castors for extra stability. Manufactured in strong tubular steel, this unit is designed to withstand bumps and knocks, protecting the cylinder inside.

## FEATURES


- ✔ Solid toe plate to hold the cylinder
- ✔ Manufactured in a resistant steel, finished in dark grey
- ✔ Adjustable chain to retain bottles in transit
- ✔ Maximum load capacity of 300 or 400kg (refer to table below)
- ✔ Complete with 2 x 350mm solid rubber wheels and 2 x support castors on some models (refer to table below)



## TECHNICAL DATA

Overall Size H x W x D mm	No of Cylinders	Support Castors	Cylinder Diameter mm	Max Load Capacity kg	Weight kg	Model
1120 x 700 x 700	1	Yes	400	300	23	PACT803Y
1120 x 860 x 500	2	No	240 to 300	400	27	PACT804Y
1120 x 860 x 700	2	Yes	240 to 300	400	30	PACT805Y

FOR MORE INFORMATION  
PLEASE CONTACT >>>





## TECHNICAL DATA SHEET

# APOLLO® SINGLE CYLINDER TROLLEYS



# 3



DAY  
DELIVERY

## DESCRIPTION

Our Apollo® Single Cylinder Trolleys are designed to move and store heavy cylinders (up to 300kg) in an easily manoeuvrable way, operating with 2 x 260mm puncture proof wheels and an ergonomically designed lip/handle. Manufactured in strong tubular steel, this unit is designed to withstand bumps and knocks, protecting the cylinder inside.

## FEATURES

✔ Suitable for bottle sizes up to 400mm Diameter

✔ Maximum load capacity of 300kg




These 260mm puncture proof wheels are tested to withstand sharp objects and un-even terrain without damaging the wheel.



## TECHNICAL DATA

Overall Size H x W x D mm	Cylinder Diameter mm	Max Load Capacity kg	Model
1120 x 540 x 420	240	300	PACT801Y
1120 x 700 x 420	400		PACT802Y

FOR MORE INFORMATION  
PLEASE CONTACT >>>

 01790 753835

 sales@gpcind.co.uk

 www.gpcind.co.uk