



CBRE

MECHANICAL TOOLKIT **SYNGENTA**



5904435

5904435

Heavy Duty Soft Grip Pliers Set (3 Piece)

Drop forged from chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Lacquered finish for corrosion protection with heavy duty, soft grip handles with slip guards. Display packed in blow mould case with see-through lid.

Contents: 180mm Combination Pliers
160mm Long Nose Pliers
160mm Diagonal Side Cutters



5903565


5903565

Internal and External Circlip Pliers Set (4 Piece)

Industrial quality, chrome nickel steel hardened and tempered with a polished finish, chemically blacked tips and special non slip cushion-grip handles. Display packed in blow mould storage tray.

Capacity 19-60mm

Contents:
180mm straight tip internal circlip pliers
170mm 90° tip internal circlip pliers
180mm straight tip external circlip pliers
170mm 90° tip external circlip pliers



5904604

5904604

Soft Grip Curved Jaw Self Grip Pliers (230mm)

Heavy duty pliers made from chrome vanadium steel that's hardened and tempered. With serrated gripping surfaces, adjustable opening and a quick-release lever. Attached with soft grips for added user comfort. Display packed.




5904605

5904605

165mm Soft Grip Long Nose Self Grip Pliers

Heavy duty long nose pliers made from chrome vanadium steel that's hardened and tempered. With serrated gripping surfaces, adjustable opening and a quick-release lever. Attached with soft grips for added user comfort. Display packed.



5902985

5902985

180mm Waterpump Pliers

Manufactured to DIN ISO 8976 Specifications


Manufactured from chrome vanadium electric steel, oil hardened and tempered, with smoothly ground jaws, joint faces and an accurately formed box joint with safety stop. The parallelogram-shaped gripping surfaces have specially hardened teeth to 61HRC for positive grip on pipes and nuts. One hand press button adjustment. Plastic coated handles with slip guards for extra safety. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Display packed.

Hold Nuts Across Flats: 36mm

Hold Pipe Dia. 42mm

Jaw Positions: 18

Length: 180mm



5904513

5904513

250mm Waterpump Pliers

Manufactured to DIN ISO 8976 Specifications

Manufactured from chrome vanadium electric steel, oil hardened and tempered, with smoothly ground jaws, joint faces and an accurately formed box joint with safety stop. The parallelogram-shaped gripping surfaces have specially hardened teeth to 61HRC for positive grip on pipes and nuts. One hand press button adjustment. Plastic coated handles with slip guards for extra safety. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Sold loose.

Hold Nuts Across Flats: 46mm

Hold Pipe Dia. 50mm

Jaw Positions: 25

Length: 250mm



5903321

5903321

300mm Waterpump Pliers

Manufactured to DIN ISO 8976 Specifications

Manufactured from chrome vanadium electric steel, oil hardened and tempered, with smoothly ground jaws, joint faces and an accurately formed box joint with safety stop. The parallelogram-shaped gripping surfaces have specially hardened teeth to 61HRC for positive grip on pipes and nuts. One hand press button adjustment. Plastic coated handles with slip guards for extra safety. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Display packed.

Hold Nuts Across Flats: 60mm

Hold Pipe Dia. 70mm

Jaw Positions: 30

Length: 300mm



5903303

5903303

Metric Combination Spanner Set (14 Piece)

Generally in accordance with DIN3113 Specifications

Forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Draper HI-TORQ® ring end offset at 15°. Jaw offset at 15°. Supplied in Tetron divided wallet with tie cord. Display packed.

Contents: 8, 9, 10, 11, 12, 13, 14, 17, 19, 22, 24, 27, 30 and 32mm.



5905639

5905639

Metric Combination Spanner Set with Flexible Head and Double Ratcheting Features (8 Piece)

Unique ratcheting open-end design. HI-TORQ® 180° flexible head reversing ratchet ring requiring only 5° movement to turn fastener. Both ratcheting facilities are especially useful in confined spaces. Forged from chrome vanadium steel, hardened, tempered, chrome plated and fully polished throughout. Display packed.

Contents: 8, 10, 12, 13, 14, 15, 17 and 19mm



5905636

5905636

Metric Combination Spanner Set with Flexible Head and Double Ratcheting Features (8 Piece)

Unique ratcheting open-end design. HI-TORQ® reversible ratchet ring end, requiring only 5° movement to turn fastener. Both ratcheting facilities are especially useful in confined spaces. Forged from chrome vanadium steel, hardened, tempered, chrome plated and fully polished throughout. Display packed.

Contents: 8, 10, 12, 13, 14, 15, 17 and 19mm



5931101

5931101
20 Blade Metric Feeler Gauge Set

Super accurate, metric feeler gauge set with twenty 100mm long tapered blades. All blades are hardened and polished for a longer life. Each feeler blade is marked with its size and folds into a polished steel case with thumbscrew. An invaluable feeler gauge set, designed for accurate precision work.

Contents:

Blade sizes:
 20 metric blades size: 0.05, 0.10, 0.15, 0.20, 0.25, 0.30, 0.35, 0.40, 0.45, 0.50, 0.55, 0.60, 0.65, 0.70, 0.75, 0.80, 0.85, 0.90, 0.95 and 1.0mm.



5905896

5905896
Twin Key

Magnetic utility key. Manufactured with 13 essential utility key shapes and a double ended screwdriver bit this utility key is an essential addition for all service personnel. Display packed.

Contents:

Finned Key: 3.5mm
 Half Moon: 6mm
 Four Squares: 5, 6-7, 8-9 and 10-11mm
 Stepped Square: 6-9mm
 Three Triangles: 7-8, 9-10 and 11-12mm
 Double-ended 7mm plain/No.2 cross slot insert bit 55mm long



59010736

59010736
'Pound Thru' Plain Slot 10 x 250mm Soft Grip Screwdrivers

Screwdrivers with hardened SVCM satin chrome plated hexagonal blades. Attached to a soft grip, oil and solvent resistant handle with integrated toughened 'Pound Thru' metal cap designed for receiving hammer blows.

Blade Length: 250mm **Blade Tip:** 10mm



5900038

5900038
Soft Grip Screwdriver Set (8 Piece)

SVCM+ blades which are hardened and satin chrome plated with sand blasted tips. Attached to a soft grip, oil and solvent resistant colour coded handle. Supplied in PVC storage case.

Contents: Plain Slot; 3.5 x 75, 5.5 x 100, 6.5 x 100, 8 x 150
 Cross Slot; No.1 x 75, No.2 x 100mm
 PZ Type; No.1 x 75, No.2 x 100mm



6200217

6200217

420mm Solid Base Tool Bag

Manufactured from water repellent polyester with PVC backing, nylon zip with framed opening and heavy duty plastic base. 13 internal pockets and eight external pockets. Sold loose with display card.

Dimensions 420 x 230 x 290mm



5901095

5901095

5m / 16ft x 27mm Measuring Tape

Manufactured to EC Class II Accuracy. Tough impact resistant ABS case with belt clip and TPR soft grip jacket fitted with 'bump-stop' prolonging the life of the tape. The tape lock button can be operated from the side and bottom and when finished the braked return mechanism ensures a smooth return. The nylon-coated tape has metric and imperial graduations on both sides and stud centre markings every 16" and 19.2" and is fitted with a self-aligning, double ended, magnetic end-hook providing easy attachment and measuring from both sides of the tape. Display packed.

Length: 5m / 16ft. Width: 27mm.



5950452

5950452

Supercut® 375mm/15" Soft Grip Hardpoint Tool Box Handsaw - 7tpi/8ppi

Japanese high carbon steel hardened, tempered, straightened and stress relieved to ensure blade straightness. Fine ground blade surface coated in ultra-tough lacquer to prevent corrosion and ease friction during sawing. Triple ground tooth design to allow fast cutting and sawdust removal in both forward and reverse action. Each tooth is hardened to prevent tooth snap. Shock-absorbing, ergonomic soft grip handle. Display packed. **Pitch** 7/8 First Fix



5900082

5900082

Hacksaw and Junior Hacksaw Set (Green)

Heavy duty soft grip hacksaw and junior hacksaw set. The 300mm hacksaw is made from a high quality aluminium alloy. The junior hacksaw is made with a steel frame. Both saws are fitted with soft grip handles for added user comfort and supplied with blades.

Colour: Green



6800136

6800136
2 x 300mm 18tpi Bi-Metal Hacksaw Blades

Conforms to BS 1919

Saw edge, manufactured from high speed steel strip, electron beam welded to high quality carbon steel backing. Display packed two blades per card.

Pitch 18




6800419

6800419
10 x Junior Hacksaw Blades

Manufactured to BS6271

General purpose cutting blades with pinned ends. Will fit all junior hacksaw frames. Packed ten blades on display card or in bags of 100 blades.

Quantity: 10 blades per card.



59010603

59010603
Extra Long Metric Hexagon and Ball End Hexagon Key Set (10 Piece)

Hexagon keys with ball end on the long arm and conventional ends on short arm. The ball type hexagon tip allows the hexagon key to be used up to 30° angle from the screwhead recess. Manufactured from chrome vanadium steel that's hardened and tempered. Held in plastic storage holder.

Contents: 2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0, 7.0, 8.0 and 10.0mm



6800277

6800277
200mm Soft Grip Engineers File and Rasp Set (8 Piece)

High carbon steel, hardened and tempered with soft grip handles incorporating hang hole. Supplied in tool roll. Display packed.


Contents: flat, hand, half round, round, square, three square files, half round rasp and round rasp.



5950619

5950619
Side View Boat Spirit Level with Magnetic Base (250mm)

With side view vial. Cast aluminium with three solid acrylic vials, one horizontal, one 45° and vertical side view vial. Special milled base with two rare earth magnets. Accuracy: 0.5mm per 1M = 0.029° in standard position. Display packed.



7200104

7200104
310mm Heavy Duty 4 Row Wire Scratch Brush

Industrial wire scratch brushes with wooden stock incorporating a hang hole. Sold loose.

Rows of Wire 4 x 15

**5950563****5950563****450mm Wrecking Bar**

For dismantling timber work, case opening, etc. and removing nails. Forged high grain steel with chisel end and swan neck. Sold loose.

Length: 450mm

**5904258****5904258****450g (16oz) Fibreglass Shafted Ball Pein Hammer**

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing PP/TPR grip. Sold Loose.

Weight: 450g (16oz)

**5903528****5903528****1kg (2.2lb) Dead Blow Hammer**

Manufactured from high quality SBR material which is oil and cold resistant. Hollow head has steel particles helping to prevent rebound. Sold loose.

**5903138****5903138****680g (24oz) Copper/Rawhide Faced Hammer**

Copper/rawhide faced hammer with a heavy malleable iron head fitted with a copper and a rawhide face. The copper face is especially suitable for dismantling and assembly work where it will help to avoid damaging component parts. The rawhide face is ideal for use on materials where bruising needs to be avoided. An excellent dual purpose hammer. Shaped wood shaft. Sold loose. **Weight:** 680g (24oz)

**5902352****5902352****Automatic Pipe Cutter (15mm)**

For cutting copper and plastic pipes. Ideal for work in confined areas. Display packed.

**5902353****5902353****Automatic Pipe Cutter (22mm)**

For cutting copper and plastic pipes. Ideal for work in confined areas. Display packed.



6800164


6800164

150mm Engineers Precision Square

Manufactured to BS 939 Workshop Grade B for squareness tolerance only.

Made with solid steel stock with a hardened, tempered and finely polished blade. The squareness of the blade edges and the stock working face falls within $\pm 0.016\text{mm}/0.0064''$ tolerance. Display packed.

Size: 150mm




6800165

6800165

230mm Double Ended Engineers Scriber

Double ended hardened scriber with straight and 90° hardened points. Display packed.




5906020

5906020

300mm 12" Stainless Steel Rule

Precision rules manufactured from hardened stainless steel matt chrome plated. The clear black graduations of 0.5mm, mm, 0.5cm, cm and 1/64", 1/50", 1/32", 1/20", 1/16", 1/10", 1/2", and inches on the reverse are permanently etched for long service life. Packed into vinyl wallets. Display packed.

Length: 300mm & 12"




5906019

5906019

150mm / 6" Stainless Steel Rule

Precision rules manufactured from hardened stainless steel matt chrome plated. The clear black graduations of 0.5mm, mm, 0.5cm, cm and 1/64", 1/50", 1/32", 1/20", 1/16", 1/10", 1/2", and inches on the reverse are permanently etched for long service life. Packed into vinyl wallets. Display packed.

Length: 150mm & 6"




5610102

5610102

155mm Household Scissors

Forged from selected steel, fully chrome plated and polished. Display packed.



6800452

6800452

3mm x 100mm Centre Punch

Square section striking head with knurled body and polished ends. Manufactured from carbon steel hardened and tempered. Display packed.

Diameter: 3mm

Length: 100mm

5906097**5906097****150mm Soft Grip Crescent-Type Adjustable Wrench**

Crescent-type wrenches manufactured from chrome vanadium steel hardened and tempered with a black oxide finish. Soft grip handles for comfort with metric scale on fixed jaw. Display packed.

Capacity: 19mm **Length:** 150mm**5905979****5905979****250mm Soft Grip Crescent-Type Wrench**

Crescent-type wrenches manufactured from chrome vanadium steel hardened and tempered with a black oxide finish. Soft grip handles for comfort with metric scale on fixed jaw. Display packed.

Capacity: 30mm **Length:** 250mm**5900083****5900083****200mm Wide Jaw Adjustable Wrench**

Manufactured from chrome vanadium steel hardened and tempered with a black phosphate finish and soft grip handle. Jaws offset at 22° with a graduated scale etched into the head.

Capacity: 38mm **Length:** 200mm**5905980****5905980****300mm Soft Grip Crescent-Type Wrench**

Crescent-type wrenches manufactured from chrome vanadium steel hardened and tempered with a black oxide finish. Soft grip handles for comfort with metric scale on fixed jaw. Display packed.

Capacity: 38mm **Length:** 300mm**5902372****5902372****250mm Adjustable Pipe Wrench**

Traditional pattern wrench. Handle drop forged hardened and tempered. Jaws additionally induction hardened to 55-60 HRC for durability and long life. Frame and handle electrostatically painted. Display packed.

Capacity 40mm **Length** 250mm**5902380****5902380****450mm Adjustable Pipe Wrench**

Traditional pattern wrench. Handle drop forged hardened and tempered. Jaws additionally induction hardened to 55-60 HRC for durability and long life. Frame and handle electrostatically painted. Display packed.

Capacity 65mm **Length** 450mm

**5903413****5903413****250mm Plier Wrench****Manufactured to DIN ISO 5743 Specifications**

Each professional quality 250mm Plier Wrench is manufactured from special high-grade tool steel, oil hardened and tempered. Smoothly ground heads and faces with cutting edges separately induction hardened. Designed for working on nuts and unions especially components with finished surfaces, ie. plated or burnished. The unique cam action jaws give a secure and powerful grip, which increases as more pressure is applied. The cam also allows the tool to be used with a ratcheting action for speed fastening. Fitted with ergonomically designed plastic coated handles, which deliver comfort even when used for prolonged periods. A highly desirable tool for professional plumbers and various other tradesmen.

Hold Nuts Across Flats: 46mm **Length:** 250mm**5904220****5904220****180mm Plier Wrench****Manufactured to DIN ISO 5743 Specifications**

Each professional quality 180mm Plier Wrench is manufactured from special high-grade tool steel, oil hardened and tempered. Smoothly ground heads and faces with cutting edges separately induction hardened. Designed for working on nuts and unions especially components with finished surfaces, ie. plated or burnished. The unique cam action jaws give a secure and powerful grip, which increases as more pressure is applied. The cam also allows the tool to be used with a ratcheting action for speed fastening. Fitted with ergonomically designed plastic coated handles, which deliver comfort even when used for prolonged periods. A highly desirable tool for professional plumbers and various other tradesmen.

Hold Nuts Across Flats: 35mm **Length:** 180mm**6200250****6200250****Mobile Contractors 640mm Chest and 560mm Tool Box**

Professional's tool chest and box in one unit on wheeled trolley with telescopic handle and kick plate. Each box is manufactured from tough durable plastic construction with steel locking latches. The chest has handles to facilitate lifting and rubber feet for protection. The tool box has a full size carrying handle and removable top organizer with 11 compartments. For safety when using the trolley, the tool chest and tool box can be locked together. Carton packed.

Contents:

Configuration:

tool box (external): 560 x 280 x 250mm

tool box tote tray (internal): 515 x 225 x 50mm

tool box organiser (external): 390 x 170 x 33mm

chest (external): 640 x 400 x 445mm

chest tote tray (internal): 559 x 290 x 90mm



5210520

5210520

Inspection Lamp with Rechargeable 4W COB LED & UV LED

COB (Chip On Board) inspection lamp perfectly suited for a host of industries especially the automotive sector.

Fitted with COB face-plate LED producing an impressive 350 lumens and the 1W LED on the end plate delivers 80 lumens. The end plate is also fitted with three Ultra Violet LEDs transforming the lamp into torch. The UV LEDs enable detection of leaks on cooling systems and air-con systems.

Powered by a rechargeable Li-ion battery, delivering enhanced battery efficiency, while the base is manufactured with an integrated magnet and the swivel joint permits the light to be used in any 360 degree position.

Supplied with two hang hooks, 240V charger and 12V charging adaptor.

A universally essential inspection lamp-torch perfect for a host of industries, especially useful in the automotive sector as the UV capabilities enable leak detection. **Colour:** Blue



5900037

5900037

1/2" Sq. Dr. Metric Socket Set (30 Piece)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Twelve point sockets made from chrome vanadium steel that's hardened and tempered with a polished finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible ratchet and accessories. Packed in a tough plastic storage case with soft grip handle.

Contents:

- 23 sockets size 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm
- 3 spark plug sockets size 10, 12, 14mm
- 72 tooth reversible ratchet with "quick release" button
- wobble extension bar 125mm
- sliding 'T' bar
- universal joint



5900081

5900081

1/4" Sq. Dr. Metric Socket Set (20 Piece)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in plastic storage case.

Contents:

- 13 sockets size: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 72 tooth reversible ratchet with soft grip handle and quick release button
- 3 wobble extension bars sizes: 50, 75 and 150mm
- sliding 'T' bar
- universal joint
- flexible handle



Contents:

150mm Long Bits

- 1 x Plain slot - 6mm
- 2 x Cross slot - No.2 and No.3
- 2 x PZ Type - No.2 and No.3

75mm Long Bits

- 1 x Plain slot - 5mm
- 4 x Cross slot - No.1, No.2 (x 2) and No.3
- 4 x PZ Type - No.1, No.2 (x 2) and No.3

50mm Long Bits

- 1 x Plain slot - 4.5mm
- 2 x Cross slot - No.2 (x 2)
- 2 x PZ Type - No.2 (x 2)

25mm Long Bits

- 15 x Plain slot - 3, 4, 4.5 (x 3), 5 (x 3), 5.5 (x 3), 6, 6.5, 7 and 8
- 8 x Cross slot - No.0, No.1, No.2 (x 5) and No.3
- 9 x PZ Type - No.0, No.1, No.2 (x 5) and No.3 (x 2)
- 9 x Draper TX-STAR® - T8, T10, T15, T20, T25, T27, T30, T40 and T45
- 7 x Draper TX-STAR® security - T8T, T10T, T15T, T20T, T25T, T30T and T40
- 7 x Metric Hex - 1.5, 2, 2.5, 4, 5, 6 and 7mm,
- 9 x Imperial Hex - 1/16, 5/64, 3/32, 7/64, 1/8, 5/32, 3/16, 7/32 and 1/4
- 4 x Square - S0, S1, S2, S3
- 14 x Tamper Hex - 2 (x 2), 2.5 (x 2), 3 (x 2), 4 (x 2), 5 (x 2) and 6mm (x 4)
- 3 x Draper TX-STAR® - T6, T8 and T10
- 3 x Butterfly - C1, C2 and C3
- 3 x Spline - 5, 6 and 8
- 4 x Wing - 4, 6, 8 and 10
- 4 x Tri Wing - 1, 2, 3 and 4
- 1 x Hook Bit
- 1 x 25mm 1/4" square to 1/4" hex drive adaptor
- 1 x 50mm 1/4" square to 1/4" hex drive adaptor
- 1 x 60mm 1/4" hex magnetic bit holder
- 1 x 60mm 1/4" quick change bit holder
- 1 x 80mm SDS plus quick change bit holder
- 1 x 1/4" square female to 1/4" female socket

5901168

5901168

Bit Holder Set (127 Piece)

A comprehensive set of 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a shot blast finish. Bit holder with quick release collet allows bits to be expelled quickly and efficiently. Supplied in a heavy-duty storage case with plastic inlay to hold bits securely.

PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems.

Draper TX-STAR products are compatible with †Torx fixing systems.

*Pozidriv®/Supadriv® are registered trademarks of Trifast Plc.

†Torx is the registered trademark of Acument Intellectual Properties LLC.



CBRE

MECHANICAL / PLUMBING
TOOLKIT **SYNGENTA**



5904435

5904435

Heavy Duty Soft Grip Pliers Set (3 Piece)

Drop forged from chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Lacquered finish for corrosion protection with heavy duty, soft grip handles with slip guards. Display packed in blow mould case with see-through lid.

- Contents:** 180mm Combination Pliers
160mm Long Nose Pliers
160mm Diagonal Side Cutters



5950201

5950201

245mm Waterpump Plier with Soft Jaws

Designed for use on decorative or bright plated fittings that can be easily damaged using conventional steel jaws. The jaws are adjustable for securing a variety of shapes to a maximum of 40mm with eight positions. Manufactured from chrome vanadium steel hardened, tempered and chemically blacked. 'Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Cushion-grip handles. Supplied with replacement set of soft jaws. Display packed.




5904604

5904604

Soft Grip Curved Jaw Self Grip Pliers (230mm)

Heavy duty pliers made from chrome vanadium steel that's hardened and tempered. With serrated gripping surfaces, adjustable opening and a quick-release lever. Attached with soft grips for added user comfort. Display packed.




5904605

5904605

165mm Soft Grip Long Nose Self Grip Pliers

Heavy duty long nose pliers made from chrome vanadium steel that's hardened and tempered. With serrated gripping surfaces, adjustable opening and a quick-release lever. Attached with soft grips for added user comfort. Display packed.



5902985

5902985

180mm Waterpump Pliers

Manufactured to DIN ISO 8976 Specifications


Manufactured from chrome vanadium electric steel, oil hardened and tempered, with smoothly ground jaws, joint faces and an accurately formed box joint with safety stop. The parallelogram-shaped gripping surfaces have specially hardened teeth to 61HRC for positive grip on pipes and nuts. One hand press button adjustment. Plastic coated handles with slip guards for extra safety. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Display packed.

Hold Nuts Across Flats: 36mm

Hold Pipe Dia. 42mm

Jaw Positions: 18

Length: 180mm



5904513

5904513

250mm Waterpump Pliers

Manufactured to DIN ISO 8976 Specifications


Manufactured from chrome vanadium electric steel, oil hardened and tempered, with smoothly ground jaws, joint faces and an accurately formed box joint with safety stop. The parallelogram-shaped gripping surfaces have specially hardened teeth to 61HRC for positive grip on pipes and nuts. One hand press button adjustment. Plastic coated handles with slip guards for extra safety. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Sold loose.

Hold Nuts Across Flats: 46mm

Hold Pipe Dia. 50mm

Jaw Positions: 25

Length: 250mm



5903321

5903321

300mm Waterpump Pliers

Manufactured to DIN ISO 8976 Specifications


Manufactured from chrome vanadium electric steel, oil hardened and tempered, with smoothly ground jaws, joint faces and an accurately formed box joint with safety stop. The parallelogram-shaped gripping surfaces have specially hardened teeth to 61HRC for positive grip on pipes and nuts. One hand press button adjustment. Plastic coated handles with slip guards for extra safety. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Display packed.

Hold Nuts Across Flats: 60mm

Hold Pipe Dia. 70mm

Jaw Positions: 30

Length: 300mm



5903565

5903565

Internal and External Circlip Pliers Set (4 Piece)

Industrial quality, chrome nickel steel hardened and tempered with a polished finish, chemically blacked tips and special non slip cushion-grip handles. Display packed in blow mould storage tray.

Capacity 19-60mm

Contents:

- 180mm straight tip internal circlip pliers
- 170mm 90° tip internal circlip pliers
- 180mm straight tip external circlip pliers
- 170mm 90° tip external circlip pliers



5901095

5901095

5m / 16ft x 27mm Measuring Tape

Manufactured to EC Class II Accuracy. Tough impact resistant ABS case with belt clip and TPR soft grip jacket fitted with 'bump-stop' prolonging the life of the tape. The tape lock button can be operated from the side and bottom and when finished the braked return mechanism ensures a smooth return. The nylon-coated tape has metric and imperial graduations on both sides and stud centre markings every 16" and 19.2" and is fitted with a self-aligning, double ended, magnetic end-hook providing easy attachment and measuring from both sides of the tape. Display packed.

Length: 5m / 16ft. Width: 27mm.



6200217

6200217

420mm Solid Base Tool Bag

Manufactured from water repellent polyester with PVC backing, nylon zip with framed opening and heavy duty plastic base. 13 internal pockets and eight external pockets. Sold loose with display card.

Dimensions 420 x 230 x 290mm



5950452

5950452

Supercut® 375mm/15" Soft Grip Hardpoint Tool Box Handsaw - 7tpi/8ppi

Japanese high carbon steel hardened, tempered, straightened and stress relieved to ensure blade straightness. Fine ground blade surface coated in ultra-tough lacquer to prevent corrosion and ease friction during sawing. Triple ground tooth design to allow fast cutting and sawdust removal in both forward and reverse action. Each tooth is hardened to prevent tooth snap. Shock-absorbing, ergonomic soft grip handle. Display packed. **Pitch** 7/8 First Fix



5931101

5931101

20 Blade Metric Feeler Gauge Set

Super accurate, metric feeler gauge set with twenty 100mm long tapered blades. All blades are hardened and polished for a longer life. Each feeler blade is marked with its size and folds into a polished steel case with thumbscrew. An invaluable feeler gauge set, designed for accurate precision work.

Contents:

Blade sizes:
20 metric blades size: 0.05, 0.10, 0.15, 0.20, 0.25, 0.30, 0.35, 0.40, 0.45, 0.50, 0.55, 0.60, 0.65, 0.70, 0.75, 0.80, 0.85, 0.90, 0.95 and 1.0mm.



5905896

5905896

Twin Key

Magnetic utility key. Manufactured with 13 essential utility key shapes and a double ended screwdriver bit this utility key is an essential addition for all service personnel. Display packed.

Contents:

Finned Key: 3.5mm
Half Moon: 6mm
Four Squares: 5, 6-7, 8-9 and 10-11mm
Stepped Square: 6-9mm
Three Triangles: 7-8, 9-10 and 11-12mm
Double-ended 7mm plain/No.2 cross slot insert bit 55mm long



59010736

59010736

'Pound Thru' Plain Slot 10 x 250mm Soft Grip Screwdrivers

Screwdrivers with hardened SVCM satin chrome plated hexagonal blades. Attached to a soft grip, oil and solvent resistant handle with integrated toughened 'Pound Thru' metal cap designed for receiving hammer blows.

Blade Length: 250mm **Blade Tip:** 10mm



5900038

5900038

Soft Grip Screwdriver Set (8 Piece)

SVCM+ blades which are hardened and satin chrome plated with sand blasted tips. Attached to a soft grip, oil and solvent resistant colour coded handle. Supplied in PVC storage case.

Contents: Plain Slot; 3.5 x 75, 5.5 x 100, 6.5 x 100, 8 x 150
Cross Slot; No.1 x 75, No.2 x 100mm
PZ Type; No.1 x 75, No.2 x 100mm



5903303

5903303

Metric Combination Spanner Set (14 Piece)

Generally in accordance with DIN3113 Specifications

Forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Draper HI-TORQ® ring end offset at 15°. Jaw offset at 15°. Supplied in Tetron divided wallet with tie cord. Display packed.

Contents: 8, 9, 10, 11, 12, 13, 14, 17, 19, 22, 24, 27, 30 and 32mm.




5905639

5905639

Metric Combination Spanner Set with Flexible Head and Double Ratcheting Features (8 Piece)

Unique ratcheting open-end design. HI-TORQ® 180° flexible head reversing ratchet ring requiring only 5° movement to turn fastener. Both ratcheting facilities are especially useful in confined spaces. Forged from chrome vanadium steel, hardened, tempered, chrome plated and fully polished throughout. Display packed.

Contents: 8, 10, 12, 13, 14, 15, 17 and 19mm



5905636

5905636

Metric Combination Spanner Set with Flexible Head and Double Ratcheting Features (8 Piece)

Unique ratcheting open-end design. HI-TORQ® reversible ratchet ring end, requiring only 5° movement to turn fastener. Both ratcheting facilities are especially useful in confined spaces. Forged from chrome vanadium steel, hardened, tempered, chrome plated and fully polished throughout. Display packed.

Contents: 8, 10, 12, 13, 14, 15, 17 and 19mm



6800136

6800136

2 x 300mm 18tpi Bi-Metal Hacksaw Blades

Conforms to BS 1919

Saw edge, manufactured from high speed steel strip, electron beam welded to high quality carbon steel backing. Display packed two blades per card.

Pitch 18



6800419

6800419

10 x Junior Hacksaw Blades

Manufactured to BS6271

General purpose cutting blades with pinned ends. Will fit all junior hacksaw frames. Packed ten blades on display card or in bags of 100 blades.

Quantity: 10 blades per card.



5900082

5900082

Hacksaw and Junior Hacksaw Set (Green)

Heavy duty soft grip hacksaw and junior hacksaw set. The 300mm hacksaw is made from a high quality aluminium alloy. The junior hacksaw is made with a steel frame. Both saws are fitted with soft grip handles for added user comfort and supplied with blades.

Colour: Green



6800277

6800277

200mm Soft Grip Engineers File and Rasp Set (8 Piece)

High carbon steel, hardened and tempered with soft grip handles incorporating hang hole. Supplied in tool roll. Display packed.

Contents: flat, hand, half round, round, square, three square files, half round rasp and round rasp.



5950619

5950619

Side View Boat Spirit Level with Magnetic Base (250mm)

With side view vial. Cast aluminium with three solid acrylic vials, one horizontal, one 45° and vertical side view vial. Special milled base with two rare earth magnets. Accuracy: 0.5mm per 1M = 0.029° in standard position. Display packed.



5950563

5950563

450mm Wrecking Bar

For dismantling timber work, case opening, etc. and removing nails. Forged high grain steel with chisel end and swan neck. Sold loose.

Length: 450mm

5950668**5950668****Pair of Brass Radiator Keys**

Square opening keys for use on domestic radiator bleed screws. Packed two per display card.

5930117**5930117****3 - 22mm Capacity Mini Tubing Cutter**

Adjustable, for small bore tubing or in-situ applications where space is limited. Diecast aluminium body, hardened steel blade, two flare groove rollers and deburring reamer in adjusting knob. Display packed.

5950767**5950767****Pipe Cleaner and Deburrer**

For internal and external cleaning or deburring of 15 and 22mm diameter steel, copper aluminium and plastic pipes. Steel bristle brushes for cleaning stubborn deposits. Display packed.

5903297**5903297****Metric Tubular Box Spanner Set (6 Piece)****Manufactured in accordance with BS2558 Specifications**

Double ended, manufactured from high quality carbon steel, zinc plated for corrosion protection. Sets include tommy bars. Display packed.

Contents: 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17 and 18 x 19mm, with two tommy bars 100mm and 150mm long.

7200104**7200104****310mm Heavy Duty 4 Row Wire Scratch Brush**

Industrial wire scratch brushes with wooden stock incorporating a hang hole. Sold loose.

Rows of Wire 4 x 15

59010603**59010603****Extra Long Metric Hexagon and Ball End Hexagon Key Set (10 Piece)**

Hexagon keys with ball end on the long arm and conventional ends on short arm. The ball type hexagon tip allows the hexagon key to be used up to 30° angle from the screwhead recess. Manufactured from chrome vanadium steel that's hardened and tempered. Held in plastic storage holder.

Contents: 2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0, 7.0, 8.0 and 10.0mm

**5903528****5903528****1kg (2.2lb) Dead Blow Hammer**

Manufactured from high quality SBR material which is oil and cold resistant. Hollow head has steel particles helping to prevent rebound. Sold loose.

**5904258****5904258****450g (16oz) Fibreglass Shafted Ball Pein Hammer**

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing PP/TPR grip. Sold Loose.

Weight: 450g (16oz)**5902352****5902352****Automatic Pipe Cutter (15mm)**

For cutting copper and plastic pipes. Ideal for work in confined areas. Display packed.

**5903138****5903138****680g (24oz) Copper/Rawhide Faced Hammer**

Copper/rawhide faced hammer with a heavy malleable iron head fitted with a copper and a rawhide face. The copper face is especially suitable for dismantling and assembly work where it will help to avoid damaging component parts. The rawhide face is ideal for use on materials where bruising needs to be avoided. An excellent dual purpose hammer. Shaped wood shaft. Sold loose. **Weight:** 680g (24oz)

**5902353****5902353****Automatic Pipe Cutter (22mm)**

For cutting copper and plastic pipes. Ideal for work in confined areas. Display packed.

**5902360****5902360****Automatic Pipe Cutter (28mm)**


For cutting copper and plastic pipes. Ideal for work in confined areas. Display packed.



6800164


6800164
150mm Engineers Precision Square
 Manufactured to BS 939 Workshop Grade B for squareness tolerance only.

Made with solid steel stock with a hardened, tempered and finely polished blade. The squareness of the blade edges and the stock working face falls within $\pm 0.016\text{mm}/0.0064''$ tolerance. Display packed.
Size: 150mm



6800165


6800165
230mm Double Ended Engineers Scriber
 Double ended hardened scriber with straight and 90° hardened points. Display packed.



5906020

5906020
300mm 12" Stainless Steel Rule
 Precision rules manufactured from hardened stainless steel matt chrome plated. The clear black graduations of 0.5mm, mm, 0.5cm, cm and 1/64", 1/50", 1/32", 1/20", 1/16", 1/10", 1/2", and inches on the reverse are permanently etched for long service life. Packed into vinyl wallets. Display packed.


Length: 300mm & 12"



5906019


5906019
150mm / 6" Stainless Steel Rule
 Precision rules manufactured from hardened stainless steel matt chrome plated. The clear black graduations of 0.5mm, mm, 0.5cm, cm and 1/64", 1/50", 1/32", 1/20", 1/16", 1/10", 1/2", and inches on the reverse are permanently etched for long service life. Packed into vinyl wallets. Display packed.

Length: 150mm & 6"



5610102

5610102
155mm Household Scissors
 Forged from selected steel, fully chrome plated and polished. Display packed.



6800452

6800452
3mm x 100mm Centre Punch
 Square section striking head with knurled body and polished ends. Manufactured from carbon steel hardened and tempered. Display packed.

Diameter: 3mm
Length: 100mm

**5906097****5906097****150mm Soft Grip Crescent-Type Adjustable Wrench**

Crescent-type wrenches manufactured from chrome vanadium steel hardened and tempered with a black oxide finish. Soft grip handles for comfort with metric scale on fixed jaw. Display packed.

Capacity: 19mm **Length:** 150mm**5905979****5905979****250mm Soft Grip Crescent-Type Wrench**

Crescent-type wrenches manufactured from chrome vanadium steel hardened and tempered with a black oxide finish. Soft grip handles for comfort with metric scale on fixed jaw. Display packed.

Capacity: 30mm **Length:** 250mm**5900083****5900083****200mm Wide Jaw Adjustable Wrench**

Manufactured from chrome vanadium steel hardened and tempered with a black phosphate finish and soft grip handle. Jaws offset at 22° with a graduated scale etched into the head.

Capacity: 38mm **Length:** 200mm**5905980****5905980****300mm Soft Grip Crescent-Type Wrench**

Crescent-type wrenches manufactured from chrome vanadium steel hardened and tempered with a black oxide finish. Soft grip handles for comfort with metric scale on fixed jaw. Display packed.

Capacity: 38mm **Length:** 300mm

**5902372****5902372****250mm Adjustable Pipe Wrench**

Traditional pattern wrench. Handle drop forged hardened and tempered. Jaws additionally induction hardened to 55-60 HRC for durability and long life. Frame and handle electrostatically painted. Display packed.

Capacity 40mm **Length** 250mm**5902380****5902380****450mm Adjustable Pipe Wrench**

Traditional pattern wrench. Handle drop forged hardened and tempered. Jaws additionally induction hardened to 55-60 HRC for durability and long life. Frame and handle electrostatically painted. Display packed.

Capacity 65mm **Length** 450mm**5902379****5902379****600mm Adjustable Pipe Wrench**

Traditional pattern wrench. Handle drop forged hardened and tempered. Jaws additionally induction hardened to 55-60 HRC for durability and long life. Frame and handle electrostatically painted. Display packed.

Capacity: 75mm **Length:** 600mm



5903413


5903413

250mm Plier Wrench

Manufactured to DIN ISO 5743 Specifications

Each professional quality 250mm Plier Wrench is manufactured from special high-grade tool steel, oil hardened and tempered. Smoothly ground heads and faces with cutting edges separately induction hardened. Designed for working on nuts and unions especially components with finished surfaces, ie. plated or burnished. The unique cam action jaws give a secure and powerful grip, which increases as more pressure is applied. The cam also allows the tool to be used with a ratcheting action for speed fastening. Fitted with ergonomically designed plastic coated handles, which deliver comfort even when used for prolonged periods. A highly desirable tool for professional plumbers and various other tradesmen.

Hold Nuts Across Flats: 46mm **Length:** 250mm



5904220

5904220

180mm Plier Wrench

Manufactured to DIN ISO 5743 Specifications

Each professional quality 180mm Plier Wrench is manufactured from special high-grade tool steel, oil hardened and tempered. Smoothly ground heads and faces with cutting edges separately induction hardened. Designed for working on nuts and unions especially components with finished surfaces, ie. plated or burnished. The unique cam action jaws give a secure and powerful grip, which increases as more pressure is applied. The cam also allows the tool to be used with a ratcheting action for speed fastening. Fitted with ergonomically designed plastic coated handles, which deliver comfort even when used for prolonged periods. A highly desirable tool for professional plumbers and various other tradesmen.

Hold Nuts Across Flats: 35mm **Length:** 180mm



6200250

6200250

Mobile Contractors 640mm Chest and 560mm Tool Box

Professional's tool chest and box in one unit on wheeled trolley with telescopic handle and kick plate. Each box is manufactured from tough durable plastic construction with steel locking latches. The chest has handles to facilitate lifting and rubber feet for protection. The tool box has a full size carrying handle and removable top organizer with 11 compartments. For safety when using the trolley, the tool chest and tool box can be locked together. Carton packed.

Contents:

Configuration:

tool box (external): 560 x 280 x 250mm

tool box tote tray (internal): 515 x 225 x 50mm

tool box organiser (external): 390 x 170 x 33mm

chest (external): 640 x 400 x 445mm

chest tote tray (internal): 559 x 290 x 90mm



5210520

5210520

Inspection Lamp with Rechargeable 4W COB LED & UV LED

COB (Chip On Board) inspection lamp perfectly suited for a host of industries especially the automotive sector.

Fitted with COB face-plate LED producing an impressive 350 lumens and the 1W LED on the end plate delivers 80 lumens. The end plate is also fitted with three Ultra Violet LEDs transforming the lamp into torch. The UV LEDs enable detection of leaks on cooling systems and air-con systems.

Powered by a rechargeable Li-ion battery, delivering enhanced battery efficiency, while the base is manufactured with an integrated magnet and the swivel joint permits the light to be used in any 360 degree position.

Supplied with two hang hooks, 240V charger and 12V charging adaptor.

A universally essential inspection lamp-torch perfect for a host of industries, especially useful in the automotive sector as the UV capabilities enable leak detection. **Colour:** Blue



5900037

5900037

1/2" Sq. Dr. Metric Socket Set (30 Piece)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Twelve point sockets made from chrome vanadium steel that's hardened and tempered with a polished finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible ratchet and accessories. Packed in a tough plastic storage case with soft grip handle.

Contents:

- 23 sockets size 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm
- 3 spark plug sockets size 10, 12, 14mm
- 72 tooth reversible ratchet with "quick release" button
- wobble extension bar 125mm
- sliding 'T' bar
- universal joint



5900081

5900081

1/4" Sq. Dr. Metric Socket Set (20 Piece)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in plastic storage case.

Contents:

- 13 sockets size: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 72 tooth reversible ratchet with soft grip handle and quick release button
- 3 wobble extension bars sizes: 50, 75 and 150mm
- sliding 'T' bar
- universal joint
- flexible handle



Contents:

150mm Long Bits

- 1 x Plain slot - 6mm
- 2 x Cross slot - No.2 and No.3
- 2 x PZ Type - No.2 and No.3

75mm Long Bits

- 1 x Plain slot - 5mm
- 4 x Cross slot - No.1, No.2 (x 2) and No.3
- 4 x PZ Type - No.1, No.2 (x 2) and No.3

50mm Long Bits

- 1 x Plain slot - 4.5mm
- 2 x Cross slot - No.2 (x 2)
- 2 x PZ Type - No.2 (x 2)

25mm Long Bits

- 15 x Plain slot - 3, 4, 4.5 (x 3), 5 (x 3), 5.5 (x 3), 6, 6.5, 7 and 8
- 8 x Cross slot - No.0, No.1, No.2 (x 5) and No.3
- 9 x PZ Type – No.0, No.1, No.2 (x 5) and No.3 (x 2)
- 9 x Draper TX-STAR® - T8, T10, T15, T20, T25, T27, T30, T40 and T45
- 7 x Draper TX-STAR® security - T8T, T10T, T15T, T20T, T25T, T30T and T40
- 7 x Metric Hex - 1.5, 2, 2.5, 4, 5, 6 and 7mm,
- 9 x Imperial Hex - 1/16, 5/64, 3/32, 7/64, 1/8, 5/32, 3/16, 7/32 and 1/4
- 4 x Square - S0, S1, S2, S3
- 14 x Tamper Hex - 2 (x 2), 2.5 (x 2), 3 (x 2), 4 (x 2), 5 (x 2) and 6mm (x 4)
- 3 x Draper TX-STAR® - T6, T8 and T10
- 3 x Butterfly - C1, C2 and C3
- 3 x Spline - 5, 6 and 8
- 4 x Wing - 4, 6, 8 and 10
- 4 x Tri Wing - 1, 2, 3 and 4
- 1 x Hook Bit
- 1 x 25mm 1/4" square to 1/4" hex drive adaptor
- 1 x 50mm 1/4" square to 1/4" hex drive adaptor
- 1 x 60mm 1/4" hex magnetic bit holder
- 1 x 60mm 1/4" quick change bit holder
- 1 x 80mm SDS plus quick change bit holder
- 1 x 1/4" square female to 1/4" female socket

5901168

5901168

Bit Holder Set (127 Piece)

A comprehensive set of 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a shot blast finish. Bit holder with quick release collet allows bits to be expelled quickly and efficiently. Supplied in a heavy-duty storage case with plastic inlay to hold bits securely.

PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems.

Draper TX-STAR products are compatible with †Torx fixing systems.

*Pozidriv®/Supadriv® are registered trademarks of Trifast Plc.

†Torx is the registered trademark of Acument Intellectual Properties LLC.



CBRE

ELECTRICAL TOOLKIT **SYNGENTA**



5906184

5906184
Metric Hexagon and Ball End Hexagon Key Set (10 Piece)

Hexagon keys with ball end on the long arm and conventional ends on short arm. The ball type hexagon tip allows the hexagon key to be used up to 30° angle from the screwhead recess. Manufactured from chrome vanadium steel that's hardened and tempered. Held in plastic storage holder. Display packed.

Contents

2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0, 7.0, 8.0 and 10.0mm




5903494

5903494
Metric / Imperial Combined Long Pattern Hexagon Key Set (30 Piece)

Manufactured from chrome vanadium steel that's hardened and tempered. The long arm is particularly useful when working in confined spaces and varies in length from 65mm on the 0.7mm/0.028" through to 170mm on the 10mm/ 3/8" size. Display packed in plastic case.

Contents

0.7, 0.9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0 and 10.0mm; 0.028, 0.035, 0.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16 and 3/8"




5905956

5905956
Hi-Torq® Metric Flexible Head Ratcheting Combination Spanner Set (7 Piece)

Open end set at 15°. The HI-TORQ® flexible head allows movement through 180°. Only 5° movement required to turn fastener, especially useful in confined spaces. Forged from chrome vanadium steel, hardened, tempered, chrome plated and fully polished throughout. Display packed.

Contents: 8, 10, 12, 13, 14, 17 and 19mm



5903303

5903303
Metric Combination Spanner Set (14 Piece)
Generally in accordance with DIN3113 Specifications

Forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Draper HI-TORQ® ring end offset at 15°. Jaw offset at 15°. Supplied in Tetron divided wallet with tie cord. Display packed.

Contents: 8, 9, 10, 11, 12, 13, 14, 17, 19, 22, 24, 27, 30 and 32mm.



59088948

Coloured Screwdriver Bit (29 Piece)

25mm 1/4" bits manufactured from hardened and tempered, S2 steel, which is applied with a satin chrome finish. Each screwdriver bit is attached with a plastic coloured ring for easy identification. The bit holder has a quick release collet, which allows bits to be expelled quickly and efficiently. Supplied in a heavy-duty storage case with plastic inlay to hold bits securely.

PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems.

Draper TX-STAR products are compatible with †Torx fixing systems. *Pozidriv®/Supadriv® are registered trademarks of Trifast Plc. †Torx is the registered trademark of Acument Intellectual Properties LLC.

Contents:

- 1 x Quick release bit holder driver
- 5 x Plain Slot - 3, 4, 5, 6 and 7mm
- 4 x Cross Slot - No.0, No.1, No.2 and No.3
- 6 x PZ type - No.0, No.1 (x 2), No.2 (x 2) and No.3
- 7 x Draper TX-STAR® - T8, T10, T15, T20, T25, T30 and T40
- 6 x Hex - 2, 3, 4, 5, 5.5 and 6mm

59088948

5904420

Fully Insulated Screwdriver (11 Piece)

Manufactured and individually certified to EN 60900

Expert Quality, tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC. Made with SVCM alloy steel blades which are hardened, tempered and chemically blacked. Fully insulated ergonomic soft grip handle with deep set blade sheath for total safety. Packed in blow mould case with see-through lid.

PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems.

*Pozidriv®/Supadriv® are registered trademarks of Trifast Plc.

Contents:

- 5 plain slot, sizes: 2.5 x 75, 3.0 x 100, 4.0 x 125, 5.5 x 125 and 6.5 x 150mm
- 3 cross slot, sizes: No.0, No.1 and No.2
- 3 PZ TYPE: No.0, No.1 and No.2

5904420



59010736

'Pound Thru' Plain Slot 10 x 250mm Soft Grip Screwdrivers

Screwdrivers with hardened SVCM satin chrome plated hexagonal blades. Attached to a soft grip, oil and solvent resistant handle with integrated toughened 'Pound Thru' metal cap designed for receiving hammer blows.

Blade Length: 250mm **Blade Tip:** 10mm

59010736




5900038

Soft Grip Screwdriver Set (8 Piece)

SVCM+ blades which are hardened and satin chrome plated with sand blasted tips. Attached to a soft grip, oil and solvent resistant colour coded handle. Supplied in PVC storage case.

Contents: Plain Slot; 3.5 x 75, 5.5 x 100, 6.5 x 100, 8 x 150
Cross Slot; No.1 x 75, No.2 x 100mm
PZ Type; No.1 x 75, No.2 x 100mm

5900038



5905530

VDE Screwdriver Set with Interchangeable Blades (10 Piece)

Manufactured and individually certified to EN 60900

Expert Quality, tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC. SCVM steel blades hardened, tempered and chemically blackened. Interchangeable insulated blades deep set into handles - precision or high torque types - for total safety. Supplied in storage roll. Display packed. Spare blades available.

PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems.

*Pozidriv®/Supadriv® are registered trademarks of Trifast Plc.

Contents:

- 4 plain slot sizes: 3.0 x 100, 4.0 x 100, 5.5 x 100 and 6.5 x 100mm
- 2 cross slot sizes: No.1 and 2
- 2 PZ TYPE: No1 and 2
- Fully insulated high torque screwdriver handle
- Fully insulated precision screwdriver handle

5905530

**5920149****5920149****No. 2 x 100mm Fully Insulated PZ Type Screwdriver (Display Packed)**

Manufactured and individually certified to EN 60900
PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems

VDE approved fully insulated soft grip PZ type screwdrivers tested to 10kV, suitable for working on live circuits up to 1kV AC and 1.5kV DC. Chrome molybdenum steel blades hardened, tempered and chemically blacked. Fully insulated soft grip handle with deep set blade sheath for total safety. Display packed in individual storage hanger with barcode on reverse.

*Pozidriv®/Supadriv® are registered trademarks of Trifast Plc.

**5900066****5900066****Ergo Plus® VDE No. 0 x 60mm PZ Slot Screwdriver**

Manufactured and individually certified to EN 60900
PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems.

No.0 x 60mm PZ Slot VDE screwdriver, individually tested to ensure it fulfils the EN 60900 requirements. The EN 60900 requirements compel all tools to be tested to 10kV, making them suitable for working on live AC circuits of up to 1kV and DC circuits of up to 1.5kV. The blades on the screwdrivers are manufactured from SVCM+ alloy steel, hardened, tempered and chemically blackened, with a deep-set blade sheath providing total safety and peace of mind. All blades are fitted to a fully insulated, ergonomic soft grip handle delivering user comfort even when used for prolonged periods. A great VDE screwdriver for professional electricians. *Pozidriv®/Supadriv® are registered trademarks of Trifast Plc. **Blade Length:** 60mm **Blade Tip:** No. 0

**5900067****5900067****Ergo Plus® VDE No. 1 x 80mm Cross Slot Screwdriver**
Manufactured and individually certified to EN 60900

No.1 x 80mm Cross Slot VDE screwdriver, individually tested to ensure it fulfils the EN 60900 requirements. The EN 60900 requirements compel all tools to be tested to 10kV, making them suitable for working on live AC circuits of up to 1kV and DC circuits of up to 1.5kV. The blades on the screwdrivers are manufactured from SVCM+ alloy steel, hardened, tempered and chemically blackened, with a deep-set blade sheath providing total safety and peace of mind. All blades are fitted to a fully insulated, ergonomic soft grip handle delivering user comfort even when used for prolonged periods. A great VDE screwdriver for professional electricians.

Blade Length: 80mm **Blade Tip:** No. 1

**5904390****5904390****140mm VDE Diagonal Side Cutter**

Manufactured to DIN Standard and individually certified to EN 60900

Drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed.

Cut Hard Wire Dia. 1.6mm

Cut Med / Hard Wire Dia. 2.5mm

Cut Soft Wire Dia. 4.0mm

Length: 140mm

**5904393****5904393****180mm VDE Hi-Leverage Diagonal Side Cutter**

Manufactured to DIN Standard and individually certified to EN 60900

Drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed.

Cut Hard Wire Dia. 2.5mm

Cut Med/Hard Wire Dia. 3.8mm

Cut Piano Wire 1.8mm

Length 180mm

Qty. 2

**5904396****5904396****250mm VDE Waterpump Pliers**

Manufactured to DIN Standard and individually certified to EN 60900

Drop forged from chrome vanadium steel correctly hardened and tempered. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handle. Has 'no-nip' feature which prevents handles locking together when at largest capacity and damaging users' hands. Display packed.

Capacity: 38mm



5904389

5904389

200mm VDE Long Nose Pliers

Manufactured to DIN Standard and individually certified to EN 60900.

Drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed. **Cuts hard wire: 1.6mm.**

Cuts med hard wire: 3.6mm. Length: 200mm



5903204

5903204

185mm Ergo Plus® Fully Insulated VDE Pliers

Manufactured to DIN Standard and individually certified to EN 60900 Special steel hardened and tempered with cutting edges separately induction hardened. Ergonomic shape of head and handles allow user to access difficult working areas and still keep a tight grip on the workpiece. The pliers have following functions: flat cutter on the tip of the head for use on cable ties; wire stripper 1.5 and 2.5mm² wire; diagonal cutter for medium hard wire (3.5mm²), hard wire (2.5mm²) and piano wire (2mm²); crimper for terminals 1.5 and 2.5mm²; pattress screw cutter for M3.5 and M4 screws and wire looping device on underside of pliers for looping wire for plug screws/terminals. Display packed.



5904384

5904384

160mm VDE Combination Pliers

Manufactured to DIN Standard and individually certified to EN 60900

Drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed. **Length: 160mm**

Cut Hard Wire Dia. 1.8mm Cut Med/Hard Wire Dia. 3.1mm



5904386

5904386

200mm VDE Combination Pliers

Manufactured to DIN Standard and individually certified to EN 60900

Drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed.

Cut Hard Wire Dia. 2.3mm Cut Med/Hard Wire Dia. 3.8mm Length: 200mm



5905170


5905170

220mm Preciforce Crimping Pliers - 0.25 - 6.0mm

Professional Quality, mixed construction with special steel for stressed parts, oil hardened and tempered. Calibrated in the factory, these crimping pliers are designed to reduce fatigue with repetitive work and feature a self releasing mechanism. Use specifically with insulated terminals and plug connectors. Heavy duty moulded handles and slip guards for extra comfort and safety. Display packed.

Capacity: 0.25 - 6.0mm²

Length: 220mm



5905166

5905166

220mm Preciforce Crimping Pliers - 0.5 - 6.0mm

Professional Quality, crimping pliers, calibrated in the factory for ensuring the pliers fulfil all their specification requirements. All stressed parts are manufactured from specially hardened steel then oil hardened and tempered for added strength. Fitted with heavy duty moulded handles and slip guards for providing extra comfort and safety. These crimping pliers are designed to reduce fatigue with repetitive work and feature a self-releasing mechanism. Use specifically with insulated terminals and plug connectors.

Capacity: 0.50 - 6.0mm²

Length: 220mm



5905076

5905076

165mm Copper or Aluminium Only Cable Shear

Professional Quality, forged from special tool steel, oil hardened and tempered. Smoothly ground head with cutting edges precision ground and hardened. Suitable for cutting, stripping and dismantling. Plastic coated handles. Display packed.

Cut Cu/Al Cable: 15mm dia.-50mm²

Length: 165mm



5950697

5950697

Gas Soldering Iron

Features instant electronic ignition, variable flame control and a refillable tank. Compact single hand operation. One fill of standard butane lighter fuel will give up to 20 minutes (approx.) continuous work (at mid setting). Display packed.



5905896

5905896

Twin Key

Magnetic utility key. Manufactured with 13 essential utility key shapes and a double ended screwdriver bit this utility key is an essential addition for all service personnel. Display packed.

Contents:

- Finned Key: 3.5mm
- Half Moon: 6mm
- Four Squares: 5, 6-7, 8-9 and 10-11mm
- Stepped Square: 6-9mm
- Three Triangles: 7-8, 9-10 and 11-12mm
- Double-ended 7mm plain/No.2 cross slot insert bit 55mm long



5916501

5916501

8m / 26ft x 27mm Measuring Tape
Manufactured to EC Class II Accuracy

Tough impact resistant ABS case with belt clip and TPR soft grip jacket fitted with 'bump-stop' prolonging the life of the tape. The tape lock button can be operated from the side and bottom and when finished the braked return mechanism ensures a smooth return. The nylon-coated tape has metric and imperial graduations on both sides and stud centre markings every 16" and 19.2" and is fitted with a self-aligning, double ended, magnetic end-hook providing easy attachment and measuring from both sides of the tape. Display packed. **Length:** 8M / 26ft **Width:** 27mm



5950619

5950619

Side View Boat Spirit Level with Magnetic Base (250mm)

With side view vial. Cast aluminium with three solid acrylic vials, one horizontal, one 45° and vertical side view vial. Special milled base with two rare earth magnets. Accuracy: 0.5mm per 1M = 0.029° in standard position. Display packed.




5904287

5904287

Wire Stripping Electricians Pocket Knife

For wire stripping and various heavy duty cutting applications. Reinforced nylon handle. Two wire strippers are located on the stainless steel spear blade. Display packed.

Size: 106mm



6800278

6800278

200mm Soft Grip Engineers File Set (4 Piece)

High carbon steel, hardened and tempered with soft grip handles incorporating hang hole. Display packed.

Contents: flat, half round, round and three square



5904250

5904250

450g (16oz) Fibreglass Shafted Claw Hammer

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing PP/TPR grip. Sold Loose.

Weight: 450g (16oz)




5900082

5900082

Hacksaw and Junior Hacksaw Set (Green)

Heavy duty soft grip hacksaw and junior hacksaw set. The 300mm hacksaw is made from a high quality aluminium alloy. The junior hacksaw is made with a steel frame. Both saws are fitted with soft grip handles for added user comfort and supplied with blades.

Colour: Green



6800176

6800176

Bar Type Tap Wrench 2.50 - 12.00mm

Hardened and tempered jaws, knurled handle with black enamelled finish. Display packed.

Capacity: 2.0 - 12mm



5903949

5903949

200mm Crescent-Type Adjustable Wrench with Phosphate Finish

Crescent-type wrenches manufactured from chrome vanadium steel hardened and tempered with black phosphate finish, polished profile and jaws. Jaws offset at 22°. The 150, 200, 250 and 300mm sizes have a graduated scale on the fixed jaws. Suitable for use in areas where chemicals and chrome plate can give off poisonous fumes. Display packed. **Capacity** 29mm **Length** 200mm



Qty. 2

5903948

5903948

150mm Crescent-Type Adjustable Wrench with Phosphate Finish

Crescent-type wrench manufactured from chrome vanadium steel hardened and tempered with black phosphate finish, polished profile and jaws. Jaws offset at 22°. The 150, 200, 250 and 300mm sizes have a graduated scale on the fixed jaws. Suitable for use in areas where chemicals and chrome plate can give off poisonous fumes. Display packed. **Capacity:** 24mm. **Length:** 150mm.

**6800329****6800329****3mm x 150mm Octagonal Parallel Pin Punch**

Special air hardened chrome vanadium steel for long life. The tips are accurately ground, with specially tempered heads. Sold loose.

Diameter 3.0mm **Length:** 150mm

**6800334****6800334****8mm x 150mm Octagonal Parallel Pin Punch**

Special air hardened chrome vanadium steel for long life. The tips are accurately ground, with specially tempered heads. Sold loose.

Diameter 8.0mm **Length:** 150mm

**5610102****5610102****155mm Household Scissors**

Forged from selected steel, fully chrome plated and polished. Display packed.

**5900065****5900065****Automatic Centre Punch**

Heavy duty spring-loaded hardened steel point. Adjustable striking force. Display packed.

**5950270****5950270****3.5mm x 0.6 Re-Threading Tool**

For cleaning out and cutting damaged or malformed threads in electrical boxes and other similar jobs. Manufactured from high speed steel with precision ground threads and an impact resistant PVC handle. Display packed.

Size: 3.5 x 0.6

**5950271****5950271****4 x 0.7 Re-Threading Tool**

For cleaning out and cutting damaged or malformed threads in electrical boxes and other similar jobs. Manufactured from high speed steel with precision ground threads and an impact resistant PVC handle. Display packed.

Size: 4 x 0.7



5900081

5900081

1/4" Sq. Dr. Metric Socket Set (20 Piece)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in plastic storage case.

Contents:

- 13 sockets size: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 72 tooth reversible ratchet with soft grip handle and quick release button
- 3 wobble extension bars sizes: 50, 75 and 150mm
- sliding 'T' bar
- universal joint
- flexible handle



5900062

5900062

1/2" Sq. Dr. Metric Socket Set in Metal Case (28 Piece)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Each socket has a knurled ring for extra grip. Packed in a steel carrying case with EVA foam inserts.

Contents

- 20 sockets size 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
- 2 spark plug sockets size 10, 14mm
- 72 tooth reversible ratchet with soft grip handle and "quick release" button
- 3 wobble extension bars size 75, 125, 250mm
- *T' bar head 1/2"(M) x 3/8"(F)
- universal joint. *T' bar head/converter when used with wobble extension bar forms a sliding 'T' bar



5210520

5210520

Inspection Lamp with Rechargeable 4W COB LED & UV LED

COB (Chip On Board) inspection lamp perfectly suited for a host of industries especially the automotive sector.

Fitted with COB face-plate LED producing an impressive 350 lumens and the 1W LED on the end plate delivers 80 lumens. The end plate is also fitted with three Ultra Violet LEDs transforming the lamp into torch. The UV LEDs enable detection of leaks on cooling systems and air-con systems.

Powered by a rechargeable Li-ion battery, delivering enhanced battery efficiency, while the base is manufactured with an integrated magnet and the swivel joint permits the light to be used in any 360 degree position.

Supplied with two hang hooks, 240V charger and 12V charging adaptor.

A universally essential inspection lamp-torch perfect for a host of industries, especially useful in the automotive sector as the UV capabilities enable leak detection. Colour: Blue



6200250

6200250

Mobile Contractors 640mm Chest and 560mm Tool Box

Professional's tool chest and box in one unit on wheeled trolley with telescopic handle and kick plate. Each box is manufactured from tough durable plastic construction with steel locking latches. The chest has handles to facilitate lifting and rubber feet for protection. The tool box has a full size carrying handle and removable top organizer with 11 compartments. For safety when using the trolley, the tool chest and tool box can be locked together. Carton packed.

Contents:

Configuration:

- tool box (external): 560 x 280 x 250mm
- tool box tote tray (internal): 515 x 225 x 50mm
- tool box organiser (external): 390 x 170 x 33mm
- chest (external): 640 x 400 x 445mm
- chest tote tray (internal): 559 x 290 x 90mm



6201941

6201941

Folding Tote with Tubular Steel Handle

Expert Quality, folding tubular frame with soft grip handle and covered in a rigid waterproof fabric. Incorporated with 8 external pockets and 18 internal tool loops. Fitted with shoulder strap and protective bumpers on the base. Display packed.

Dimensions: 610 x 250 x 300mm



5900080

5900080

3W Cob LED Aluminium Pocket Torch (3 X AA Batteries)

Pocket aluminium torch with 3W COB LED with three function torch (100% white light/50% white light/red light) capable of producing an ultra bright 360 lumen beam of brilliant white light. Easy touch on/off button on the base, pocket clip and handy magnet on the base. Supplied with 3 x AAA batteries. Display packed.



5950249

5950249

300mm Metric and Imperial Combination Square

Matt black metal stock with polished faces, brass adjusting screw, spirit level and scribe. Aluminium blade graduated (on both sides of the blade) metric on one edge and imperial on the other. Display packed.

Length: 300mm



5900063

5900063

Nut Spinner with Soft-Grip (7mm)

7mm Nut spinner manufactured with chrome vanadium steel blades that have been hardened and tempered for added strength. Each nut-spinner socket is fitted with a hex on the base delivering extra grip, ideal for when more torque is required and attached to a ergonomic soft grip handle for added user comfort. A great addition to most toolboxes and for a host of trades.

Blade Length: 150mm **Socket Size:** 7mm



CBRE

CIVILS TOOLKIT **SYNGENTA**



5900064

5900064

250mm Heavy Duty Waterpump Pliers

Heavy-duty waterpump pliers. Manufactured from hardened and tempered chrome vanadium steel, with hardened jaws, achieving excellent gripping performance. The jaws have our multi position feature and comfort is delivered from the dipped handles, achieving greater user comfort and less hand fatigue.

A great pair of everyday waterpump pliers for a host of plumbing tasks around the home.

Capacity: 53mm **Length:** 250mm



5904435

5904435

Heavy Duty Soft Grip Pliers Set (3 Piece)

Drop forged from chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Lacquered finish for corrosion protection with heavy duty, soft grip handles with slip guards. Display packed in blow mould case with see-through lid.

Contents: 180mm Combination Pliers
160mm Long Nose Pliers
160mm Diagonal Side Cutters



5903303

5903303

Metric Combination Spanner Set (14 Piece)

Generally in accordance with DIN3113 Specifications

Forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Draper HI-TORQ® ring end offset at 15°. Jaw offset at 15°. Supplied in Tetron divided wallet with tie cord. Display packed.

Contents: 8, 9, 10, 11, 12, 13, 14, 17, 19, 22, 24, 27, 30 and 32mm.



5900068

5900068

'Pound Thru' Soft Grip Screwdriver Sets (6 Piece)

Screwdrivers with hardened SVCMM+ satin chrome plated hexagonal blades. Attached to a soft grip, oil and solvent resistant handle with integrated toughened 'Pound Thru' metal cap designed for receiving hammer blows. Supplied in a PVC storage case.

Contents: Plain Slot; 5.5 x 75, 6.5 x 100mm
Cross Slot; No.1 x 75, No.2 x 100mm
PZ Type; No.1 x 75, No.2 x 100mm

**5904261****5904261****450g (16oz) Solid Forged Claw Hammer**

Fully polished solid forged head and shaft from one single piece fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Fitted with comfortable shock-absorbing double injection PP/TPR grip for anti-vibration protection. Sold Loose.

Weight: 450g (16oz)**5900082****5900082****Hacksaw and Junior Hacksaw Set (Green)**

Heavy duty soft grip hacksaw and junior hacksaw set. The 300mm hacksaw is made from a high quality aluminium alloy. The junior hacksaw is made with a steel frame. Both saws are fitted with soft grip handles for added user comfort and supplied with blades.

Colour: Green**59010603****59010603****Extra Long Metric Hexagon and Ball End Hexagon Key Set (10 Piece)**

Hexagon keys with ball end on the long arm and conventional ends on short arm. The ball type hexagon tip allows the hexagon key to be used up to 30° angle from the screwhead recess. Manufactured from chrome vanadium steel that's hardened and tempered. Held in plastic storage holder. **Contents:** 2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0, 7.0, 8.0 and 10.0mm



6800136

6800136

2 x 300mm 18tpi Bi-Metal Hacksaw Blades

Conforms to BS 1919

Saw edge, manufactured from high speed steel strip, electron beam welded to high quality carbon steel backing. Display packed two blades per card.

Pitch 18



6800419

6800419

10 x Junior Hacksaw Blades

Manufactured to BS6271

General purpose cutting blades with pinned ends. Will fit all junior hacksaw frames. Packed ten blades on display card or in bags of 100 blades.

Quantity: 10 blades per card.



5950619

5950619

Side View Boat Spirit Level with Magnetic Base (250mm)

With side view vial. Cast aluminium with three solid acrylic vials, one horizontal, one 45° and vertical side view vial. Special milled base with two rare earth magnets. Accuracy: 0.5mm per 1M = 0.029° in standard position. Display packed.



6800277

6800277

200mm Soft Grip Engineers File and Rasp Set (8 Piece)

High carbon steel, hardened and tempered with soft grip handles incorporating hang hole. Supplied in tool roll. Display packed.

Contents: flat, hand, half round, round, square, three square files, half round rasp and round rasp.



5905979

5905979

250mm Soft Grip Crescent-Type Wrench

Crescent-type wrenches manufactured from chrome vanadium steel hardened and tempered with a black oxide finish. Soft grip handles for comfort with metric scale on fixed jaw. Display packed.

Capacity: 30mm

Length: 250mm



5900083

5900083

200mm Wide Jaw Adjustable Wrench

Manufactured from chrome vanadium steel hardened and tempered with a black phosphate finish and soft grip handle. Jaws offset at 22° with a graduated scale etched into the head.

Capacity: 38mm

Length: 200mm



5900084
Coloured Screwdriver Bit Set with Magnetic Holder (13 Piece)

25mm 1/4" bits manufactured from hardened and tempered, S2 steel, which is applied with a satin chrome finish. Each screwdriver bit is attached with a plastic coloured ring for easy identification. Supplied in a convenient storage case, which opens up for easy access to the bits. Bit holder has a quick release collet, which allows bits to be expelled quickly and efficiently.

PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems.

*Pozidriv®/Supadriv® are registered trademarks of Trifast Plc.

Contents:

- 1 x Magnetic bit holder
- 4 x Plain slot - 3, 4, 5 and 6mm
- 4 x Cross slot - No.0, No.1, No.2 and No.3
- 4 x PZ Type - No.1, No.2 (x 2) and No.3



5900037
1/2" Sq. Dr. Metric Socket Set (30 Piece)
Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Twelve point sockets made from chrome vanadium steel that's hardened and tempered with a polished finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible ratchet and accessories. Packed in a tough plastic storage case with soft grip handle.

Contents:

- 23 sockets size 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm
- 3 spark plug sockets size 10, 12, 14mm
- 72 tooth reversible ratchet with "quick release" button
- wobble extension bar 125mm
- sliding 'T' bar
- universal joint



5900081
1/4" Sq. Dr. Metric Socket Set (20 Piece)
Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in plastic storage case.

Contents:

- 13 sockets size: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 72 tooth reversible ratchet with soft grip handle and quick release button
- 3 wobble extension bars sizes: 50, 75 and 150mm
- sliding 'T' bar
- universal joint
- flexible handle

**5905896****Twin Key**

Magnetic utility key. Manufactured with 13 essential utility key shapes and a double ended screwdriver bit this utility key is an essential addition for all service personnel. Display packed.

Contents:

Finned Key: 3.5mm

Half Moon: 6mm

Four Squares: 5, 6-7, 8-9 and 10-11mm

Stepped Square: 6-9mm

Three Triangles: 7-8, 9-10 and 11-12mm

Double-ended 7mm plain/No.2 cross slot insert bit 55mm long

5905896**5901095****5m / 16ft x 27mm Measuring Tape**

Manufactured to EC Class II Accuracy. Tough impact resistant ABS case with belt clip and TPR soft grip jacket fitted with 'bump-stop' prolonging the life of the tape. The tape lock button can be operated from the side and bottom and when finished the braked return mechanism ensures a smooth return. The nylon-coated tape has metric and imperial graduations on both sides and stud centre markings every 16" and 19.2" and is fitted with a self-aligning, double ended, magnetic end-hook providing easy attachment and measuring from both sides of the tape. Display packed. Length: 5m / 16ft. Width: 27mm.

5901095**5210520****Inspection Lamp with Rechargeable 4W COB LED & UV LED**

COB (Chip On Board) inspection lamp perfectly suited for a host of industries especially the automotive sector.

Fitted with COB face-plate LED producing an impressive 350 lumens and the 1W LED on the end plate delivers 80 lumens. The end plate is also fitted with three Ultra Violet LEDs transforming the lamp into torch. The UV LEDs enable detection of leaks on cooling systems and air-con systems.

Powered by a rechargeable Li-ion battery, delivering enhanced battery efficiency, while the base is manufactured with an integrated magnet and the swivel joint permits the light to be used in any 360 degree position.

Supplied with two hang hooks, 240V charger and 12V charging adaptor.

A universally essential inspection lamp-torch perfect for a host of industries, especially useful in the automotive sector as the UV capabilities enable leak detection.

Colour: Blue

5210520