



# CBRE

## FABRIC TOOLKIT

### 2019



**6200241**

**6200241**

**16 Pocket Tool Pouch**

Nylon tool pouch, comprising 16 pouches of varying sizes, hammer loop, measuring tape clasp and chain. Supplied with 50mm wide adjustable webbing belt. Display carton.



**6202049**

**6202049**

**CBRE Technicians Toolbag**

CBRE branded technicians toolbag. Bag can be fully opened with zip, multiple pockets for hand tools, laptop and documents, plenty of room for additional equipment, suitable for all common laptops, tool side bag, can be removed and used separately.

Dimensions: 47 x 35 x 22cm.



**5904616**


**5904616**

**Tool Lanyard Single Carabiner**

Durable 1680D shock absorbing poly webbing. Aluminium alloy carabiner with captive eye. Treaded loop end that grips the tool when attached. Low-profile lightweight design reduces snag hazards.

Size: Standard 35" - 42" (89 - 110cm)

Size: One Size



**5906124**

**5906124**

**Wrist Tool Lanyard**

Polyester webbing cuff secures to wrist. Energy-absorbing ribbed pull cord. Adjustable barrel lock for tool attachment. Short length improves the drop clearance needed.

Sizes Available: SM - LXL

Wrist Measurement S/M 5" - 7" (13cm - 18cm).

Wrist Measurement L/XL 7" - 8½" (18cm - 22cm).



**5902357**

**5902357**

**200mm Combination Pliers**  
Manufactured to DIN Standard.

Drop forged from chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Lacquered finish for corrosion protection with heavy duty, soft grip handles with slip guards. Display packed.

Cuts Hard Wire Dia: 2.3mm  
Cuts Med/Hard Wire Dia: 3.8mm  
Length: 200mm



**5950450**

**5950450**

**Supercut® 500mm/20" Soft Grip Hardpoint Handsaw 11TPI/12PPI**

Japanese high carbon steel hardened, tempered, straightened and stress relieved to ensure blade straightness. Fine ground blade surface coated in ultra-tough lacquer to prevent corrosion and ease friction during sawing. Triple ground tooth design to allow fast cutting and sawdust removal in both forward and reverse action. Each tooth is hardened to prevent tooth snap. Shock-absorbing, ergonomic soft grip handle. Display packed.

Pitch: 11/12 Second Fix



**5950100**

**5950100**

**600mm Opti-Vision™ Box Section Ergo-Grip™ Levels with Dual Vials**

Tough aluminium box section levels comprising two highly visible 'Opti-Vision' solid acrylic UV resistant vials, a reinforced horizontal vial with gradient lines and a vertical vial with side view into a patented curved profile for enhanced visibility. Electrostatically epoxy powder coated and baked for maximum protection. Fitted with 'Ergo-Grip'™ non-slip handle on 60cm and two on 90cm and above, oversized shock absorbing end caps. The base has a finely milled surface up to 120cm (1.8 and 2.0M unground. Accuracy 0.5mm per 1M = 0.029° in standard position.




**5904257**

**5904257**

**560g (20oz) Fibreglass Shafted Claw Hammer**

Expert Quality, polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing PP/TPR grip. Sold Loose.

Weight: 560g (20oz)



**5902368**

**5902368**

**600mm Wrecking Bar**

For dismantling timber work, case opening, etc. and removing nails. Forged high grain steel with chisel end and swan neck. Sold loose.

Length: 600mm



**5900002**

**5900002**

**Skeleton Caulking Gun (350ml)**

Skeleton frame caulking gun, manufactured with a robust steel frame attached with a plunge rod. Capable of accommodating cartridges up to 350ml.




**5900040**

**5900040**

**Heavy Duty Soft Grip Hacksaw (300mm)**

Expert Quality, steel frame with aluminium handles. Frame has two sets of blade spigots which allows straight or 45° cutting. Supplied with a 300mm bi-metal blade.



**5903926**

**5903926**

**1kg (2.2LB) Hickory Shaft Club Hammer**

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose.

Weight: 1.0kg (2.2 lb).



**5903790**

**5903790**

**Beechwood Mallet (480g)**

Beechwood mallet, with solid head and angled striking faces. Tapered morticed shaft. Average face size 80 x 55mm. Sold loose.

Weight: 0.460kgs



**5950540**

**5950540**

**225 x 60mm Electricians Bolster with Hand Guard**  
Generally in accordance with BS3066

Ground cutting edges and octagonal shank. Fitted with impact absorbing hand protection grip. For levering up and cutting through the tongues and grooves of floorboards. Sold loose.

225 x 60mm



**5950522**

**5950522**

**225 x 100mm Brick Bolster with Hand Guard**  
Generally in accordance with BS3066

Ground cutting edges and octagonal shank. For cutting bricks and composite blocks. Fitted with impact absorbing hand protection grip. Sold loose.

Blade Width: 100mm.



**5930555**

**5930555**

**Triple Suction Lifter**

For the easy lifting of smooth flat surface materials, i.e. glass, marble etc. Suction cups 123mm diameter. Maximum lift 75kg; safe working load (S.W.L.) 37.5kg. Manufactured from high density aluminium alloy. Display packed.



**5902369**

**5902369**

**Twin Suction Cup Lifter**

For the easy lifting of smooth flat surface materials, i.e. glass, marble etc. Manufactured from tough plastic with rubber suction cups. Suction cups 118mm diameter. Maximum lift 40kg; safe working load (S.W.L.) 20kg. Display packed.



5950628

### 5950628

#### 400mm Laser Level Kit with 360° Swivelling Tripod

Designed for use where a constant level or repeat level measurements are required. Applications include alignment of windows, dado rails, kitchen units, stairs, outdoor levelling etc. One horizontal and vertical vial. Operating distance of 3-8M with an accuracy of 0.5mm per 1M = 0.029° in standard position. Supplied with heavy duty adjustable tripod (max. height 1.18M), rotating base marked 360° for mounting level, laser enhancement glasses, two brass 90° line generating glass prisms and two AAA batteries. Supplied with manual. Packed in blow mould carrying case with display sleeve.



5902367

### 5902367

#### Cabinet Pattern Screwdriver Set (8 Piece)

Draper Cabinet Pattern handle screwdrivers with chrome vanadium steel blades, correctly hardened and tempered with sand blasted tips. Some sizes are fitted with a hexagon bolster which enables extra power to be obtained by the use of a spanner. Flat oval colour coded cabinet pattern handles ensure high torque and user comfort. Packed in tray with plastic insert.

PZ TYPE products are compatible with \*Pozidriv®/Supadriv® fixing systems.

\*Pozidriv®/Supadriv® are registered trademarks of Trifast Plc.

Contents:

- 5 plain slot size: 6 x 38, 3 x 63, 5 x 100, 6 x 100 x 6 and 8 x 150mm
- 2 PZ TYPE No.1 and 2
- 1 PZ TYPE chubby: No.2



5550111

### 5550111

#### 13A RCD Adaptor (230V)

##### Tested to BS 1363 and IEC 61540

For use in domestic and industrial premises where RCD protection is required. Has reset and test facility. Can be plugged into standard 13A socket. Display packed.

Rated voltage: 230 - 250V/AC

Load: 3120W (max.)

Maximum operating current: 13A

Rated trip current: 30mA

Trip speed: 30mS (typical)

Double pole RCD contact break.

**5904032****5904032****Heavy Duty Retractable Trimming Knife with Quick Change Blade Facility**


Retractable pattern with heavy duty aluminium diecast handle. Blade can be changed by a simple twist of the handle end (no screw). Supplied with plastic belt holder. Display packed.

**5916631****5916631****5m x 19mm Autolock Tape - Blue**

Length: 5m / 16ft  
Width: 25mm

**5301333****5301333****Pack of Three Carpenters Pencils 174mm Long**

Traditional pattern broad (medium) lead pencils. Pencil length 174mm. Display packed three pencils per card.

**5300703****5300703****4 Heavy Duty AAA-Size Alkaline Batteries**

4 Heavy Duty AAA-Size Alkaline Batteries

**5300706****5300706****Masking Tape Roll 50m x 50mm**

Heavy duty, low tack, easy tear and re-positional heavy duty masking tape. Ideal for professional usage. Can be used for low bake masking applications. Clean peel up to 12 hours after usage. Display packed.

Width: 50mm.

**5300707****5300707****Masking Tape Roll 50m x 25mm**

Heavy duty, low tack, easy tear and re-positional heavy duty masking tape. Ideal for professional usage. Can be used for low bake masking applications. Clean peel up to 12 hours after usage. Display packed.

Width: 25mm.



**5950529**

**5950529**

**19 x 250mm Octagonal Shank Cold Chisel**

Generally in accordance with BS3066

Octagonal shank chisel from selected steel with polished cutting edge. Sold loose.

Blade Width: 19mm.


Length: 250mm.



**5950743**

**5950743**

**8 Piece Chisel Set**



**5902346**

**5902346**

**Plumb Bob with 5m (Approx) Nylon Line**

Precision machined solid brass plumb bob with 5M (approx.) of nylon line. Display packed.



**6800139**

**6800139**

**10 x 300mm 24TPI Bi-Metal Hacksaw Blades**

Conforms to BS 1919

Saw edge, manufactured from high speed steel strip, electron beam welded to high quality carbon steel backing. Display packed ten blades per card.

Pitch: 24




**5210647**

**5210647**

**Cree and COB LED Head Lamp (3W)**

**3 x AAA Batteries**

Three function headlamp (100% white light / 50% white light / red light), fitted with a comfortable adjustable head strap with foam padding. Producing an ultra-bright 220 lumen 80M beam of brilliant white light. The ON/OFF button is easily operated. Uses 3 x AAA batteries (sold separately). Display packed.



**5904265**

**5904265**

**Card of 5 Hooked Trimming Knife Blades**

Reversible polished steel blades with accurately ground cutting edges.

Packed: 5 blades per display card

Type: 2 notch (hooked)





**5901141**

**5901141**  
**Paint Roller Frame - 9" (43mm)**  
Paint Roller Frame - 9" (43mm)



**5901115**

**5901115**  
**Roller/SLV/Tray Set 230mm 43mm**  
Roller/SLV/Tray Set 230mm 43mm



**5901082**

**5901082**  
**Filling Knife 100mm Blade S/G**  
Filling Knife 100mm Blade S/G

Blade Width: 100mm



**5901081**

**5901081**  
**Stripping Knife 50mm Blade S/G**  
Stripping Knife 50mm Blade S/G

Blade Width: 50mm



**5901114**

**5901114**  
**230mm Micro/Short Sleeve 43mm**  
Pile: Short  
Size: 43mm



**59088946**

**59088946**  
**230mm Micro/Medium Sleeve - 43mm**  
Pile: Medium  
Size: 43mm

**5305788****5305788****H. Duty Dust Sheet 3.6m x 3.6m**

A general purpose abrasive 1/2 sheet for use on woodworking applications. Can be used with orbital sanders or hand sanding blocks. Packed 10 sheets per pack.

Contents:

2 x P120; 4 x P60 and 4 x P40

**5300705****5300705****10 x Glasspaper Sheet Assortment 280 x 115mm**

A general purpose abrasive 1/2 sheet for use on woodworking applications. Can be used with orbital sanders or hand sanding blocks. Packed 10 sheets per pack.

Contents:

2 x P120; 4 x P60 and 4 x P40

**59088959****59088959****Paint Brush 3 Piece Set****5901185****5901185****Sanding Block (2 Piece)**

Two piece sanding block that's fitted with metal pins to securely sandwich sanding paper in place. Easily change sanding paper when desired by splitting the sanding block apart. Display packed.

Size: 130 x 70 x 30mm

**5302600****5302600****Roller Extension Pole**

Top quality aluminium extension poles that can be adjusted to the required length. Fitted with a metal threaded roller attachment and an easy push-fit adaptor system that will accept all 180mm (7 inch), 230mm (9 inch) and 300mm (12 inch) roller frames on the UK market. Size: 40cm - 60cm.



**6302278**

**6302278 CBRE Fire Door Gap Gauge Kit**



Item: Pouch

SKU: 6302000

Position: N/A



Item: Fire Door Gap Gauge

SKU: 6302277

Position: N/A



Item: Fire Door Check Cards

SKU: 6302001

Position: N/A