




**CBRE**  
MECHANICAL TOOLKIT  
**2019**



**5900007**  
**Security Screwdriver Bit and Driver Set (45 Piece)**

25mm 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a shot blast finish. Supplied with a 1/4" soft grip driver. Supplied in a heavy duty storage case with plastic inlay to hold bits securely. Display packed. PZ TYPE products are compatible with \*Pozidriv®/Supadriv® fixing systems. Draper TX-STAR products are compatible with †Torx fixing systems.

**Contents:**


- Magnetic soft grip driver
- 3 x Tri wing: 1, 2 and 3
- 4 x Spanner: 4, 6, 8 and 10
- 5 x Spline: M4, M5, M6, M8 and M10
- 4 x Square: S0, S1, S2 and S3
- 6 x Security hex (metric): 2, 2.5, 3, 4, 5 and 6mm
- 6 x Security hex (imperial): 5/32, 9/64, 1/8, 7/16, 3/32 and 5/64"
- 7 x Draper TX-STAR®: T5, T6, T7, T8, T10, T15 and T20
- 9 x Draper TX-STAR® security: T8T, T9T, T10T, T15T, T20T, T25T, T27T, T30T and T40T



**5903301**  
**Metric Combination Spanner Set (11 Piece)**  
**Generally in accordance with DIN3113 Specifications**

Expert Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Draper HI-TORQ® ring end offset at 15°. Jaw offset at 15°. Supplied in Tetron divided wallet with tie cord. Display packed.

Contents: 6, 7, 8, 9, 10, 11, 12, 13, 14, 17 and 19mm.



**5900075**  
**3/8" Sq. Dr. Metric Socket Set in Metal Case**  
**(27 Piece)**

**Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications**

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Each socket has a knurled ring for extra grip. Packed in a steel carrying case with EVA foam inserts.

**Contents:**

- 17 sockets size 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 24mm
- 3 spark plug sockets size 10, 12, 14mm
- 72 tooth reversible ratchet with soft grip handle and quick release button
- 3 wobble extension bars size 75, 150, 250mm
- \*T' bar head 1/2" (F) x 3/8" (M) converter
- universal joint
- 3/8" sq dr x 1/4" hex adaptor. \*T' bar head/converter when used with extension bar forms a sliding 'T' bar.

**5902389****5902389****Metric Hexagon and Ball End Hexagon Key Set (9 Piece)**

Hexagon keys with ball end on the long arm and conventional ends on short arm. The ball type hexagon tip allows the hexagon key to be used up to 30° angle from the screwhead recess. Manufactured from chrome vanadium steel that's hardened and tempered then applied with a chemically blacked finish. Supplied in fold-out easy release holder which can be wall-mounted.

Contents: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0 and 10.0mm

**5902390****5902390****Imperial Hexagon and Ball End Hexagon Key Set (12 Piece)**

Hexagon keys with ball end on the long arm and conventional ends on short arm. The ball type hexagon tip allows the hexagon key to be used up to 30° angle from the screwhead recess. Manufactured from chrome vanadium steel that's hardened and tempered then applied with a chemically blacked finish. Supplied in fold-out easy release holder which can be wall-mounted.

Contents:

1/16, 5/64, 7/64, 9/64, 5/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16 and 3/8".

**5905084****5905084****Master Utility Key**

Expert Quality, covers most technical locking systems. Four arm configuration with double keys on each arm. Comprises the following key profiles: three squares, three triangles, one circle with fins and one half moon. Supplied with key chain and belt clip. Display packed.

**5211551****5211551****Compact Inspection Lamp with Rechargeable 2W COB LED (Green)**

COB (Chip On Board) inspection lamp fitted with an additional 1W LED on the end plate transforming the lamp into torch. Powered by rechargeable Li-ion battery providing an impressive 150 Lumens and enhanced battery efficiency. The base is manufactured with integrated magnet with protective cover and swivel joint enabling the light to be used in any 360° position. Supplied with 240V charger and 12V charging adaptor. Display packed.

**5210647****5210647****Cree and COB LED Head Lamp (3W) (3 x AAA Batteries)**

Three function head lamp (100% white light / 50% white light/red light), fitted with a comfortable adjustable head strap with foam padding. Producing an ultra bright 220 lumen 80M beam of brilliant white light. The ON/OFF button is easily operated. Supplied with 3 x AAA batteries. Display packed.

**5115122****5115122****Open Mouth Tool Bag (440mm)**

Open mouth design tool bag with 13 internal and 6 external pockets for excellent organisation potential. Fitted with a padded shoulder strap and grip handle for added user comfort. The solid base keeps tools safe from damage and protects the bag from moisture and dirt. Made from 600 denier hardwearing fabric that's strong and durable.

Dimensions: 440 x 245 x 335mm



**59010705**

**59010705**

**Cross Slot No:2 x 38mm Soft Grip Screwdrivers**

Expert Quality, SVCM blades which are hardened and satin chrome plated with sand blasted tips. Attached to a soft grip, oil and solvent resistant handle. Display packed.

Blade Length: 38mm    Blade Tip: No:2



**59010699**

**59010699**

**Plain Slot 6.5 x 38mm Soft Grip Screwdrivers**

Expert Quality, SVCM blades which are hardened and satin chrome plated with sand blasted tips. Attached to a soft grip, oil and solvent resistant handle. Display packed.

Blade Length: 38mm    Blade Tip: 6.5mm



**59010732**

**59010732**

**'Pound Thru' Plain Slot 6.5 x 100mm Soft Grip Screwdrivers**

Expert Quality, screwdrivers with hardened SVCM satin chrome plated hexagonal blades. Attached to a soft grip, oil and solvent resistant handle with integrated toughened 'Pound Thru' metal cap designed for receiving hammer blows. Display packed.

Blade Length: 100mm    Blade Tip: 6.5mm



**59010760**

**59010760**

**'Pound Thru' PZ Type No:2 x 100mm Soft Grip Screwdriver**

PZ TYPE products are compatible with \*Pozidriv®/Supadriv® fixing systems. Expert Quality, screwdrivers with hardened SVCM+ satin chrome plated hexagonal blades. Attached to a soft grip, oil and solvent resistant handle with integrated toughened 'Pound Thru' metal cap designed for receiving hammer blows. Display packed.

Blade Length: 100mm    Blade Tip: No: 2



**59010736**

**59010736**

**'Pound Thru' Plain Slot 10 x 250mm Soft Grip Screwdrivers**

Expert Quality, screwdrivers with hardened SVCM satin chrome plated hexagonal blades. Attached to a soft grip, oil and solvent resistant handle with integrated toughened 'Pound Thru' metal cap designed for receiving hammer blows. Display packed.

Blade Length: 250mm    Blade Tip: 10mm



**5917280**

**5917280**

**'Pound Thru' PZ Type No: 2 x 250mm Soft Grip Screwdriver**

PZ TYPE products are compatible with \*Pozidriv®/Supadriv® fixing systems. Expert Quality, screwdrivers with hardened SVCM+ satin chrome plated hexagonal blades. Attached to a soft grip, oil and solvent resistant handle with integrated toughened 'Pound Thru' metal cap designed for receiving hammer blows. Display packed.

Blade Length: 250mm    Blade Tip: No: 2

**5906097****150mm Soft Grip Crescent-Type Adjustable Wrench**


Expert Quality, crescent-type wrenches manufactured from chrome vanadium steel hardened and tempered with a black oxide finish. Soft grip handles for comfort with metric scale on fixed jaw. Display packed.

Capacity: 19mm  
Length: 150mm

**5905979****250mm Soft Grip Crescent-Type Wrench**

Expert Quality, crescent-type wrenches manufactured from chrome vanadium steel hardened and tempered with a black oxide finish. Soft grip handles for comfort with metric scale on fixed jaw. Display packed.

Capacity: 30mm      Length: 250mm

**5903464****Curved Jaw Self Grip Pliers (220mm)**

Jaws manufactured from good quality steel hardened and tempered. Serrated gripping surfaces and adjustable opening, with quick-release lever. Display packed.

Length: 220mm



**5904389**

**5904389**

**200mm VDE Long Nose Pliers**

**Manufactured to DIN Standard and individually certified to EN 60900**

Expert Quality, drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed. Length: 200mm Cut Hard Wire Dia. 1.6mm Cut Med/Hard Wire Dia. 3.6mm



**5904396**

**5904396**

**250mm VDE Waterpump Pliers**

**Manufactured to DIN Standard and individually certified to EN 60900**

Expert Quality, drop forged from chrome vanadium steel correctly hardened and tempered. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handle. Has 'no-nip' feature which prevents handles locking together when at largest capacity and damaging users' hands. Display packed. Capacity: 38mm



**5904385**

**5904385**

**180mm VDE Combination Pliers**

**Manufactured to DIN Standard and individually certified to EN 60900**

Expert Quality, drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed. Length: 180mm Cut Hard Wire Dia. 2.0mm Cut Med/Hard Wire Dia. 3.4mm



**5904391**

**5904391**

**160mm VDE Diagonal Side Cutter**

**Manufactured to DIN Standard and individually certified to EN 60900**

Expert Quality, drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed. Cut Soft Wire Dia. 4.0mm Length: 160mm Cut Hard Wire Dia. Dia. 1.8mm Cut Med/Hard Wire Dia. 2.8mm



**5950509**

**5950509**  
**150mm / 6" Steel Rule**

Double sided with hang hole. Permanently etched graduations of cm/mm and inches, 1/8", 1/16", 1/32" and 1/64". Display packed.

Length: 150mm/6"  
Width: 19mm



**5904258**

**5904258**  
**450g (16oz) Fibreglass Shafted Ball Pein Hammer**

Expert Quality, polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing PP/TPR grip. Sold Loose.

Weight: 450g (16oz)



**5930206**

**5930206**  
**Gasket Scraper**

Manufactured from carbon steel hardened, tempered and satin chrome finish with shot blast scraper end. For cleaning cylinder heads, removing old sealants and carbon, etc. Display packed.



**5950237**

**5950237**  
**355mm Pry Bar / Nail Puller**

Flat section with nail puller and chisel ends 35mm wide. Forged from good quality carbon steel hardened, tempered and painted black. Sold loose.

Size: 150mm  
Type: Half Round



**5917737**

**5917737**  
**150mm Hand File and Handle**

High carbon steel, hardened and tempered with soft grip handles incorporating hang hole. Improved tooth profile for increased performance.

Size: 150mm  
Type: Hand



**5917738**

**5917738**  
**150mm Half Round File and Handle**

High carbon steel, hardened and tempered with soft grip handles incorporating hang hole. Improved tooth profile for increased performance.

Size: 150mm  
Type: Half Round





**6800139**

**6800139**  
**10 x 300mm 24TPI B-Metal Hacksaw Blades**  
**Conforms to BS 1919**

Expert Quality, saw edge, manufactured from high speed steel strip, electron beam welded to high quality carbon steel backing. Display packed ten blades per card.

Pitch: 24



**6800419**

**6800419**  
**10 x Junior Hacksaw Blades**  
**Manufactured to BS6271**

Expert Quality, general purpose cutting blades with pinned ends. Will fit all junior hacksaw frames. Packed ten blades on display card or in bags of 100 blades.



**5900114**

**5900114**  
**Soft Grip Hacksaw (300mm)**

Expert Quality, ergonomic pattern aluminium frame with a soft grip handle for user comfort. Frame has two sets of blade spigots which allows straight or 45° cutting. Supplied with a 300mm bi-metal blade.



**6800314**

**6800314**  
**150mm Junior Hacksaw with Blade**

Plated steel frame with finger guard. Supplied with blade. Display packed.



**5901238**

**5901238**  
**Soft Grip Trimming Knife with 'Safe Blade Retractor' Feature**

Expert Quality, retractable pattern with special blade feature allows blade to retract automatically when surface contact is lost even when thumb pressure is maintained. Diecast zinc alloy body with anti-slip soft grip handle for user comfort. Supplied with five spare blades. Display packed.



**5904265**

**5904265**  
**Card of 5 Hooked Trimming Knife Blades**

Reversible polished steel blades with accurately ground cutting edges.

Type: 2 notch (hooked)

**5950619****5950619**  
**Side View Boat Spirit Level with Magnetic Base (250mm)**

Expert Quality, with side view vial. Cast aluminium with three solid acrylic vials, one horizontal, one 45° and vertical side view vial. Special milled base with two rare earth magnets. Accuracy: 0.5mm per 1M = 0.029° in standard position. Display packed.

**5916631****5916631**  
**Measuring Tape (5m / 16ft x 25mm)**  
**Manufactured to EC Class II Accuracy**

Expert Quality, tough impact resistant ABS case. Hold and measure button allows user to lock tape for accurate measurements. Power return nylon-coated tape has metric and imperial graduations. Fitted with a belt clip for added user portability.

Length: 5m / 16ft

Width: 25mm

**5300702****5300702**  
**4 Heavy Duty AA-Size Alkaline Batteries**  
4 Heavy Duty AA-Size Alkaline Batteries**5300703****5300703**  
**4 Heavy Duty AAA-Size Alkaline Batteries**  
4 Heavy Duty AAA-Size Alkaline Batteries**5917739****5917739**  
**Magnetic Parts Bowl**  
150mm diameter, stainless steel, magnetic parts bowl. Manufactured from high grade steel and fitted with a strong magnet on the base.**7200134****7200134**  
**Stainless Steel Fill Brush (230mm)**  
Plastic handle. For aggressive cleaning and removal tasks. Display packed.

Wires per row: 3 x 11



5904616

### 5904616

#### Tool Lanyard Single Carabiner

Durable 1680D shock absorbing poly webbing. Aluminium alloy carabiner with captive eye. Treaded loop end that grips the tool when attached. Low-profile lightweight design reduces snag hazards.

Size: Standard 35" - 42" (89 -110cm)



5906124

### 5906124

#### Wrist Tool Lanyard

Polyester webbing cuff secures to wrist. Energy-absorbing ribbed pull cord. Adjustable barrel lock for tool attachment. Short length improves the drop clearance needed.

Wrist Measurement S/M 5" - 7" (13cm - 18cm).

Wrist Measurement L/XL 7" - 8½" (18cm - 22cm).

Sizes Available: SM - LXL



5906215

### 5906215

#### SoftFinish® Electric Slim Fix Screwdriver Set

The professional screwdriver for dry applications.

**Noticeable Ergonomics.** The foundation for the Wiha SoftFinish® screwdriver line was developed as part of a scientific study. As a professional tool with four handle sizes designed with its applications in mind, the unique design ideally combines the functions "quick turning: dynamic" and "maximum torque transmission: power".

**SoftFinish® zone.** Soft, torque-supporting finish zone for dry applications. **Blade anchoring.** Reliable anti-twist connection between blade and handle. **VDE insulation.** Protective insulation spray-coated directly onto the blade, through-hardened blade. **Water bath.** Piece test according to IEC 60900 in a water bath at 10,000 V for verified safe use at 1000 V AC or 1500 V DC.

**6202049****CBRE Technicians Toolbag**

CBRE branded technicians toolbag. Bag can be fully opened with zip, multiple pockets for hand tools, laptop and documents, plenty of room for additional equipment, suitable for all common laptops, tool side bag, can be removed and used separately.

Dimensions: 47 x 35 x 22cm.

**9206544****CBRE A-Frame Sign Kit with Interchangeable Signs**

CBRE branded A-frame sign supplied with 10 interchangeable signs in a storage case.

Size of fold flat sign: 61cm x 29cm



**6302278**

**6302278 CBRE Fire Door Gap Gauge Kit**



Item: Pouch

SKU: 6302000

Position: N/A



Item: Fire Door Gap Gauge

SKU: 6302277

Position: N/A



Item: Fire Door Check Cards

SKU: 6302001

Position: N/A