



# PLUMBERS TOOLKIT

CATALOGUE 2019

Information correct at date  
of publication August 2019



**6200241**

**6200241**

**16 Pocket Tool Pouch**

Nylon tool pouch, comprising 16 pouches of varying sizes, hammer loop, measuring tape clasp and chain. Supplied with 50mm wide adjustable webbing belt. Display carton.



**6202048**

**6202048**

**Technicians Toolbag**

Technicians toolbag. Bag can be fully opened with zip, multiple pockets for hand tools, laptop and documents, plenty of room for additional equipment, suitable for all common laptops, tool side bag, can be removed and used separately.

Dimensions: 47 x 35 x 22cm.



**5904616**


**5904616**

**Tool Lanyard Single Carabiner**

Durable 1680D shock absorbing poly webbing. Aluminium alloy carabiner with captive eye. Treaded loop end that grips the tool when attached. Low-profile lightweight design reduces snag hazards.

Size: Standard 35" - 42" (89 - 110cm)

Size: One Size



**5906124**

**5906124**

**Wrist Tool Lanyard**

Polyester webbing cuff secures to wrist. Energy-absorbing ribbed pull cord. Adjustable barrel lock for tool attachment. Short length improves the drop clearance needed.

Sizes Available: SM - LXL

Wrist Measurement S/M 5" - 7" (13cm - 18cm).

Wrist Measurement L/XL 7" - 8½" (18cm - 22cm).

**5902373****5902373****12 Piece Metric Combination Spanner Set**  
Generally in accordance with DIN3113 Specifications

With Draper Expert HI-TORQ® deep offset pattern ring end. Open end set at 15°. Forged from chrome vanadium steel, hardened, tempered, chrome plated and fully polished throughout. Supplied on wall mountable plastic rack. Display packed.

Contents:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19 and 22mm.

**5301118****5301118****12 Piece Holesaw Kit**

Heavy duty variable pitch bi-metal holesaws for cutting wood, steel, brass, bronze, cast iron, aluminium and plastics. Manufactured from high quality steel with M3 steel cutting edge for fast clean heavy duty cutting action. Maximum cutting depth 35mm. Packed in carrying case. Display carton.

Contents:

4mm hexagon key

9 holesaw blades size: 20, 22, 29, 35, 38, 44, 51, 57, 64mm diameter.

5/16" locking hexagonal shank holesaw arbor with HSS pilot drill

7/16" locking hexagonal shank holesaw arbor with HSS pilot drill

**5902377****5902377****6 Piece 'Pound Thru' Screwdriver Set**

Expert Quality, hexagonal section SVCM steel blades hardened, tempered and satin chrome plated finish with sand blasted tips. Handles are 'soft grip' polymer vulcanized with rooted cap allowing handle to be struck without causing damage. Colour coded handles for easy recognition. Display packed.

PZ TYPE products are compatible with \*Pozidriv®/Supadriv® fixing systems.

Contents:

2 plain slot size: 6 x 100 and 8 x 150mm

2 cross slot: No.2 and 3

PZ TYPE: No.2 and 3

**5640304**



**5640304**

**Soft Grip Mini Saw with Powder Coated Frame**

Specially designed for small cutting jobs on metal, wood, plastics etc., where space is limited. Powder coated metal frame with shaped soft grip handle for user comfort and control and blade tensioner. Supplied with blade. Display packed.

**5900040**



**5900040**

**Heavy Duty Soft Grip Hacksaw (300mm)**

Expert Quality, steel frame with aluminium handles. Frame has two sets of blade spigots which allows straight or 45° cutting. Supplied with a 300mm bi-metal blade.

**5904257**



**5904257**

**560g (20oz) Fibreglass Shafted Claw Hammer**

Expert Quality, polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing PP/TPR grip. Sold Loose.

Weight: 560g (20oz)

**5904925**



**5904925**

**Professional Utility Key**

With two square, one triangle and one stepped key profile plus a double-ended 7mm plain/No.2 cross slot insert bit 40mm long. Holder included for 1/4" insert bit. Display packed.

**5903926**



**5903926**

**1kg (2.2LB) Hickory Shaft Club Hammer**

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose.

Weight: 1.0kg (2.2 lb).

**5900507**



**5900507**

**Rubber Mallet with Hardwood Shaft (410G - 14.5OZ)**

Manufactured with a heavy duty rubber head, that's securely fitted to a hardwood shaft by a fixed pin. Sold loose.

Weight: 410G (14.5oz)

**5950124****5950124****1/2"/15mm x 3/4"/22mm BSP Basin Wrench**

Malleable cast iron wrench with accurately machined jaw faces. Designed for horizontal or vertical use in confined areas on back nuts fitted to taps and basins and other fittings. Display packed.

**5902371****5902371****300mm Adjustable Pipe Wrench**

Traditional pattern wrench. Handle drop forged hardened and tempered. Jaws additionally induction hardened to 55-60 HRC for durability and long life. Frame and handle electrostatically painted. Display packed.

Capacity: 45mm Length: 300mm

**5902380****5902380****450mm Adjustable Pipe Wrench**

Traditional pattern wrench. Handle drop forged hardened and tempered. Jaws additionally induction hardened to 55-60 HRC for durability and long life. Frame and handle electrostatically painted. Display packed.

Capacity: 65mm Length: 450mm

**5950540****5950540****225 x 60mm Electricians Bolster with Hand Guard  
Generally in accordance with BS3066**

Ground cutting edges and octagonal shank. Fitted with impact absorbing hand protection grip. For levering up and cutting through the tongues and grooves of floorboards. Sold loose.

225 x 60mm

**5950522****5950522****225 x 100mm Brick Bolster with Hand Guard  
Generally in accordance with BS3066**

Ground cutting edges and octagonal shank. For cutting bricks and composite blocks. Fitted with impact absorbing hand protection grip. Sold loose.

Blade Width: 100mm.

**5902352**



**5902352**

**Automatic Pipe Cutter (15mm)**

For cutting copper and plastic pipes. Ideal for work in confined areas. Display packed.

**5902353**



**5902353**

**Automatic Pipe Cutter (22mm)**

For cutting copper and plastic pipes. Ideal for work in confined areas. Display packed.

**5902360**




**5902360**

**Automatic Pipe Cutter (28mm)**

For cutting copper and plastic pipes. Ideal for work in confined areas. Display packed.

**5930117**



**5930117**

**3 - 22mm Capacity Mini Tubing Cutter**

Adjustable, for small bore tubing or in-situ applications where space is limited. Diecast aluminium body, hardened steel blade, two flare groove rollers and deburring reamer in adjusting knob. Display packed.

**5902337**



**5902337**

**Knipex Pipe Cutter**

Professional Quality, high strength steel, this pipe cutter is designed to make light work of cutting plastic and composite pipes up to 40mm diameter using a ratchet action. The galvanised finish will keep the tool rust free under wet working conditions. Spare blades are available. Display packed.

Capacity: 26 - 40mm

**5902351**



**5902351**

**35mm Capacity Plastic Pipe or Moulding Cutter**

Expert Quality, heavy duty trigger operated cutter for cutting plastic pipes (6-35mm O/D) and mouldings. The ratchet blade action reduces distortion to a minimum. The cutter's body is manufactured from diecast aluminium and fitted with a heat treated replaceable stainless steel blade. Display packed.



**5902359**  
**180mm Heavy Duty Soft Grip High Leverage Diagonal Side Cutter**  
Manufactured to DIN Standard

Drop forged from chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Higher leverage is achieved by setting the fulcrum point closer to the jaw, increasing the lever moment. Lacquered finish for corrosion protection with heavy duty, soft grip handles with slip guards. Display packed.

Cut Hard Wire Dia: 2.3mm  
Cut Med/Hard Wire Dia: 3.8mm  
Cut Piano Wire: 1.8mm  
Length: 180mm



**5950450**  
**Supercut® 500mm/20" Soft Grip Hardpoint Handsaw 11TPI/12PPI**

Japanese high carbon steel hardened, tempered, straightened and stress relieved to ensure blade straightness. Fine ground blade surface coated in ultra-tough lacquer to prevent corrosion and ease friction during sawing. Triple ground tooth design to allow fast cutting and sawdust removal in both forward and reverse action. Each tooth is hardened to prevent tooth snap. Shock-absorbing, ergonomic soft grip handle. Display packed.

Pitch: 11/12 Second Fix



**5950100**  
**600mm Opti-Vision™ Box Section Ergo-Grip™ Levels with Dual Vials**

Tough aluminium box section levels comprising two highly visible 'Opti-Vision' solid acrylic UV resistant vials, a reinforced horizontal vial with gradient lines and a vertical vial with side view into a patented curved profile for enhanced visibility. Electrostatically epoxy powder coated and baked for maximum protection. Fitted with 'Ergo-Grip'™ non-slip handle on 60cm and two on 90cm and above, oversized shock absorbing end caps. The base has a finely milled surface up to 120cm (1.8 and 2.0M unground. Accuracy 0.5mm per 1M = 0.029° in standard position.

**5903897****5903897****250mm Prism Jaw Self Grip Pliers**

Body manufactured from high strength special grade steel with jaw inserts from drop forged chrome vanadium steel and nickel plated. Serrated gripping surfaces in double prism jaws for both round and flat sectioned material. Fitted with a quick-release lever. Display packed.

Grips Hexagon: 13-36mm

Grips Round: 36mm

Grips Square: 36mm

Length: 250mm

**5902358****5902358****200mm Long Nose Pliers****Manufactured to DIN Standard**

Drop forged from chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Lacquered finish for corrosion protection with heavy duty, soft grip handles with slip guards. Display packed.

Cut Hard Wire Dia: 1.6mm

Cut Med / Hard Wire Dia: 3.6mm

Length: 200mm

**5902357****5902357****200mm Combination Pliers****Manufactured to DIN Standard.**

Drop forged from chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Lacquered finish for corrosion protection with heavy duty, soft grip handles with slip guards. Display packed.

Cuts Hard Wire Dia: 2.3mm

Cuts Med/Hard Wire Dia: 3.8mm

Length: 200mm





**5902972**

**5902972**

**250mm Cobra® Waterpump Pliers**  
**Manufactured to DIN ISO 8976 Specifications**

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered, with smoothly ground jaws, joint faces and an accurately formed box joint with safety stop. The parallelogram-shaped gripping surfaces have specially hardened teeth to 61HRC for positive grip on pipes and nuts. One hand press button adjustment. Plastic coated handles with slip guards for extra safety. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Display packed.

Hold Nuts Across Flats: 46mm  
Hold Pipe Dia: 50mm  
Jaw Positions: 25  
Length: 250mm



**5903321**

**5903321**

**300mm Cobra® Waterpump Pliers**  
**Manufactured to DIN ISO 8976 Specifications**

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered, with smoothly ground jaws, joint faces and an accurately formed box joint with safety stop. The parallelogram-shaped gripping surfaces have specially hardened teeth to 61HRC for positive grip on pipes and nuts. One hand press button adjustment. Plastic coated handles with slip guards for extra safety. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Display packed.

Hold Nuts Across Flats: 60mm  
Hold Pipe Dia: 70mm  
Jaw Positions: 30  
Length: 300mm



**5903204**

**5903204**

**185mm Ergo Plus® Fully Insulated VDE Pliers**  
**Manufactured to DIN Standard and individually certified to EN 60900**

Special steel hardened and tempered with cutting edges separately induction hardened. Ergonomic shape of head and handles allow user to access difficult working areas and still keep a tight grip on the workpiece. The pliers have following functions: flat cutter on the tip of the head for use on cable ties; wire stripper 1.5 and 2.5mm<sup>2</sup> wire; diagonal cutter for medium hard wire (3.5mm<sup>2</sup>), hard wire (2.5mm<sup>2</sup>) and piano wire (2mm<sup>2</sup>); crimper for terminals 1.5 and 2.5mm<sup>2</sup>; pattress screw cutter for M3.5 and M4 screws and wire looping device on underside of pliers for looping wire for plug screws/ terminals. Display packed.



**5904032**

**5904032**  
**Heavy Duty Retractable Trimming Knife with Quick Change Blade Facility**

Retractable pattern with heavy duty aluminium diecast handle. Blade can be changed by a simple twist of the handle end (no screw). Supplied with plastic belt holder. Display packed.



**5916631**

**5916631**  
**5m x 19mm Autolock Tape - Blue**

Length: 5m / 16ft  
Width: 25mm



**5210632**

**5210632**  
**XPG 1 LED Aluminium Torch (3 x C Batteries)**

Solid aluminium case with a single ultra bright 250 lumen XPG LED. Easy touch glow-in-the-dark on/off button at base providing three lighting modes (full beam, half beam and flash mode). Display packed.

Lumens: 250      Lamp Type: Cree LED  
Light Modes: Full Beam, Half Beam, Flash  
Power Supply: 3 x C Batteries (sold separately)



Qty. 2

**5210192**

**5210192**  
**2 Heavy Duty C Size Alkaline Batteries**

2 Heavy Duty C Size Alkaline Batteries



**5210647**

**5210647**  
**Cree and COB LED Head Lamp (3W)**  
**3 x AAA Batteries**

Three function headlamp (100% white light / 50% white light / red light), fitted with a comfortable adjustable head strap with foam padding. Producing an ultra-bright 220 lumen 80M beam of brilliant white light. The ON/OFF button is easily operated. Uses 3 x AAA batteries (sold separately). Display packed.



**5300711**

**5300711**  
**12m Plumbing Tape**

For water plumbing applications. In plastic reel with dust cover. Shrink wrapped in singles with label.

**Not suitable for use on gas pipework**



**5950529**

**5950529**

**19 x 250mm Octagonal Shank Cold Chisel**

Generally in accordance with BS3066

Octagonal shank chisel from selected steel with polished cutting edge. Sold loose.

Blade Width: 19mm.

Length: 250mm.



**5600121**

**5600121**

**14 Division PVC Tool Roll**

Manufactured from PVC with bound edges and securing tapes. Packed in polythene bag with display card.

Dimensions: 675 x 330mm

Divisions: 14



**6800419**

**6800419**

**10 x Junior Hacksaw Blades**

Manufactured to BS6271

General purpose cutting blades with pinned ends. Will fit all junior hacksaw frames. Packed ten blades on display card or in bags of 100 blades.

Quantity: 10 blades per card



**6800139**


**6800139**

**10 x 300mm 24TPI Bi-Metal Hacksaw Blades**

Conforms to BS 1919

Saw edge, manufactured from high speed steel strip, electron beam welded to high quality carbon steel backing. Display packed ten blades per card.

Pitch: 24




**5900002**

**5900002**

**Skeleton Caulking Gun (350ml)**

Skeleton frame caulking gun, manufactured with a robust steel frame attached with a plunge rod. Capable of accommodating cartridges up to 350ml.



**5904265**

**5904265**

**Card of 5 Hooked Trimming Knife Blades**

Reversible polished steel blades with accurately ground cutting edges.

Packed: 5 blades per display card

Type: 2 notch (hooked)