



MULTI TOOLKIT



5900007

5900007

Security Screwdriver Bit and Driver Set (45 Piece)

25mm 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a shot blast finish. Supplied with a 1/4" soft grip driver. Supplied in a heavy duty storage case with plastic inlay to hold bits securely. Display packed. PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems. Draper TX-STAR products are compatible with †Torx fixing systems.

Contents:

- Magnetic soft grip driver
- 3 x Tri wing: 1, 2 and 3
- 4 x Spanner: 4, 6, 8 and 10
- 5 x Spline: M4, M5, M6, M8 and M10
- 4 x Square: S0, S1, S2 and S3
- 6 x Security hex (metric): 2, 2.5, 3, 4, 5 and 6mm
- 6 x Security hex (imperial): 5/32, 9/64, 1/8, 7/16, 3/32 and 5/64"
- 7 x Draper TX-STAR®: T5, T6, T7, T8, T10, T15 and T20
- 9 x Draper TX-STAR® security: T8T, T9T, T10T, T15T, T20T, T25T, T27T, T30T and T40T



5903301

5903301

Metric Combination Spanner Set (11 Piece)

Generally in accordance with DIN3113 Specifications

Expert Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Draper HI-TORQ® ring end offset at 15°. Jaw offset at 15°. Supplied in Tetron divided wallet with tie cord. Display packed.

Contents: 6, 7, 8, 9, 10, 11, 12, 13, 14, 17 and 19mm.



5905956

5905956

DRAPER HI-TORQ® METRIC FLEXIBLE HEAD RATCHETING COMBINATION SPANNER SET (7 PIECE)

Open end set at 15°. The Draper HI-TORQ® flexible head allows movement through 180°. Only 5° movement required to turn fastener, especially useful in confined spaces. Forged from chrome vanadium steel, hardened, tempered, chrome plated and fully polished throughout.



51083911

51083911

12V Combi Drill, 1 X 1.5AH Battery, 1 X Fast Charger

Part of the 12V interchangeable multi-tool battery system. This compact 12V cordless combi drill features a 2-speed gearbox, 21 torque settings (maximum torque 30Nm), spindle lock and a 10mm keyless chuck. It has a variable speed with an electronic brake and forward/reverse. It is fitted with an LED worklight and has a battery level indicator. There is also a handy belt clip. Supplied inside a blow moulded storage case with a 12V 1.5Ah Li-ion battery and 12V fast charger. Draper 12V interchangeable battery system allows you to combine one battery with any of the tools within the 12V series. It is also fully compatible with the Draper Storm Force® 10.8V series.

CONTENTS:

1 x 12V 1.5Ah Li-ion battery
1 x 12V Fast charger

SPECIFICATION:

Battery: 12V Li-ion
Batteries per item: 12V 1.5Ah Li-ion battery
Charger type: 12V 2A Fast charger
Drill capacity: 25mm (wood), 10mm (mild steel and masonry)
Maximum torque: 30Nm
No load speed: 0-1,300r/min
Impact rate: 0-19,500bpm
Supplied in case: Yes
Weight: 1.11kg



5916628

5916628

1/4" Sq. Dr. Metric Socket Set (44 Piece)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in tough plastic storage case.

Contents:

- 10 sockets sizes 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
- 6 deep sockets sizes 6, 8, 10, 11, 12, 13mm
- 72 tooth reversible ratchet with soft grip handle and quick release button
- spinner handle
- 2 wobble extension bars 50 and 150mm
- sliding T bar
- universal joint
- 1/4" Sq. Dr to 1/4" hex bit adaptor
- 3 x plain slot socket bits 3, 5, 5.5mm
- 3 x PZ Type socket bits #1, 2, 3
- 3 x cross slot socket bits #1, 2, 3
- 5 x hex socket bits 3, 4, 5, 6, 8mm
- 7 x Draper TX-STAR® socket bits T10, T15, T20, T30, T35, T40, T45



5920194

5920194

Ergo Plus® Interchangeable VDE Torque Screwdriver Set (19 Piece)


Manufactured and individually certified to EN 60900

Expert Quality, interchangeable VDE torque screwdriver, intended for electrical applications. Perfect for torque-controlled tightening of screws, which helps avoid damaging screws and tools whilst ensuring a safe and secure screw connection. The adjustment scope for the torque screwdriver is 1.0 – 5.0 Nm (accuracy +/- 6%). Individually tested to 10,000V and fully compliant to EN60900:2012 standards, permitting use on AC circuits up to 1000V and DC circuits up to 1500V. Suitable for attaching to all existing Draper Expert 965 interchangeable range screwdrivers. The VDE interchangeable blades are made from SVCM steel for added strength and deliver a fast and easy press in auto-lock action with a simple release method. Supplied complete with calibration certificate, a selection of blades suiting all popular applications and a convenient canvas roll for secure transportation and storage. Display packed.

PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems.

Contents:

- 1 Insulated torque screwdriver
- 1 Insulated Holder Driver
- 1 Precision Insulated Holder Driver
- 4 plain slot size: 3 x 60, 4.0 x 80, 5.5 x 80 and 6.5 x 100mm
- 3 cross slot sizes: No.0 x 60, No.1 x 80 and No.2 x 100mm
- 3 PZ TYPE sizes: No.0 x 60mm, No.1 x 80 and No.2 x 100mm
- 4 Draper TX-STAR®: T10, T15, T20, T25 x 100mm
- 2 PZ/SL: No.1 x 80 and No.2 x 100mm




5900068

5900068

'Pound Thru' Soft Grip Screwdriver Set (6 Piece)

Expert Quality, screwdrivers with hardened SVCM+ satin chrome plated hexagonal blades. Attached to a soft grip, oil and solvent resistant handle with integrated toughened 'Pound Thru' metal cap designed for receiving hammer blows. Supplied in a PVC storage case. Display packed.

Contents: Plain Slot; 5.5 x 75, 6.5 x 100mm
 Cross Slot; No.1 x 75, No.2 x 100mm
 PZ Type; No.1 x 75, No.2 x 100mm




5916923

5916923

Metric Socket Set 3/8" SQ. DR. (42 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point socket made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in a tough plastic storage case with soft grip handle.



5906039

5906039

Metric Combined HSS and Masonry Drill Bit Set (17 Piece)

12 titanium nitride coated high speed steel straight shank drills and five tungsten steel masonry drills in handy set. Display packed in soft grip plastic case. Contents: 12 titanium nitride coated HSS drills: 1.5, 2.0, 2.5, 3.0, 3.2, 3.5, 4.0, 4.5, 4.8, 5.0, 5.5 and 6.0mm: 5 masonry drills: 3.0, 5.0, 6.0, 8.0 and 10mm



5902389
Metric Hexagon and Ball End Hexagon Key Set (9 Piece)

Hexagon keys with ball end on the long arm and conventional ends on short arm. The ball type hexagon tip allows the hexagon key to be used up to 30° angle from the screwhead recess. Manufactured from chrome vanadium steel that's hardened and tempered then applied with a chemically blacked finish. Supplied in fold-out easy release holder which can be wall-mounted.

Contents: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0 and 10.0mm

5902389



5902390
Imperial Hexagon and Ball End Hexagon Key Set (12 Piece)

Hexagon keys with ball end on the long arm and conventional ends on short arm. The ball type hexagon tip allows the hexagon key to be used up to 30° angle from the screwhead recess. Manufactured from chrome vanadium steel that's hardened and tempered then applied with a chemically blacked finish. Supplied in fold-out easy release holder which can be wall-mounted.

Contents: 1/16, 5/64, 7/64, 9/64, 5/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16 and 3/8".

5902390



5917242
Metric Coloured Long Arm Draper TX-Star® Key Set (9 Piece)

Expert Quality, coloured, long arm, metric ball ended Draper TX-STAR® keys. Manufactured from chrome vanadium steel, hardened, tempered and chrome plated with a protective coloured rubber coating. Each colour signifies a different size. Supplied in fold-out easy release holder.

Contents: T10, T15, T20, T25, T27, T30, T40, T45, T50

5917242



5904389

5904389

200mm VDE Long Nose Pliers

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed.

Length: 200mm
Cut Hard Wire Dia. 1.6mm
Cut Med/Hard Wire Dia. 3.6mm



5904396

5904396

250mm VDE Waterpump Pliers

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, drop forged from chrome vanadium steel correctly hardened and tempered. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handle. Has 'no-nip' feature which prevents handles locking together when at largest capacity and damaging users' hands. Display packed.

Capacity: 38mm



5904386

5904386

200mm VDE Combination Pliers

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed.

Cut Hard Wire Dia: 2.3mm
Cut Med/Hard Wire Dia: 3.8mm
Length: 200mm



5904392

5904392

180mm VDE Diagonal Side Cutter

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed.

Cut Hard Wire Dia: 2.3mm

Cut Med/Hard Wire Dia: 3.0mm

Cut Soft Wire Dia: 4.0mm

Length: 180mm




5917287

5917287

VDE Approved Fully Insulated Cable Shears (180mm)

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, 180mm cable shear, manufactured from chrome vanadium steel that's hardened and tempered for extra strength. The induction hardened and finely ground cutting edges are finished with a protective lacquer for corrosion protection. Fitted to heavy duty, fully insulated soft grip handles, tested to 10,000V for safe 1000V AC or 1500V DC live line working.



5903464

5903464
Curved Jaw Self Grip Pliers (220mm)

Jaws manufactured from good quality steel hardened and tempered. Serrated gripping surfaces and adjustable opening, with quick-release lever. Display packed.

Length: 220mm



5901238

5901238
Soft Grip Trimming Knife with 'Safe Blade Retractor' Feature

Expert Quality, retractable pattern with special blade feature allows blade to retract automatically when surface contact is lost even when thumb pressure is maintained. Diecast zinc alloy body with anti-slip soft grip handle for user comfort. Supplied with five spare blades. Display packed.



5916633

5916633
Junior Hacksaw

Expert Quality, 150mm junior hacksaw made with a steel frame with an soft grip plastic handle. Supplied with blade.



5900061

5900061
Heavy Duty Soft Grip Hacksaw, 300mm

Expert Quality, manufactured with an aluminium frame attached with a soft grip handle. Frame has two sets of blade spigots which allows straight or 45° cutting. Supplied with a 300mm bi-metal blade.

Length: 300mm



5968944

5968944
Quick Connect Tool Lanyard Green

A versatile tool lanyard which prevents falling objects from a height. Specifically designed to be interchangeable with FP45, suitable for quick and easy exchanges of multiple tools. Safe Working Load 2.5kg.

Allows quick and easy attachment/detachment of tools. Prevents dropped and falling objects. Ultra lightweight for long uses. Ergonomic and versatile. Retail box which aids presentation for retail sales. Retail bag which aids presentation for retail sales. Materials: Plastic.



5901228

5901228
Torpedo Level With Magnetic Base, 230mm

ABS plastic with a V - groove magnetic strip in the base. Three vials, one horizontal, vertical and 45° vials. Incorporates a V groove in the top, rubber end caps and a hang hole. Vial sensitivity 0.1° with a level accuracy of 1.75mm/M = 0.57° in standard position. Display packed.



5115122

5115122
Open Mouth Tool Bag (440mm)

Open mouth design tool bag with 13 internal and 6 external pockets for excellent organisation potential. Fitted with a padded shoulder strap and grip handle for added user comfort. The solid base keeps tools safe from damage and protects the bag from moisture and dirt. Made from 600 denier hardwearing fabric that's strong and durable.

Dimensions: 440 x 245 x 335mm



6200279

6200279
Technicians Tool Case

Expert Quality, manufactured from water repellent polyester with adjustable carrying handle and detachable shoulder strap. Multiple internal and external pockets for storing tools, equipment and computers etc. Packed in polythene bag with display card.

Dimensions: 470 x 150 x 300mm



5903948
150mm Crescent-Type Adjustable Wrench with Phosphate Finish

Expert Quality, crescent-type wrenches manufactured from chrome vanadium steel hardened and tempered with black phosphate finish, polished profile and jaws. Jaws offset at 22°. The 150, 200, 250 and 300mm sizes have a graduated scale on the fixed jaws. Suitable for use in areas where chemicals and chrome plate can give off poisonous fumes. Display packed.

Capacity: 24mm Length: 150mm



5903950
250mm Crescent-Type Adjustable Wrench with Phosphate Finish

Expert Quality, crescent-type wrenches manufactured from chrome vanadium steel hardened and tempered with black phosphate finish, polished profile and jaws. Jaws offset at 22°. The 150, 200, 250 and 300mm sizes have a graduated scale on the fixed jaws. Suitable for use in areas where chemicals and chrome plate can give off poisonous fumes. Display packed.

Capacity: 33mm
Length: 250mm



5903951
300mm Crescent-Type Adjustable Wrench with Phosphate Finish

Expert Quality, crescent-type wrenches manufactured from chrome vanadium steel hardened and tempered with black phosphate finish, polished profile and jaws. Jaws offset at 22°. The 150, 200, 250 and 300mm sizes have a graduated scale on the fixed jaws. Suitable for use in areas where chemicals and chrome plate can give off poisonous fumes. Display packed.

Capacity: 38mm Length: 300mm



5904257

5904257

560g (20oz) Fibreglass Shafted Claw Hammer

Expert Quality, polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing PP/TPR grip. Sold Loose.

Weight: 560g (20oz)



5904258

5904258

450g (16oz) Fibreglass Shafted Ball Pein Hammer

Expert Quality, polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing PP/TPR grip. Sold Loose.

Weight: 450g (16oz)



5930206

5930206

Gasket Scraper

Manufactured from carbon steel hardened, tempered and satin chrome finish with shot blast scraper end. For cleaning cylinder heads, removing old sealants and carbon, etc. Display packed.



5950237

5950237

355mm Pry Bar / Nail Puller

Flat section with nail puller and chisel ends 35mm wide. Forged from good quality carbon steel hardened, tempered and painted black. Sold loose.



5917737


5917737

150mm Hand File and Handle

High carbon steel, hardened and tempered with soft grip handles incorporating hang hole. Improved tooth profile for increased performance.

Size: 150mm

Type: Hand



5917738

5917738

150mm Half Round File and Handle

High carbon steel, hardened and tempered with soft grip handles incorporating hang hole. Improved tooth profile for increased performance.

Size: 150mm

Type: Half Round



5308956

5308956
AAA Alkaline Battery (Pack of 4)

AAA alkaline battery.

Sold in packs of 4.




5308957

5308957
AA Alkaline Battery (Pack of 4)

AA alkaline battery.

Sold in packs of 4.



5950509

5950509
150mm / 6" Steel Rule

Double sided with hang hole. Permanently etched graduations of cm/mm and inches, 1/8", 1/16", 1/32" and 1/64". Display packed.

Length: 150mm/6"

Width: 19mm



5916631

5916631
Measuring Tape (5m / 16ft x 25mm)

Manufactured to EC Class II Accuracy

Expert Quality, tough impact resistant ABS case. Hold and measure button allows user to lock tape for accurate measurements. Power return nylon-coated tape has metric and imperial graduations. Fitted with a belt clip for added user portability.

Length: 5m / 16ft

Width: 25mm




5552691

5552691
Single Pole Contact Voltage Detector

Single pole contact voltage detector and phase finder.

- Indicates 50-600V AC
- Flashing red LED with audible tone when voltage is present
- Designed to work with PPE



5904265

5904265
Card of 5 Hooked Trimming Knife Blades

Reversible polished steel blades with accurately ground cutting edges.

Type: 2 notch (hooked)



6800139

6800139
10 x 300mm 24TPI B-Metal Hacksaw Blades
Conforms to BS 1919

Expert Quality, saw edge, manufactured from high speed steel strip, electron beam welded to high quality carbon steel backing. Display packed ten blades per card.


Pitch: 24



6800419

6800419
10 x Junior Hacksaw Blades
Manufactured to BS6271

Expert Quality, general purpose cutting blades with pinned ends. Will fit all junior hacksaw frames. Packed ten blades on display card or in bags of 100 blades.



5904925

5904925
Professional Utility Key

Expert Quality, with two square, one triangle and one stepped key profile plus a double-ended 7mm plain/No.2 cross slot insert bit 40mm long. Holder included for 1/4" insert bit. Display packed.



7200134

7200134
Stainless Steel Fill Brush (230mm)

Plastic handle. For aggressive cleaning and removal tasks. Display packed.

Wires per row: 3 x 11



5917739

5917739
Magnetic Parts Bowl

150mm diameter, stainless steel, magnetic parts bowl. Manufactured from high grade steel and fitted with a strong magnet on the base.



6201944

6201944
Magnetic Parts Bowl

For storage of nuts, bolts, screws, etc. whilst working. Bowl has rubber covered magnetic base for affixing to metal objects such as tool boxes etc. Magnetism transfers to inner surface of bowl to retain small metal parts, nuts, bolts, etc. Sold loose.

Diameter: 145mm



52101569

52101569

Elite LED Multifunction Headlight 280 lumens

The Lighthouse Elite LED Multifunction Headlight offers four output options; a high performance XPG LED for high and low spot beam output, and COB LED (Chip On Board) side lights for wide angle beam or red flashing functions.

Ideal for use around the home and for many leisure activities including camping, sailing, hiking and cycling and perfect for use in emergencies such as power failures or when working on cars.

Specification:
 Output: 100/280 lumens
 Run Time: 3.5/7 hours
 Power: 3 x AAA batteries (supplied)

Technical Specs:
 Output: 100/280 lumens
 Run Time: 3.5/7 hours
 Power: 3 x AAA batteries (supplied)

Box Content:
 1 x Lighthouse Elite LED Multifunction Headlight 280 lumens
 3 x Lighthouse AAA Alkaline batteries



5211564

5211564

COB/SMD LED SLIMLINE INSPECTION LAMP, 7W, 70 - 700 LUMENS, GREEN

7W, COB LED inspection lamp with an SMD LED torch built into the pivoting and swivelling head allowing the light to be used in any 360° position. Fitted with a dimming function delivering a light output of between 70 and 700 lumens, a power indicator, a convenient magnetic base and a hook for hands-free use. The Micro USB charger provides up to 15 hours of continuous use with a four hour charging time.

Colour	Green
Light Type	COB SMD LED
Lumens	700
Wattage	7W

Wattage:	7W
Light Type:	COB LED
Lumens:	700
Light Settings:	High/Low
Power Source:	3.7V 2.6Ah Li-ion battery
Burn Time:	15 Hours
Charging Time:	4 Hours



1302209

1302209RED
Bold Pro Spectacles Red

Dual lens with soft rubber nose bridge and temple grips in various colours.

Soft arms tips for ultra comfort. Soft nose bridge for a secure and comfortable fit. Lightweight and comfortable. Slim side arms for optimum comfort when working with ear defenders. Stylish dual colour side arms. Anti-scratch coating for added durability. 99% UV protection. CE certified. UKCA marked. Individually packed for vending machines. Retail bag which aids presentation for retail sales.

Materials: TPR. Size: One Size

Standards:
 EN 166 1 S
 EN 170 2C-1.2



1010576

1010576GRNL
Arc Grip Glove Green / Black

Created with flame resistant properties, the Arc Grip Glove provides a high level of protection against Arc Flash burns and cuts. The 13-gauge cut level D knitted liner is manufactured with a unique flame-resistant aramid yarn which provides increased dexterity and hand movement. The flame-resistant neoprene coated palm allows for excellent grip. Arc Flash level 2 (ATPV 9.5cal/cm2).

Features:

- Superb Arc-Flash Protection: Arc Rating (ATPV) = 9.5 cal/cm2
- ARC Grip glove provides a high level of protection against ARC flash burns and cuts
- Level D cut resistance
- 13 gauge liner for a perfect fit
- Flame-resistant neoprene coated palm allows for excellent grip
- FR aramid thread for extra durability and protection
- CE certified
- Retail tag which aids presentation for retail sales
- ANSI cut level A4
- UKCA marked

Materials:
 Glass Fibre, Neoprene, Neoprene

Standards:

- EN ISO 21420: 2020 Dexterity 5
- EN 388: 2016 + A1: 2018 4X42D
- EN 407: 2020 X1XXXX
- ASTM F2675-13 2
- ANSI/ISEA 105: 2016 CUT Level A4



5921001

5921001

Ergo Plus® Slimline VDE Approved Fully Insulated Screwdrivers (6 Piece)

Manufactured and individually certified to EN 60900

Expert Quality, with an insulated sheath the same diameter as the blade, enabling the tip access to deep seated screws found in terminals and switch boards. Tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC. SCVM steel blades hardened, tempered and chemically blackened. Display packed.

PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems. *Pozidriv®/Supadriv® are registered trademarks of Trifast Plc.

Contents: 3 plain slot sizes: 3.5 x 100, 4.0 x 100, 5.5 x 125mm
1 cross slot sizes: No.2 x 100mm
2 PZ TYPE: No1 x 80mm and No. 2 x 100mm



5551284

5551284

1000A Ultra Slim Clamp Meter

Ultra slim and lightweight 1000A clamp with 0.01A resolution

Key Benefits

Slim, lightweight high capacity clamp meter from the world leaders in clamps.

DMM functionality

G7 test leads

Key Features

10mm Jaw thickness

Tear drop jaw shape for easy access in to distribution boards

1000A Current measurement

0.01 A resolution

AC Voltage measurement up to 600V

1mV Resolution AC V

DC Voltage measurement up to 600V

0.1mV Resolution DCV

Resistance measurement

Continuity buzzer

Fuseless electronic protection on up continuity up to 600V

Comes with popular G7 test leads

Includes carry case with belt loop

Safety: IEC 61010-1 CAT.III 600V Pollution degree 2 (AC A),
CAT.III 300V / CAT.II 600V Pollution degree 2 (AC/DC V)

IEC 61010-031, IEC 61010-2-032, IEC 61326 (EMC)


Included:

Test leads

Carry pouch with belt loop

Batteries

Manual



5551217

5551217

Socket Tester

Checks correct socket outlet wiring. Checks the quality of the earthing that is essential for safe installations. Checks for the polarity of the mains supply. Checks RCDs with measured current. Bright LEDs. Easy to use - anything other than green needs checking out.



5101346

5101346

GMS 120 Professional

The preferred multi-detector in its class

Most objects are found and application errors are avoided due to the automatic calibration. Detection of even deep-lying objects - up to a depth of 12 cm. Even more reliable detection of objects due to three-colour LED luminous ring.

Detectable Materials: Ferrous metals, non-ferrous metals, wooden studs, live cables

Max. detection depth: 120 mm

Detection depth, steel, max.: 120 mm

Detection depth, copper, max.: 80 mm

Detection depth of live cables, max.: 50 mm

Detection depth of wooden substructures, max.: 38 mm

Automatic deactivation, approx: 5 minutes

Display of max. drilling depth: False

Dust and splash protection: IP 54

Power supply: 1 x 9 V 6LR61



5551188

5551188 2 Pole LED Voltage Tester

Key Benefits

Clear oversize luminous LEDs shine through voltage level
 Clear audible tone
 UK Specific GS38 Slender probe tips NO NEED to swap ends
 Bright torch light - gives ample illumination
 Fits into recessed terminals such as RCBOs without unscrewing any caps
 Phase Rotation - Bright green LEDs show left or right rotation.

Indicates actual voltage if no batteries fitted

Two pole testers that use batteries should indicate a live circuit if the batteries die or have not been inserted into the tester.

This is normally indicated by a single LED but this does not indicate the actual voltage present.

The KT1780 & KT1790 have a separate circuit so they operate with no batteries or dead batteries and still indicate the actual voltage present.

Key Features

AC & DC Voltage tests up to 690V
 Clear Oversize luminous LED indication
 Soft to touch overmoulded rubber body
 Continuity Test
 Self diagnostic test
 Single Pole phase test
 Phase Rotation test
 Polarity indication
 Auto power on/off
 IP65 rating protects against Dust & Water ingress
 Designed to the new international safety standards IEC 61243-3 & IEC 61010-1
 Cat IV 600V

Included: Built in test leads, Batteries
 Instruction manual with Certificate of Conformity

Weights & Dimensions: Boxed Weight: 242g
 Boxed Dimensions: 300(H)mm x 40(H)mm x 70(D)mm



5551215

5551215 Proving Unit

50-690 V proving unit with just two terminals to test AC and DC voltage detectors. Fast response and works with low impedance voltage testers. Ramps down through voltage levels. LED indication of functioning unit.

To ensure the safety of personnel working on electrical circuits **BEST PRACTICE** for the use of a proving unit before working on dead circuits.

Output voltage: 180V in to 6.8 Ω , 720V - 820V in to 10M Ω
 Operating conditions: -10 to 40 C, 70% RH
 Dimensions: W65 x H120 x D45mm



5551377

5551377

Kitbag 3 for 2 Pole LED Voltage Tester

Carrying case for 2 Pole LED Voltage Tester. Branded zip kit bag with clear window. Case has 2 holes in proving unit storage section for testing without removal.

Dimensions: Length 31cm Width: 13cm Depth: 9cm

Material - cloth with carrying strap



5551233 & 5551617

5551233

KEWTECH DUO (Non-Contact Voltage Detector) ITEM USED FOR INDICATION ONLY

Unique dual sensitive non-contact voltage detector - just press and hold the desensitising button and you can differentiate between live and earthed cables approximately 10mm apart.

Key Benefits:

- Dual sensitivity
- Heartbeat - green LED indicates that the unit is on and working correctly
- Red LED indicates presence of voltage
- Audible tone also indicates the presence of voltage

Key Features:

- Clearly detects 90 - 600 volts AC without metal contact
- Two colour LEDs - Green for correct working and Red for Voltage detection
- Two tone buzzer, one for correct working and one for voltage detection
- Pocket-size for handy use anywhere
- Low power consumption circuits means long life batteries
- Cat IV rated
- 2 year unconditional guarantee (excluding batteries)

5551617

Non Contact Proving Unit

Portable proving unit for use on / off site that instantly proves the function of non-contact voltage testers before and after use.

Simple to use, just press the button and tests.

Belt clip for hands-free use.

Visual LED indication of function.

Robust and drop-proof from 1 metre.

Comes installed with a 9V battery.