



PLUMBERS TOOLKIT



6200241

6200241
16 Pocket Tool Pouch

Nylon tool pouch, comprising 16 pouches of varying sizes, hammer loop, measuring tape clasp and chain. Supplied with 50mm wide adjustable webbing belt. Display carton.



6200279

6200279
Technicians Tool Case

Expert Quality, manufactured from water repellent polyester with adjustable carrying handle and detachable shoulder strap. Multiple internal and external pockets for storing tools, equipment and computers etc. Packed in polythene bag with display card.

Dimensions: 470 x 150 x 300mm



5552691

5552691

The KT1700 is your first level of protection against electrical shock when approaching metal enclosures / potentially live metal work. The identification of the live phase is more certain than using non-contact voltage indicators or similar devices.

- Indicates 50-600V AC
- Flashing red LED with audible tone when voltage is present
- Designed to work with PPE



5968944

5968944
FP44 - Quick Connect Tool Lanyard

A versatile tool lanyard which prevents falling objects from a height. Specifically designed to be interchangeable with FP45, suitable for quick and easy exchanges of multiple tools. One size.

- Allows quick and easy attachment/detachment of tools
- Prevents dropped and falling objects
- Ultra lightweight for long uses, Ergonomic and versatile



5902373

5902373

12 Piece Metric Combination Spanner Set Generally in accordance with DIN3113 Specifications

With Draper Expert HI-TORQ® deep offset pattern ring end. Open end set at 15°. Forged from chrome vanadium steel, hardened, tempered, chrome plated and fully polished throughout. Supplied on wall mountable plastic rack. Display packed.

Contents:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19 and 22mm.



5301118

5301118

12 Piece Holesaw Kit

Heavy duty variable pitch bi-metal holesaws for cutting wood, steel, brass, bronze, cast iron, aluminium and plastics. Manufactured from high quality steel with M3 steel cutting edge for fast clean heavy duty cutting action. Maximum cutting depth 35mm. Packed in carrying case. Display carton.

Contents:

4mm hexagon key

9 holesaw blades size: 20, 22, 29, 35, 38, 44, 51, 57, 64mm diameter.

5/16" locking hexagonal shank holesaw arbor with HSS pilot drill

7/16" locking hexagonal shank holesaw arbor with HSS pilot drill



5902377

5902377

6 Piece 'Pound Thru' Screwdriver Set

Expert Quality, hexagonal section SVCM steel blades hardened, tempered and satin chrome plated finish with sand blasted tips. Handles are 'soft grip' polymer vulcanized with rooted cap allowing handle to be struck without causing damage. Colour coded handles for easy recognition. Display packed.


PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems.

Contents:

2 plain slot size: 6 x 100 and 8 x 150mm

2 cross slot: No.2 and 3

PZ TYPE: No.2 and 3



5916633

5916633

Expert Soft Grip Junior Hacksaw, 150mm

Expert Quality, 150mm junior hacksaw made with a steel frame with an soft grip plastic handle. Supplied with blade.

- Expert Quality,
- 150mm junior hacksaw made with a steel frame with an soft grip plastic handle
- Supplied with blade



5900040

5900040

Heavy Duty Soft Grip Hacksaw (300mm)

Expert Quality, steel frame with aluminium handles. Frame has two sets of blade spigots which allows straight or 45° cutting. Supplied with a 300mm bi-metal blade.




5904257

5904257

560g (20oz) Fibreglass Shafted Claw Hammer

Expert Quality, polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing PP/TPR grip. Sold Loose.

Weight: 560g (20oz)




5904925

5904925

Professional Utility Key

With two square, one triangle and one stepped key profile plus a double-ended 7mm plain/No.2 cross slot insert bit 40mm long. Holder included for 1/4" insert bit. Display packed.



5903926

5903926

1kg (2.2LB) Hickory Shaft Club Hammer

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose.

Weight: 1.0kg (2.2 lb).



5900507

5900507

Rubber Mallet with Hardwood Shaft (410G - 14.5OZ)

Manufactured with a heavy duty rubber head, that's securely fitted to a hardwood shaft by a fixed pin. Sold loose.

Weight: 410G (14.5oz)



5950124

5950124

1/2"/15mm x 3/4"/22mm BSP Basin Wrench

Malleable cast iron wrench with accurately machined jaw faces. Designed for horizontal or vertical use in confined areas on back nuts fitted to taps and basins and other fittings. Display packed.



5902371

5902371

300mm Adjustable Pipe Wrench

Traditional pattern wrench. Handle drop forged hardened and tempered. Jaws additionally induction hardened to 55-60 HRC for durability and long life. Frame and handle electrostatically painted. Display packed.

Capacity: 45mm Length: 300mm



5902380

5902380

450mm Adjustable Pipe Wrench

Traditional pattern wrench. Handle drop forged hardened and tempered. Jaws additionally induction hardened to 55-60 HRC for durability and long life. Frame and handle electrostatically painted. Display packed.

Capacity: 65mm Length: 450mm



5950540

5950540

**225 x 60mm Electricians Bolster with Hand Guard
Generally in accordance with BS3066**

Ground cutting edges and octagonal shank. Fitted with impact absorbing hand protection grip. For levering up and cutting through the tongues and grooves of floorboards. Sold loose.

225 x 60mm



5950522

5950522

**225 x 100mm Brick Bolster with Hand Guard
Generally in accordance with BS3066**

Ground cutting edges and octagonal shank. For cutting bricks and composite blocks. Fitted with impact absorbing hand protection grip. Sold loose.

Blade Width: 100mm.



5902352

5902352

Automatic Pipe Cutter (15mm)

For cutting copper and plastic pipes. Ideal for work in confined areas. Display packed.



5902353

5902353

Automatic Pipe Cutter (22mm)

For cutting copper and plastic pipes. Ideal for work in confined areas. Display packed.



5902360

5902360

Automatic Pipe Cutter (28mm)

For cutting copper and plastic pipes. Ideal for work in confined areas. Display packed.




5930117

5930117

3 - 22mm Capacity Mini Tubing Cutter

Adjustable, for small bore tubing or in-situ applications where space is limited. Diecast aluminium body, hardened steel blade, two flare groove rollers and deburring reamer in adjusting knob. Display packed.



5902337

5902337

Knipex Pipe Cutter

Professional Quality, high strength steel, this pipe cutter is designed to make light work of cutting plastic and composite pipes up to 40mm diameter using a ratchet action. The galvanised finish will keep the tool rust free under wet working conditions. Spare blades are available. Display packed.

Capacity: 26 - 40mm



5902351

5902351

35mm Capacity Plastic Pipe or Moulding Cutter

Expert Quality, heavy duty trigger operated cutter for cutting plastic pipes (6-35mm O/D) and mouldings. The ratchet blade action reduces distortion to a minimum. The cutter's body is manufactured from diecast aluminium and fitted with a heat treated replaceable stainless steel blade. Display packed.



5902359
180mm Heavy Duty Soft Grip High Leverage
Diagonal Side Cutter
 Manufactured to DIN Standard

Drop forged from chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Higher leverage is achieved by setting the fulcrum point closer to the jaw, increasing the lever moment. Lacquered finish for corrosion protection with heavy duty, soft grip handles with slip guards. Display packed.

Cut Hard Wire Dia: 2.3mm
 Cut Med/Hard Wire Dia: 3.8mm
 Cut Piano Wire: 1.8mm
 Length: 180mm



5950450
Supercut® 500mm/20" Soft Grip Hardpoint
Handsaw 11TPI/12PPI


Japanese high carbon steel hardened, tempered, straightened and stress relieved to ensure blade straightness. Fine ground blade surface coated in ultra-tough lacquer to prevent corrosion and ease friction during sawing. Triple ground tooth design to allow fast cutting and sawdust removal in both forward and reverse action. Each tooth is hardened to prevent tooth snap. Shock-absorbing, ergonomic soft grip handle. Display packed.

Pitch: 11/12 Second Fix



5950100
600mm Opti-Vision™ Box Section Ergo-Grip™
Levels with Dual Vials

Tough aluminium box section levels comprising two highly visible 'Opti-Vision' solid acrylic UV resistant vials, a reinforced horizontal vial with gradient lines and a vertical vial with side view into a patented curved profile for enhanced visibility. Electrostatically epoxy powder coated and baked for maximum protection. Fitted with 'Ergo-Grip'™ non-slip handle on 60cm and two on 90cm and above, oversized shock absorbing end caps. The base has a finely milled surface up to 120cm (1.8 and 2.0M unground. Accuracy 0.5mm per 1M = 0.029° in standard position.



5903897

5903897

250mm Prism Jaw Self Grip Pliers

Body manufactured from high strength special grade steel with jaw inserts from drop forged chrome vanadium steel and nickel plated. Serrated gripping surfaces in double prism jaws for both round and flat sectioned material. Fitted with a quick-release lever. Display packed.

Grips Hexagon: 13-36mm

Grips Round: 36mm

Grips Square: 36mm

Length: 250mm



5902358

5902358

200mm Long Nose Pliers

Manufactured to DIN Standard

Drop forged from chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Lacquered finish for corrosion protection with heavy duty, soft grip handles with slip guards. Display packed.

Cut Hard Wire Dia: 1.6mm

Cut Med / Hard Wire Dia: 3.6mm

Length: 200mm



5902357

5902357

200mm Combination Pliers

Manufactured to DIN Standard.

Drop forged from chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Lacquered finish for corrosion protection with heavy duty, soft grip handles with slip guards. Display packed.

Cuts Hard Wire Dia: 2.3mm

Cuts Med/Hard Wire Dia: 3.8mm

Length: 200mm



5902972

5902972
250mm Cobra® Waterpump Pliers
 Manufactured to DIN ISO 8976 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered, with smoothly ground jaws, joint faces and an accurately formed box joint with safety stop. The parallelogram-shaped gripping surfaces have specially hardened teeth to 61HRC for positive grip on pipes and nuts. One hand press button adjustment. Plastic coated handles with slip guards for extra safety. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Display packed.

Hold Nuts Across Flats: 46mm
 Hold Pipe Dia: 50mm
 Jaw Positions: 25
 Length: 250mm



5903321

5903321
300mm Cobra® Waterpump Pliers
 Manufactured to DIN ISO 8976 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered, with smoothly ground jaws, joint faces and an accurately formed box joint with safety stop. The parallelogram-shaped gripping surfaces have specially hardened teeth to 61HRC for positive grip on pipes and nuts. One hand press button adjustment. Plastic coated handles with slip guards for extra safety. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Display packed.

Hold Nuts Across Flats: 60mm
 Hold Pipe Dia: 70mm
 Jaw Positions: 30
 Length: 300mm



5903204

5903204
185mm Ergo Plus® Fully Insulated VDE Pliers
 Manufactured to DIN Standard and individually certified to EN 60900

Special steel hardened and tempered with cutting edges separately induction hardened. Ergonomic shape of head and handles allow user to access difficult working areas and still keep a tight grip on the workpiece. The pliers have following functions: flat cutter on the tip of the head for use on cable ties; wire stripper 1.5 and 2.5mm² wire; diagonal cutter for medium hard wire (3.5mm²), hard wire (2.5mm²) and piano wire (2mm²); crimper for terminals 1.5 and 2.5mm²; pattress screw cutter for M3.5 and M4 screws and wire looping device on underside of pliers for looping wire for plug screws/ terminals. Display packed.



5904032

5904032
Heavy Duty Retractable Trimming Knife with Quick Change Blade Facility

Retractable pattern with heavy duty aluminium diecast handle. Blade can be changed by a simple twist of the handle end (no screw). Supplied with plastic belt holder. Display packed.



5916631

5916631
5m x 19mm Autolock Tape - Blue

Length: 5m / 16ft
 Width: 25mm



5211561

5211561
Elite Focus LED Torch

Focus High-Performance LED Torches are manufactured from anodised aluminium, these torches are lightweight, strong, durable and reliable. Each torch is fitted with a high-performance LED with 3 output modes and focus control that provides both a spot and flood function.

Output: 120/400 lumens Beam Distance: 100m
 Run Time: 3/7 hours Power: 2 x D alkaline batteries (supplied)
 Size: 245 x 51/39mm Weight: 349g exc. batteries



Qty. 2

5308959

5308959
Alkaline battery D (LR20) Nx-Power Tech

Nx-Power Power Tech alkaline batteries are specially designed to offer the longest duration in devices that require a constant supply of energy.
 Sales unit: 2 cellophane batteries. Battery size: 61.5 mm (H) - 33.1 mm (Ø) D-size (LR20). Capacity: 19,760 mAh. Voltage: 1.5V
 Does not contain cadmium or mercury.
 Long duration.



52101569

52101569
Elite LED Multifunction Headlight 280 lumens

The Lighthouse Elite LED Multifunction Headlight offers four output options; a high performance XPG LED for high and low spot beam output, and COB LED (Chip On Board) side lights for wide angle beam or red flashing functions.

Output: 100/280 lumens
 Run Time: 3.5/7 hours Power: 3 x AAA batteries (supplied)



5300711

5300711
12m Plumbing Tape

For water plumbing applications. In plastic reel with dust cover. Shrink wrapped in singles with label.

Not suitable for use on gas pipework



5950529

5950529

19 x 250mm Octagonal Shank Cold Chisel

Generally in accordance with BS3066

Octagonal shank chisel from selected steel with polished cutting edge. Sold loose.

Blade Width: 19mm.
Length: 250mm.



5600121

5600121

14 Division PVC Tool Roll

Manufactured from PVC with bound edges and securing tapes. Packed in polythene bag with display card.

Dimensions: 675 x 330mm
Divisions: 14



6800419

6800419

10 x Junior Hacksaw Blades

Manufactured to BS6271

General purpose cutting blades with pinned ends. Will fit all junior hacksaw frames. Packed ten blades on display card or in bags of 100 blades.

Quantity: 10 blades per card



6800139


6800139

10 x 300mm 24TPI Bi-Metal Hacksaw Blades

Conforms to BS 1919

Saw edge, manufactured from high speed steel strip, electron beam welded to high quality carbon steel backing. Display packed ten blades per card.

Pitch: 24




5900002

5900002

Skeleton Caulking Gun (350ml)

Skeleton frame caulking gun, manufactured with a robust steel frame attached with a plunge rod. Capable of accommodating cartridges up to 350ml.



5904265

5904265

Card of 5 Hooked Trimming Knife Blades

Reversible polished steel blades with accurately ground cutting edges.

Packed: 5 blades per display card
Type: 2 notch (hooked)